




# TULSI AGRO ENGI MECH PVT.LTD.



**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi,Dist:- Rajkot,Gujarat

**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)


**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

## QUOTATION

ORIGINAL

No	Particulars	HP	Qty	Rate	Amount
M/S.	ATTA PLANT 1 TON WITH GRAVITY	Quotation No: Q101/3 Date:01/03/2022			
1	CLEANING SECTION				
A.	<b>FOUR SEAT ROUND SEPARATOR Zali SIZE: 30"X82"</b> <b>POWER: 1.5 HP</b> <b>M.O.C.- Mild Steel G.I. Screen</b> This is very common and simple process to clean any grains and pulses. It generally used brush and nett for cleaning removing the husk and bigger as well as smaller size material from grains. It is also attached with blower and destoner for removing the stone and dust from grains. Final Material gets totally clean and pure. 	1.5 HP	1	1,00,000	1,00,000.00
B.	<b>GRAVITY SEPARATOR THREE FAN WITH A.C. DRIVE</b> Deck Size:-60"x 42" POWER: 3+1=4 HP M.O.C.- Mild Steel <b>Gravity Separator for Agriculture Industry</b> that we are providing is widely appreciated owing to its unique	3+1= 4HP	1	1,95,000	1,95,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi, Dist:- Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



## TULSI AGRO ENGI MECH PVT.LTD.

	<p>Functionalities, adaptiveness to separate impurities and unwanted items from the grains, operational reliability and long service life. This machine is produced incorporating the cutting-edge techniques and tools in our production premises and therefore, it performs in the most accurate manner to separate the grains by weights. <b>Gravity Separator for Agriculture Industry</b> can be availed from us in the reasonable price range.</p> 				
C.	<p><b>STONE DISTONER SINGLE BLOWER</b>  <b>SIZE:-L-60",W-36", H-40"</b>  <b>Power : 1.5 HP</b>  <b>M.O.C.-Mild Steel</b>          Destoner are used to separate the stones from the ra material. Heavy materials are separated from light ones by the specific weight of the materials. They consist of three main parts which are fixed part(a chassis equipped with rubber block amortizing vibration and inclined adjustment), moving part (main body complete with acentric). The sifter set consists of a perforated plate at lower deck distributing air and a knitted sieve at lower.</p>	1.5HP	1	80,000	80,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi,Dist:- Rajkot,Gujarat



**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



## TULSI AGRO ENGI MECH PVT.LTD.

						
D.	<p><b>VACUME BLOWER &amp; CLEANER, BLOWER DIA:18"</b>  <b>Power : 0.5 HP</b>  <b>M.O.C.-Mild Steel</b>            High pressure pneumatic fans are used to convey the by-products vertically during milling. The radial type fans are used for the high pressure and middle flow rates. They have two sections; one is snail formed body supported by stand and motor chassis. And the other is blades fixed rotor.</p> 	0.5HP	1	30,000	30,000.00	
E.	<p><b>ASPRIN CHANNEL WITH HIGH PRESSURE BLOWER</b>  <b>Power-1HP</b>            Air channels are used to remove and clean light impurities and foreign materials from Cereals by means of air. They can be used by the combination of graders. Installation of air channel directly to the grain separator makes separation of the product and foreign from each other.</p>	1HP	1	45,000	45,000.00	

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi, Dist:- Rajkot, Gujarat


**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



## TULSI AGRO ENGI MECH PVT.LTD.

					
F.	<p><b>ELEVATOR WITH GEAR MOTOR</b> <b>Overall height:18 Feet</b> <b>Power: 1HP with Gear motor</b> All sheet metal components shall be manufactured on CNC Machine. Head casing, boot casing and leg casing made of 2/3/1.6 mm or more GI sheet respectively. Spouting, spout sections, discharge valve, ladder, service platform, boot plate, take up unit, hopper with grating and feed control gate shall be of MS. Belt should be 8 mm Cotton Belt Buckets shall be PU/ NYLON/HDPE, Self-cleaning type. Spacers shall be providing in between belt and buckets to prevent damage to seeds. Boot pulley shall be wing type to prevent lodging of seeds between pulley and belt. Head pulley shall be rubberiest and crowned for improved traction. Sprocket shall be TLB type for easy and quick fitting. Belt speed should not be exceed 1m/sec. Height of delivery as per requirement (as per height of pre cleaner o floor to be accommodated within existing building roof height.)These can also be integrated with horizontal or inclined trough belt conveyor system for fast and efficient movement &amp; handling of raw material.</p>	2 HP	2	55,000	1,10,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi,Dist:- Rajkot,Gujarat



**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

					
<b>MILLING SECTION</b>					
2	<p><b>CENTRIFUGAL ATTA SEPARATOR</b></p> <p>a) Heavy Make Atta Grader Centrifugal system b) with German made wire mesh net 7 miter</p> <p><b>POWER:-3 HP</b> <b>Size:- 13 Feet x 4 Feet x 6 Feet (LXWXH).</b></p> <p>It is used for separating the Fine Flour and Chokkar from the raw flour.Its made from GI Sheet with two different size nett inside and electric motor. It genrally usefor capacity of 1 ton per hour approx.</p> 	3 HP	1	1,90,000	1,90,000.00
3	<p><b>PNEUMATIC SYSTEM</b></p> <p>a) High Pressure blower 7.5 hp b) cyclone c) Air Collector five out let d) Air lock with glass &amp; pulley set</p> <p><b>Power : 7.5 hp</b></p> <p>High pressure pneumatic fans are used to convey the by-products vertically during milling.They are radial type fans and used for the high pressure and middle flow rates. They have two sections; one is snail formed body supported by stand and motor chassis.And the</p>	7.5 HP	1	1,85,000	1,85,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi,Dist:- Rajkot,Gujarat


**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

	<p>other is blades fixed rotor.</p> 				
4	<p><b>FLOUR MILL 24"-CHAKKI</b></p> <p>a) Heavy duty "TULSI" brand chakki 24"  b) with emery stone 4 pair, 8 nos.  c) With pulley set &amp; v-belt, 2.5" shaft &amp; double bearing</p> <p><b>Power : 15 HP</b></p> <p>We offer high quality <b>Chakki Heavy duty 24'</b> that is commonly used for grinding purpose. Furthermore, These chakki machines are used for various industry purposes like <b>grinding cereals, flours, and spices</b>. Our product is designed using superior grade material that gives it optimum performance and longer working life. We also offer various specifications and customization on this products range to cater the different needs of our valued clients.</p> 	15x4=60 HP	4	55,000	2,20,000.00
5	<p><b>VARAM CONVEYER WITH WATER DUMPLER 15 FEET</b></p> <p>a) Varam with water dumper system  b) 5" varam Blade</p> <p><b>POWER : 1HP</b></p> <p>Intensive dampening augers are used to moisturize the grains to sufficient moisture Content in the mill plants to ease the processing performances with economic</p>	1 HP	1	50,000	50,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi, Dist:- Rajkot, Gujarat


**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

	usage of energy, increasing usage life of the equipment. 				
6	<p><b>ELEVATOR</b></p> <p>a) Elevator box size:7"x7"</p> <p>b) With cotton belt 8mm &amp; 4" , 5" P.V.C. bucket</p> <p><b>Overall height:18 Feet</b></p> <p><b>Power: 1 HP with Gear motor</b></p> <p>All sheet metal components shall be manufactured on CNC Machine. Head casing, boot casing and leg casing made of 2/3/1.6 mm or more GI sheet respectively. Spouting, spout sections, discharge valve, ladder, service platform, boot plate, take up unit, hopper with grating and feed control gate shall be of MS. Belt should be 8 mm Cotton Belt Buckets shall be PU/NYLON/HDPE, Self-cleaning type. Spacers shall be providing in between belt and buckets to prevent damage to seeds. Boot pulley shall be wing type to prevent lodging of seeds between pulley and belt. Head pulley shall be rubberiest and crowned for improved traction. Sprocket shall be TLB type for easy and quick fitting. Belt speed should not be exceed 1m/sec. Height of delivery as per requirement (as per height of pre cleaner o floor to be accommodated within existing building roof height.)These can also be integrated with horizontal or inclined trough belt conveyor system for fast and efficient movement &amp; handling of raw material.</p>	1x2 =2HP	2	55,000	1,10,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi,Dist:- Rajkot,Gujarat



**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

					
7	<p><b>STORAGE TANK STORAGE CAP.8 TON</b></p> <p>a) Storage silo size: 7'x8'x7' feet  b) With C-channel structure  c) Folding wall &amp; bolting system</p> <p>storage tank is used for store the clean material for the packing purpose</p> 		2	45,000	90,000.00
8	<p><b>ELECTRIC MOTOR &amp; CONTROL PANEL</b>  <b>Total Power Required : 83 HP</b></p> <p>Panels provide command, control and compensation of multi numbered electricmotors. Generally, these panels act as the command centre of the electrical motors in the factory. Owing to these panels, an errorless and fast working atmosphere is achieved. Command and control of electric motor reliably provides the users with efficient and effective production, and also allows immediate intervention in case of errors, thus preventing potential accidents and loss of life/goods and therefore decreasing overall costs.</p>		1	3,00,000	3,00,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi, Dist:- Rajkot, Gujarat


**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

					
9	<b>FITTING &amp; INSTALLATION CHARGES</b>			50,000	50,000.00
		<b>84 HP</b>		<b>Sub. Total</b>	<b>17,55,000.00</b>

**AMOUNT IN WORD: -Rs. SEVENTEEN LAKHS FIFTY FIVE THOUSAND RUPEES ONLY.**

### Terms & condition:

- All prices are ex our workshop.
- GST 5% Extra as per government rules.
- Capacity 1Ton per hour (Input basis of wheat).
- All plant erection accessories are included.
- Civil work at party scope.
- Unloading at party scope.
- Electrical wires party scope.
- Advance payment is not refundable if order will be cancel.
- Welding machine & local 2 to 3 labor required at party scope for installation time.
- Quotation valid for 60 days from the date of quotation.
- Our technician's food & accommodation provided by party scope.

### Payment condition:

- 25% Payment at order time
- 75% Payment at before delivery  
(delivery 30 to 40 days after getting Advance Payment)

**GST No-24AAFCT8162Q1ZO**

**FOR, TULSI AGRO ENGI MECH PVT.LTD**

**OUR BANK-BANK OF INDIA  
BHAKTI NAGAR BRANCH-RAJKOT  
A/C NO.312130110000296  
IFSC CODE: BKID0003121**

**AUTHO. SEGNETURE**

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Unit 3:-** Rsn 44/1, Plot No.1, Bharudi Village Main Road Behind Ajayraj Hotel, NH 27, At-Bharudi,Dist:- Rajkot,Gujarat

**Contact Us:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)