




TULSI AGRO ENGI MECH PVT.LTD.



UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

UNIT 2:- N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

UNIT 3:- Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

CONTACT US:- Mo-+91 94283 46905, Mo- +91 98796 13955

EMAIL:- salestulsiagro@gmail.com, chiragbhalodiya@gmail.com

WEBSITE:- www.tulsiagrofood.com



TULSI AGRO ENGI MECH PVT.LTD.

QUOTATION

ORIGINAL

M/S.	Quotation No: Q102/4 Date:01/12/2022
FULLY AUTOMATIC 1000 KG CLEANING PLANT WITH GRAVITY	

No	Particulars	HP	Qty	Rate	Amount
01	FOUR SEAT ROUND SEPARATOR Zali SIZE: 30"X82" POWER: 1.5 HP M.O.C.- Mild Steel G.I. Screen This is very common and simple process to clean any grains and pulses. It generally used brush and nett for cleaning removing the husk and bigger as well as smaller size material from grains. It is also attached with blower and destoner for removing the stone and dust from grains. Final Material gets totally clean and pure.	1.5 HP	1	2,00,000	2,00,000.00
02	GRAVITY SEPARATOR THREE FAN WITH A.C. DRIVE Deck Size:-60"x 42" POWER: 3+1=4 HP M.O.C.- Mild Steel Gravity Separator for Agriculture Industry that we are providing is widely appreciated owing to its unique functionalities, adaptiveness to separate impurities and unwanted items from the grains, operational reliability and long service life. This machine is produced incorporating the cutting-edge techniques and tools in our production premise and therefore, it performs in the most accurate manner to separate the grains by weights. Gravity Separator	3+1= 4HP	1	2,95,000	2,95,000.00

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapur (Veraval) Dist- Rajkot-360024

UNIT 2:- N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

UNIT 3:- Rsn44/1, Plot no.1, Bharudi Village Main Road, Behind Ajayraj Hotel, N.H.27, AT Bharudi, Dist: Rajkot, Gujarat

CONTACT US:- Mo-+91 94283 46905, Mo- +91 98796 13955

EMAIL:- salestulsiagro@gmail.com, chiragbhalodiya@gmail.com

WEBSITE:- www.tulsiagrofood.com



TULSI AGRO ENGI MECH PVT.LTD.

	for Agriculture Industry can be availed from us in the reasonable price range				
03	<p>STONE DISTONER SINGLE BLOWER SIZE:-L-60",W-36", H-40" Power : 1.5 hp M.O.C.-Mild Steel</p> <p>Destoner are used to separate the stones from the raw material. Heavy materials are separated from light ones by the specific weight of the materials. They consist of three main parts which are fixed part(a chassis equipped with rubber block amortizing vibration and inclined adjustment), moving part(main body complete with acentric. The sifter set consists of a perforated plate at lower deck distributing air and a knitted sieve at lower</p>	1.5HP	1	180,000	180,000.00
04	<p>VACUME BLOWER & CLEANER, BLOWER DIA:18" Power : 0.5hp M.O.C.-Mild Steel</p> <p>High pressure pneumatic fans are used to convey the by-products vertically during milling.The are radial type fans and used for the high pressure and middle flow rates. They have two sections; one is snail formed body supported by</p>	0.5HP	1	30,000	30,000.00

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

UNIT 2:- N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

UNIT 3: Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

CONTACT US: - Mo-+91 94283 46905, Mo- +91 98796 13955

EMAIL: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com

WEBSITE: - www.tulsiagrofood.com



TULSI AGRO ENGI MECH PVT.LTD.

	stand and motor chassis.And the other is blades fixed rotor 				
05	ASPRIN CHANNEL WITH HIGH PRESSURE BLOWER Power-1HP Air channels are used to remove and clean light impurities and foreign materials from cereals by means of air. They can be used by the combination of graders. Installment of air channel directly to the grain separator makes separation of the product and foreign from each other	1HP	1	45,000	45,000.00
06	ELEVATOR WITH GEAR MOTOR Overall height:18 Feet Power: 1HP with Gear motor All sheet metal components shall be manufactured on CNC Machine. Head casing, boot casing and leg casing made of 2/3/1.6 mm or more GI sheet respectively. Spouting, spout sections, discharge valve, ladder, service platform, boot plate, take up unit, hopper with grating and feed control gate shall be of MS. Belt should be 8 mm Cotton Belt Buckets shall be PU/NYLON/HDPE, Self-cleaning type. Spacers shall be providing in between belt and buckets to prevent damage to seeds. Boot pulley shall be wing type to prevent lodging of seeds between pulley and belt. Head pulley shall be rubberiest and crowned for improved	1HP	3	75,000	2,25,000.00

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

UNIT 2:- N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

UNIT 3: Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

CONTACT US: - Mo-+91 94283 46905, Mo- +91 98796 13955

EMAIL: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com

WEBSITE: - www.tulsiagrofood.com



TULSI AGRO ENGI MECH PVT.LTD.

	traction. Sprocket shall be TLB type for easy and quick fitting. Belt speed should not be exceed 1m/sec. Height of delivery as per requirement (as per height of pre cleaner o floor to be accommodated within existing building roof height.)These can also be integrated with horizontal or inclined trough belt conveyor system for fast and efficient movement & handling of raw material				
07	ELECTRIC MOTORS FOR ALL EQUIPMENTS 1.5HP+3HP+1HP+1.5HP+0.5HP+1HP+1HP + 1HP+1HP				3,09,000.00
08	FITTING & INSTALLATION CHARGES			25,000	25,000.00
09	TRANSPORTATION CHARGES			50,000	50,000.00
10	GST @ 18%			2,44,678.00	2,44,678.00
		9.5 HP		Sub Tot.	16,04,000.00
AMOUNT IN WORD - Rs. SIXTY LAKHS FOUR THOUSAND RUPEES ONLY.					

Terms & condition:

- All price are ex our workshop
- GST 18% Including
- Capacity 1Ton per hour (Input basis of wheat)
- All plant erection accessories are included.
- Civil work at party scope
- Unloading at party scope
- Electrical wires party scope
- Advance payment is not refundable if order will be cancel.
- Welding machine & local 2 to 3 labor required at party scope for installation time.
- Quotation valid for 60 days from the date of quotation.
- Our technician's food & accommodation provided by party scope

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

UNIT 2:- N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

UNIT 3:- Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

CONTACT US: - Mo-+91 94283 46905, Mo- +91 98796 13955

EMAIL: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com

WEBSITE: - www.tulsiagrofood.com



TULSI AGRO ENGI MECH PVT.LTD.

Payment condition:

- 25% Payment at order time
- 75% Payment at before delivery
- (delivery 30 to 40 days after getting Advance Payment)

GST No-24AAFACT8162Q1ZO

FOR, TULSI AGRO ENGI MECH PVT.LTD.

**OUR BANK-BANK OF INDIA
BHAKTI NAGAR BRANCH-RAJKOT
A/C NO.312130110000296
IFSC CODE: BKID0003121
SWIFT CODE- BKIDINBBRAJ**

AUTHO. SIGNATURE



UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

UNIT 2:- N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

UNIT 3: Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

CONTACT US: - Mo-+91 94283 46905, Mo- +91 98796 13955

EMAIL: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com

WEBSITE: - www.tulsiagrofood.com