

# OSAW AGRO INDUSTRIES PVT.LTD.

P.O. Bag 5, Agrosaw Complex, Jagadhri Road, Ambala cantt.,  
E-mails : agrosaw@agrosaw.com ,  
Phones : (0091) 171 2699354, 2699167, 2699547  
GSTIN : 06AAAC05198C1ZJ

Haryana 133001 (India)  
CIN No. U29211HR2002PTC34843  
Fax : (0091) 171 2699018  
Web : www.agrosaw.com



**LODESHWAR AGRO PRODUCER COMPANY LIMITED**  
DIST: NAGPUR


Our Ref :- SS/Z-1/EQ/28247

Date : FEB .27, 2023

Enq No 42871,

**Sub. :- OFFER FOR 2TPH SORTING CONVEYOR, WASHING & DRYER FOR VEGETABLES.**

Sr.	PARTICULARS	QTY
1	<p><b><u>SORTING CONVEYOR</u></b> MOC: GI Sheet and M.S. Pipe Length: 5000 mm Width: 800 mm Powered by: 1 HP 3 Ph geared motor Consisting of PVC Belt which are food grade material. The products will be dumped onto the Belt which will be conveyed forward with the help of the Belt. The workers standing on both sides of the machine will sort out the damaged or rotten products and will take such products out of the conveyor. Suitable spout is provided for the easy removal of the rotten products at the centre of the conveyor.</p>	2No.
2.	<p><b><u>WASHING SECTION</u></b> The washing section is fitted with nylon bristle rollers rotating on their own axis. Products will be let onto the bristle rollers from the sorting table. Sprinkler arrangement will be provided on the top of the moving products. Water will be sprayed on the products while they move forward slowly. The bristle rollers gently rub the surface of the products and clean it properly. The dirty water accumulates on a water tank fitted below the machine and discharges out continuously. The contact parts will be fabricated from food grade material and structure of mild steel. The machine is fitted with pump. This washing process is automatic only the machine should be connected with a constant water supply point. Length :2000-2100 mm. Width :1200 mm of roller Power : 1 H.P 3 Ph for motor 0.5 HP, 1 Ph for pump</p>	1 No.



- 3      **HOT AIR DRYING SECTION**      2 No.
- This machine comprises of Aluminium OR SS Rollers on which the products are conveyed after being washed. The dryer is fitted with electric heaters. Slow drying of the products occurs in the dryer by hot air at controlled temp (30-50 degC) Material of construction - structure of mild steel. Contact parts made up of food graded materials. Complete with hot air circulating fan, electrical heaters, temperature controller, thermostat, etc.
- Length : 10000 mm (10 mtr)  
Width : 1210 mm of roller  
Power : 33 HP (Total)
4.      **INCLINED ROLLER CONVEYOR**      1 No.
- This machine will provided to convey and elevate the products from the dryer to the conveyor belt. Rollers and other contact parts will be made up of food graded materials. Frame will be fabricated from M.S.
- Length :1200-1500 mm  
Width : 1200 mm of roller  
Powered by : 1 HP Geared motor
- 2      **CONTROL PANEL**      1 No.
- The control panel helps in proper electrical synchronization and control of all the machines from a single place. All the machines can be switched On or Off from a single place by a single person. There is no need to fit individual motor starter and main switch on each machine.
- 3      **ERECTION & COMMISSIONING CHARGES**      1 No.
- SUPPLIER SCOPE (AGROSAW)
- 1.Assembly & Erection of Equipment Area 9mt x 18mt
  - 2.To arrange unskilled labour and masons required for assembly & erection of plant.
  - 3.To arrange crane, fork lift, chain block, floor breaker, hammer drill, welding machine & any other heavy tool.
  - 4.Electrical connection to all equipment from the supplied electrical control panel. Electric control panel shall be installed at maximum distance up to 5m from the machine, distance beyond 5m shall be to the customer account, laying of cables shall be under ground in PVC pipes.
  - 6.To provide electric cables, electric items required for electrification of complete plant.
  - 7.Commissioning & Trial of machines with the product.
  - 8.Training to user's staff for proper maintenance, adjustment

# OSAW AGRO INDUSTRIES PVT.LTD.

P.O. Bag 5, Agrosaw Complex, Jagadhri Road, Ambala cantt., Haryana 133001 (India)  
 E-mails : agrosaw@agrosaw.com , CIN No. U29211HR2002PTC34843  
 Phones : (0091) 171 2699354, 2699167, 2699547 Fax : (0091) 171 2699018  
 GSTIN : 06AAACO5198C1ZJ Web : www.agrosaw.com



Sr.	PARTICULARS	QTY
	& operation of the machine. CUSTOMER/PURCHASER SCOPE 1.To unload & to transport the equipment from unloading point to installation site. 2.Proper building & space for installation & commissioning of the machines/plants & any other civil work beyond supplier scope. 3.Electric cables from main grid to main control panel of the plant with proper earthing. 4.Facility to work at site after office hours/holidays, if required. 5..To provide warehouse to store equipment which need protection from bad weather conditions & thefts etc. 6.To arrange electric connection at site to run tools & equipment required for installation & commissioning of the project. 7.To arrange water for civil works & safe drinking water for work force to be engaged to install & commission the project. 8.To provide fruits/vegetables for trial purpose. 9.Licenses,permissions & necessary authorization for installation if required. 10.To arrange operator/Responsible Person for Operational/Maintenance works. 11.If customer wants cable to be laid on cable trays and or in trenches then expenditure on this shall be to customer account. 12.To arrange widening of gate height & width for machine to enter in the building & after machines are shifted inside godown, then customer shall arrange the repair at his cost. 13.Noise reducing system, Fire fighting, General electric installation, Work contract tax is in the scope of the customer.	
	<b>Rs. Twenty Five Lakhs Thirty Thousand Nine Hundred Only</b>	
		<b>Total Cost 25,30,900.00</b>
	<b>Total</b>	<b>25,30,900.00</b>

## TERMS & CONDITIONS

- PRICES: Our prices are Ex-works, Ambala Cantt. Freight to pay.
- PAINT: All the metallic parts of machines shall be painted in "PU" paint as standard supply in the quoted price.
- Transit Insurance shall be charged extra @ 0.5% on the 110% invoice value Plus GST as applicable at the time of supply.
- Unloading of equipment at site shall be arranged by the buyer at his own risk and cost.
- GST: It shall be charged extra as applicable at the time of supply. At present rate of GST is as follows:-  
 Our GST No. 06AAACO5198C1ZJ  
 @ 5% on Seed/Grain Cleaners & Parts. @ 5% on Seed Graders & Parts. @ 5% on Indented Cylinder Seed Graders & Parts. @ 5% on Seed Gravity Separators & Parts.  
 @ 5% on De-Stoners & Parts. @ 12% on Seed Treaters & Parts.  
 @ 18% on V.B. Elevator/Conveyor & Parts. @ 18% on Seed Dryers & Parts.  
 @ 18% on Moisture Meter. @ 28% on Electronic Weighing Balance.  
 @ 12% on Bag Closing Machine. @ 18% on Dust Aspiration System.

Contd...2

# OSAW AGRO INDUSTRIES PVT.LTD.

P.O. Bag 5, Agrosaw Complex, Jagadhri Road, Ambala cantt., Haryana 133001 (India)  
E-mails : agrosaw@agrosaw.com , CIN No. U29211HR2002PTC34843  
Phones : (0091) 171 2699354, 2699167, 2699547 Fax : (0091) 171 2699018  
GSTIN : 06AAAC05198C1ZJ Web : www.agrosaw.com



Sr.	PARTICULARS	QTY
	@ 12% on Bag Closing Machine.	@ 18% on Dust Aspiration System.
6	If there is any change in the rate of taxes and/or imposition of any new taxes at the time of supply that shall be to buyer`s account.	
7	Validity: Our rates shall remain valid for 60 days from the date of our offer, afterward subject to confirmation.	
8	Delivery:The equipment shall be despatched within 6 to 8 weeks from Ambala Cantt after receipt of your technically & commercially clear confirmed order. NOTE: However, because of on going Covid-19 Pandemic, we can honour the delivery schedule if the situation normalizes & we are able to undertake normal manufacturing cycle.	
9	Warranty: 12 Calendar months from the date of despatch against any manufacturing defect and/or bad workmanship.	
10	Payment: 40% payment advance alongwith your order and balance 60% payment before dispatch of machines. All the payments by Bank Draft in favour of OSAW AGRO INDUSTRIES PVT. LTD. payable at any nationalised Bank at Ambala Cantt. All Bank charges shall be to buyer`s account. CC ACCOUNT No. 3887 0087 00 00 2289 IFSC CODE: PUNB0388700	
11	GST @ 18% shall be charged extra on erection & commissioning charges separately.	
12	For all disputes the jurisdiction would be Ambala only.	
13	If installation of machine is to be done through Chemical Anchoring than floor must be RCC (Reinforced cement concrete) with minimum thickness of 150mm over 100mm PCC ( Plain cement concrete ) on compact soil.	
14	If the depth of water table is less than the depth of Elevator pit/foundation,chances of water seepage will be there. In that case waterproofing or any other solution to avoid water seepage shall be under Customer Scope.	
15.	If you are liable to deduct TDS u/s 194Q then please let us know in advance, otherwise we will have to collect TCS u/s 206CR from you @0.1% the Invoice Value and shall be recovered from you.	

## NOTE:

Any change in Elevator's height, No. of spouting, No. of spout section, No. of ducting, Pit Cover, Chutes etc. as per site condition or Customer's requirement shall be charged extra as per actual.  
for OSAW AGRO INDUSTRIES PVT. LTD.

SANJEEV SAGAR  
MANAGING DIRECTOR