



QUOTATION


ORIGINAL

M/S.
ARUSH AGRO FARMERS PRODUCER COMPANY LTD.
RAMESH SIR
9421912216
A/P TANULWADI TQ- WASHI DIST-OSMANABAD 413503

Quotation No: Q306/2

Date:26/01/2023

DAL MILL PLANT 1 TPH FULLY AUTOMATIC QUOTATION

No	Particulars	HP	Qty	Rate	Amount
01	<p>CLASSIFIER 3 DECK SCREEN SIZE:950X950 MM DIMENTION:2000X1050X1500MM MOC-Mild Steel ,Thick:3 MM are used for a wide range of applications such as removing large impurities like stick, buck and leaves and are also used for removing fine dirt and sand from products in seed cleaning plants and seed processing plants.</p> 	5	5	2,60,000	13,00,000.00
02	<p>DE - STONER 1200X900 MOC:- Mild Steel,3MM, Thickness DIMENTION:1500X1200X1800 MM De-stoner mainly finds application in the seed handling industries wherein same size stones have to be removed from seeds before processing.</p>	2	1	3,50,000	3,50,000.00

CONTACT US




+91-97129 46905 / 96380 46900
 info@tulsiagrofood.com
 salestulsiagro@gmail.com
 www.tulsiagrofoodind.com
 www.tulsiagroproduct.com
 www.tulsiagrofood.com

Office : 1302, Twin Star North Tower, 150 ft. Ring Road, Nr. Nana Mava Circle, Rajkot-360005.
 UNIT 1 : 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval), Dist. : Rajkot, (Guj.).
 UNIT 2 & 3 : RSN 50/2, Plot No.1, & RSN 44/1,Plot No.1, Bharudi Village Main Road,
 B/h. Ajayraj Hotel, N.H.27, AT : Bharudi, Dist : Rajkot, Gujarat (India).






TULSI AGRO ENGI MECH PVT.LTD.

					
03	<p>ROUND GRADER (SIZE-8FT) Power : 2 HP This machine separates shelled peanut and un-shell peanut very precisely. It also separates undesired dust from the groundnuts. It's a very popular machine in India due to its accurate results.</p> 	2 HP	1	1,95,000	1,95,000.00
4	<p>ASPIRATION CHANNEL MOC:- Mild steel,2.5 mm thickness DIMENTION:1050X450X1000 MM is used for removal of light weight particles from all kind of grains maximum cleaning action is obtained by installing a good aspirator after the scourer aspiration channel is particularly suited to separate husks, chaff, small seeds, insect fragments, broken & hollow kernels accuracy of separation.</p> 	**	5	45,000	2,25,000.00



Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
 Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
 Unit 2 & 3 : RSN 50/2,Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel,
 N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
 Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
 Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com



NSB



TULSI AGRO ENGI MECH PVT.LTD.




<p>5</p>	<p>EMERY ROLL (WITH MOTOR) 14 X 33" MOC: MILES STEEL & G.I SHEET, 2.5 MM thickness ROLL SIZE: 350X825 DIMENTION: 1050X750X1800 MM Our special range of emery roll can effectively remove the husk of GRAM, green whole lentil, red whole lentil, toor dal whole beans, green gram, Mung Black gram, URAD. the specialty of our machine is that it takes less powder and give maximum production .</p> 	<p>10x3= 30</p>	<p>3</p>	<p>1,50,000</p>	<p>4,50,000.00</p>
<p>6</p>	<p>BUCKET ELEVATOR 32" APPROX 25FT. MOC:- Mild Steel & GI Sheet, 2.5mm Thickness 8 mm cotton belt with 5" PVC Bucket DIMENTION: 250X250 Elevators are highly functional and are have various applications such as vertical lifting of materials such as coffee, rice, food grains and other granular materials.</p> 	<p>12HP</p>	<p>12 appr.</p>	<p>75,000</p>	<p>9,00,000.00</p>

Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
 Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
 Unit 2 & 3 : RSN 50/2, Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel, N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
 Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
 Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com






TULSI AGRO ENGI MECH PVT.LTD.

7	WORM CONVEYOR (WITH MOTOR) 	6	90 ft.	3,000 per ft.	2,70,000.00
8	CYCLONE SEPARATOR (900 DIA) MOC:- Mild Steel,3.5 MM Thickness DIA:1100 MM DIMENTION:2400X1100 MM In general, cyclones are used to remove dust and other product streams from processing operations. There are many factors that directly affect the efficiency of a cyclone. 	***	3	40,000	1,20,000.00
9	CENTRIFUGAL FAN 10 HP (WITH MOTOR) MOC:- Mild Steel,3 MM Thickness DIA:600 MM DIMENTION:900X300X1050 MM Our fans serve industries where they must run around the clock, continually delivering high performance under tough conditions. 	20	2	75,000	1,50,000.00
10	DE - STONER FAN 10 HP (WITH MOTOR) MOC:- Mild Steel,3 MM Thickness DIA:600 MM	10	1	75,000	75,000.00




Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
 Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
 Unit 2 & 3 : RSN 50/2,Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel,
 N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
 Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
 Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com




260



TULSI AGRO ENGI MECH PVT.LTD.




	<p>DIMENTION:900X300X1050 MM</p> 				
11	<p>LATHER POLISHER MACHINE (WITHOUT MOTOR) MOC: Mild Steel & Lather belt,3 MM Thickness Polishing the pulse and seeds surface after bran removal.</p> 	15	1	1,40,000	1,40,000.00
12	<p>AIR LOCK WITH GEAR MOTOR MOC: Iron Cast, With Horizontal gear box DIA:150MM Airlocks are used in pneumatic conveying, dust control and flow control applications</p> 	1x3=3	3	35,000	1,05,000.00
13	<p>INTAKE HOOPER MOC:GI Sheet,3 MM Thickness DIMENTION:1500X1500 MM Material intake and product transport equipment including elevators, trough, belt conveyors and screw conveyors.</p>	**	1	30,000	30,000.00
14	<p>MAGNET CUM DAD BOX MOC:13000 GUESS SS Roll Magnetic separators are employed for the removal of metal particles, e.g. nails, wire and screws.</p>	**	1	40,000	40,000.00

Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
 Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
 Unit 2 & 3 : RSN 50/2, Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel, N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
 Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
 Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com






TULSI AGRO ENGI MECH PVT.LTD.

					
15	WATER & OIL WHEEL DUMPER 	**	1	45,000	45,000.00
16	SPEED SPOUT SUPPORTING LINE & MACHINERY HOPERS MOC:GI & MILED STEEL,1.5 TO 3 MM Speed Spout is a system that includes all types and sizes of standardized parts. Each is designed to meet rigid requirements in both gravity and pneumatic conveying lines.	**	1 set	1,75,000	1,75,000.00
17	AIR DUST DUCTING LINE MOC:GI,1 MM Dust Duct" is a total system of pre-engineered, welded metal ducting and fittings for dust control work. Full range of sizes from small to large size. These types and sizes cover almost 100% of the requirements for air pollution and dust control systems, excepting very unusual or extremely large jobs.	**	1 set	2,00,000	2,00,000.00
18	PROCESS BINS & STORAGE BINS [8'x8'x7'] MOC:- Mild Steel & GI,2 MM 		8 Nos.	70,000	5,60,000.00
19	DRYER COMPLETE SET WOOD DRYER WITH HEATING CHAMBER, INCLUDING BLOWER 15 HP AND ALL ACCESSORIES	15	1	6,50,000	6,50,000.00

Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
 Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
 Unit 2 & 3 : RSN 50/2,Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel, N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
 Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
 Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com



262



TULSI AGRO ENGI MECH PVT.LTD.




<p>20 FLOUR MILL 24"-CHAKKI a-Heavy duty "TULSI" brand chakki 24" b-with emery stone 2 pair, 4 nos. c-With pulley set & v-belt,2.5"shaft & double bearing Power : 5 HP We offer high quality Chakki Heavy duty24' that is commonly used for grinding purpose. Furthermore, these chakki machines are used for various industry purposes like grinding cereals, flours, and spices. Our product is designed using superior grade material that give it optimum performance and longer working life. We also offer various specifications and customization on this products range to cater the different needs of our valued clients</p>	<p>5X2=10 HP</p>	<p>2</p>	<p>55,000</p>	<p>1,10,000.00</p>	

Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
Unit 2 & 3 : RSN 50/2,Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel, N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com





TULSI AGRO ENGI MECH PVT.LTD.

21	FATKA MACHINE 	3 HP	1	1,50,000	1,50,000.00
22	ELECTRIC MOTOR & PANEL BOARD ALL ELECTRIC MOTOR MAKE BY CROMPTON OR ABB , CONTROL PANEL MAKE BY L&T 			4,50,000	4,50,000.00
23	PLANT FITTING & ERECTION CHARGES			3,85,000	3,85,000.00
24	MULTIPLE PRODUCT COLOR SORTER MACHINE MODEL:-FB1 (3 CHUTE) Capacity:- 1 TPH Accuracy:- $\geq 99.99\%$ Voltage:- AC 220 – 50 (V – HZ) Power (KW):- ≤ 1.5 Weight (KG):- 450($\pm 5\%$) Dimension:- (L x W x H) (MM) 910 X 1610 X 1545 Air Consumption :-16 (CFM) air compressor- 7.5 HP 			18,00,000	18,00,000.00


Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
Unit 2 & 3 : RSN 50/2, Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel,
N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com



264



TULSI AGRO ENGI MECH PVT.LTD.

25	AIR COMPRESSOR	15HP		2,50,000	2,50,000.00
					
26	STUCTURE AND FABRICATION		80	30,000	24,00,000.00
27	ALL PLANT WIRING			3,00,000	3,00,000.00
		148 HP		Sub Tot.	1,18,25,000.00
				GST 18%	21,28,500.00
				TOTAL	1,39,53,500.00

Terms & condition:

- As factory delivery
- GST 18% Included
- 1 year warranty.
- All plant civil work party scope.
- All plant ele. Wiring at party scope.
- All plant pulley set, V-belt & nut bolt are included.
- Our technician's food & hotel accommodation will be extra.
- Steel raw material for structure will be extra.
- Extra Structure & Fabrication Material

Payment condition:

- 25% Payment at order time
- 75% Payment at before delivery

Rs. ONE CRORE THIRTY NINE LAKHS FIFTY THREE THOUSAND FIVE HUNDRED RUPEES ONLY.


GST TIN NO: 24AAFCT8162Q1ZO

**A/C NO.312130110000296
IFSC COAD: BKID0003121
OUR BANK-BANK OF INDIA
BHAKTINAGAR-RAJKOT**

FOR, TULSI AGRO ENGI MECH PVT.LTD.



Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
Unit 2 & 3 : RSN 50/2, Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel, N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com



265-



QUOTATION

Original

Date : 26th January -2023

Quotation No.T0304

M/S.

ARUSH AGRO FARMERS PRODUCER COMPANY LTD

RAMESH SIR

9421912216

A/P TANULWADI TQ- WASHI DIST-OSMANABAD 413503

CLEANING AND GRADING 3 TPH FULLY AUTOMATIC

CLEANING UNIT

Sr. No.	Particulars	HP	QTY.	Rate	Amount
01	VERTICAL BUCKET ELEVATOR Power: 1 HP with Gear motor All sheet metal components shall be manufactured on CNC Machine. Head casing, boot casing and leg casing made of 2/3/1.6 mm or more GI sheet respectively. Spouting, spout sections, discharge valve, ladder, servicePlatform, boot plate, take up unit, hopper with grating and feed control gate shall be of MS. Belt should be 8 mm Cotton Belt Buckets shall be PU/NYLON/HDPE, Self-cleaning type. Spacers shall be providing in between belt and buckets to prevent damage to seeds. Boot pulley shall be wing type to prevent lodging of seeds between pulley and belt. Head pulley shall be rubberiest and crowned for improved traction. Sprocket shall be TLB type for easy and quick fitting. Belt speed should not be exceed 1m/sec. Height of delivery as per requirement (as per height of pre cleaner o floor to be accommodated within existing building roof height.)These can also be integrated with horizontal or inclined trough belt conveyor system for fast and efficient movement & handling of raw material	1 HP	1	1,20,000	1,20,000.00

CONTACT US

+91-97129 46905 / 96380 46900

info@tulsiagrofood.com

salestulsiagro@gmail.com

www.tulsiagrofoodind.com



www.tulsiagroproduct.com

www.tulsiagrofood.com

Office : 1302, Twin Star North Tower, 150 ft. Ring Road, Nr. Nana Mava Circle, Rajkot-360005.
 UNIT 1 : 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval), Dist. : Rajkot, (Guj.).
 UNIT 2 & 3 : RSN 50/2, Plot No.1, & RSN 44/1,Plot No.1, Bharudi Village Main Road,
 B/h. Ajayraj Hotel, N.H.27, AT : Bharudi, Dist : Rajkot, Gujarat (India).





					
02	<p>PRE-CLEANER WITH CLASSIFIER With stand -3 screen Grader with suction fan of 5 HP & Vibrator sieve -boat on 2 HP.& vibro feeder on 60w single phase. Capacity 2 ton per hour Power :5+2=7 HP SIZE:47"X111" Screen SIZE: <ul style="list-style-type: none">• 36"x91" -2 nos zali• 36"x34" -1 nos zaliM.O.C.- Mild Steel G.I. Screen This is very common and simple process to clean any grains and pulses. It generally used rubber balls and nett for cleaning removing the husk and bigger as well as smaller size and low weight material from grains. It is aslo attached with blower. Final Material gets totally clean and pure.</p> 	5+2= 7 HP	1	4,25,000	4,25,000.00
03	DUST CYCLONE			90,000	90,000.00

ORATE OFFICE : 1302, Twin Star North Tower,150ft. Ring Road,Nr. Nana Mava Circle,Rajkot-360005

1: 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

2 & 3 : RSN 50/2,Plot No.1, & RSN 44/1 Plot No.1, Bharudi Village Main Road, B/H. Ajayraj Hotel,N.H.27,AT :Bharudi , Dist :Rajkot,Gujarat(India).

FACT US:- Mo:+919428346905 ,Mo:+919879613955

IL:-info@tulsiagrofood.com , salestulsiagro@gmail.com


SITE: www.tulsiagrofoodind.com , www.tulsiagroproduct.com , www.tulsiagrofood.com



267



TULSI AGRO ENGI MECH PVT. LTD.



<p>04</p> <p>VERTICAL BUCKET ELEVATOR Power: 1 HP with Gear motor All sheet metal components shall be manufactured on CNC Machine. Head casing, boot casing and leg casing made of 2/3/1.6 mm or more GI sheet respectively. Spouting, spout sections, discharge valve, ladder, servicePlatform, boot plate, take up unit, hopper with grating and feed control gate shall be of MS. Belt should be 8 mm Cotton Belt Buckets shall be PU/NYLON/HDPE, Self-cleaning type. Spacers shall be providing in between belt and buckets to prevent damage to seeds. Boot pulley shall be wing type to prevent lodging of seeds between pulley and belt. Head pulley shall be rubberiest and crowned for improved traction. Sprocket shall be TLB type for easy and quick fitting. Belt speed should not be exceed 1m/sec. Height of delivery as per requirement (as per height of pre cleaner o floor to be accommodated within existing building roof height.)These can also be integrated with horizontal or inclined trough belt conveyor system for fast and efficient movement & handling of raw material</p> 		1 HP	1	1,20,000	1,20,000.00
<p>05</p>	<p>BINS & VALVES FOR GRAVITY FEEDING</p>		1	60,000	60,000.00
<p>06</p>	<p>GRAVITY SEPARATOR SIZE-L-96", W-50", H-96" POWER: 7.5+1.5=9 HP M.O.C.- Mild Steel</p> <p>Gravity Separator for Agriculture Industry that we are providing is widely appreciated owing to its unique functionalities, adaptiveness to separate impurities and unwanted items from the grains, operational reliability and long service life.This machine is produced incorporating the cutting-edge techniques and tools in</p>	7.5+1.5=9 HP	1	4,25,000	4,25,000.00

ORATE OFFICE : 1302, Twin Star North Tower,150ft. Ring Road,Nr. Nana Mava Circle,Rajkot-360005
1: 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024
2 & 3 : RSN 50/2,Plot No.1, & RSN 44/1 Plot No.1, Bharudi Village Main Road, B/H. Ajayraj Hotel,N.H.27,AT :Bharudi , Dist :Rajkot,Gujarat(India).
FACT US:- Mo:+919428346905 ,Mo:+919879613955
IL:-info@tulsiagrofood.com , salestulsiagro@gmail.com
SITE: www.tulsiagrofoodind.com ,www.tulsiagroproduct.com ,www.tulsiagrofood.com



268



<p>our production premises and therefore, it performs in the most accurate manner to separate the grains by weights. Gravity Separator for Agriculture Industry can be availed from us in the reasonable price range.</p> 					
<p>07 VERTICAL BUCKET ELEVATOR Power: 1 HP with Gear motor All sheet metal components shall be manufactured on CNC Machine. Head casing, boot casing and leg casing made of 2/3/1.6 mm or more GI sheet respectively. Spouting, spout sections, discharge valve, ladder, service platform, boot plate, take up unit, hopper with grating and feed control gate shall be of MS. Belt should be 8 mm Cotton Belt Buckets shall be PU/NYLON/HDPE, Self-cleaning type. Spacers shall be providing in between belt and buckets to prevent damage to seeds. Boot pulley shall be wing type to prevent lodging of seeds between pulley and belt. Head pulley shall be rubberiest and crowned for improved traction. Sprocket shall be TLB type for easy and quick fitting. Belt speed should not be exceed 1m/sec. Height of delivery as per requirement (as per height of pre cleaner o floor to be accommodated within existing building roof height.)These can also be integrated with horizontal or inclined trough belt conveyor system for fast and efficient movement & handling of raw material</p> 	1 HP	1	1,20,000	1,20,000.00	

ORATE OFFICE : 1302, Twin Star North Tower, 150ft. Ring Road, Nr. Nana Maya Circle, Rajkot-360005


1: 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

2 & 3 : RSN 50/2, Plot No.1, & RSN 44/1 Plot No.1, Bharudi Village Main Road, B/H. Ajayraj Hotel, N.H.27, AT :Bharudi , Dist :Rajkot, Gujarat(India).

FACT US:- Mo:+919428346905 , Mo:+919879613955

L:-info@tulsiagrofood.com , salestulsiagro@gmail.com


ITE: www.tulsiagrofoodind.com , www.tulsiagroproduct.com , www.tulsiagrofood.com



269



TULSI AGRO ENGI MECH PVT. LTD.

08	MAGNET ROLL SIZE:-950MM	2 HP	1	2,25,000	2,25,000.00
09	VERTICAL BUCKET ELEVATOR Power: 1 HP with Gear motor All sheet metal components shall be manufactured on CNC Machine. Head casing, boot casing and leg casing made of 2/3/1.6 mm or more GI sheet respectively. Spouting, spout sections, discharge valve, ladder, servicePlatform, boot plate, take up unit, hopper with grating and feed control gate shall be of MS. Belt should be 8 mm Cotton Belt Buckets shall be PU/NYLON/HDPE, Self-cleaning type. Spacers shall be providing in between belt and buckets to prevent damage to seeds. Boot pulley shall be wing type to prevent lodging of seeds between pulley and belt. Head pulley shall be rubberiest and crowned for improved traction. Sprocket shall be TLB type for easy and quick fitting. Belt speed should not be exceed 1m/sec. Height of delivery as per requirement (as per height of pre cleaner o floor to be accommodated within existing building roof height.)These can also be integrated with horizontal or inclined trough belt conveyor system for fast and efficient movement & handling of raw material	1 HP	1	1,20,000	1,20,000.00
					
10	PACKING BIN WITH SUPPORTING STRUCTURE APPROX 3 TON			1,50,000	1,50,000.00
11	EXTRA SCREEN SET CHANA – 9.0MM R X 5MM S TUVER – 8.5 MM R x 3.20 S SOYABEAN – 8 MM R X 3.80 S MUNG – 5.5 MM R X 2.80 MM S UDID – 5.5 MM R X 2.80 MM S		10	6,500	65,000.00
12	ELECTRIC PANEL FOR CONTROLLING ALL MACHINERY			1,50,000	1,50,000.00

ORATE OFFICE : 1302, Twin Star North Tower, 150ft. Ring Road, Nr. Nana Mava Circle, Rajkot-360005

1: 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

2 & 3 : RSN 50/2, Plot No.1, & RSN 44/1 Plot No.1, Bharudi Village Main Road, B/H. Ajayraj Hotel, N.H.27, AT :Bharudi , Dist :Rajkot, Gujarat(India).

ACT US:- Mo:+919428346905 ,Mo:+919879613955

l:-info@tulsiagrofood.com , salestulsiagro@gmail.com

ITE: www.tulsiagrofoodind.com ,www.tulsiagroproduct.com ,www.tulsiagrofood.com



270



TULSI AGRO ENGI MECH PVT. LTD.

13	FITTING INSTALLATION			1,50,000	1,50,000.00
14	ALL PLANT WIRING			1,00,000	1,00,000.00
15	TRANSPORTATION CHARGES			1,00,000	1,00,000.00
		22 HP		Sub Total	24,20,000.00
				GST 18%	4,35,600.00
				TOTAL	28,55,600.00

Terms & condition:

- All price are ex our workshop
- GST 18% Included as per government rules
- Transportation charges included.
- Capacity 3 ton per hour
- All plant erection accessories are included.
- Civil work at party scope
- Unloading at party scope
- Electrical wires included
- Advance payment is not refundable if order will be cancel.
- Welding machine & local 2 to 3 labor required at party scope for installation time.
- Quotation valid for 60 days from the date of quotation
- Our technician's food & accommodation provided by party scope

Payment condition:

25% Payment at order time
75% Payment at before delivery
(delivery 30 to 40 days after getting Advance Payment)

RS. TWENTY EIGHT LAKH FIFTY FIVE THOUSAND SIX HUNDRED RUPEES ONLY

GST No-24AAFCT8162Q1ZO

FOR, TULSI AGRO ENGI MECH PVT.LTD.

OUR BANK- BANK OF INDIA
BHAKTI NAGAR BRANCH- RAJKOT
A/C NO.312130110000296
IFSC CODE:BKID0003121



AUTHO. SIGNATURE

ORATE OFFICE : 1302, Twin Star North Tower,150ft. Ring Road,Nr. Nana Mava Circle,Rajkot-360005

1: 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

2 & 3 : RSN 50/2,Plot No.1, & RSN 44/1 Plot No.1, Bharudi Village Main Road, B/H. Ajayraj Hotel,N.H.27,AT :Bharudi , Dist :Rajkot,Gujarat(India).

ACT US:- Mo:+919428346905 ,Mo:+919879613955

L:-info@tulsiagrofood.com , salestulsiagro@gmail.com

ITE: www.tulsiagrofoodind.com ,www.tulsiagroproduct.com ,www.tulsiagrofood.com



27/9



QUOTATION

ORIGINAL

M/S.
ARUSH AGRO FARMERS PRODUCER COMPANY LTD
RAMESH SIR
9421912216
A/P TANULWADI TQ- WASHI DIST-OSMANABAD 413503

Quotation No: Q308/2

Date:26/01/2023

BESAN UNIT 200 KG PER HOUR

No.	Particulars	HP	QTY.	Rate	Amount
1	CENTRIFUGAL DRESSING MACHINE: SIZE: 10'/1/2" FEET LONG – ALL BEARING SYSTEM RETURNED MATERIAL - RIGHT PERFORMANCE TO FLOUR QUALITY & LATEST DESIGN.	5 HP	1	3,00,000	3,00,000.00
2	HEAVY DUTY PIN MILL: SIZE: 20" DIE GRINDING CHAMBER WITH STAND.	20 HP	1	2,80,000	2,80,000.00
3	PNEUMATIC SYSTEM LIFT: WITH HIGH PRESSURE BLOWER, DUST COLLECTOR, DUST CYCLONE AIR LOCK AND DISTRICT LINES SUCTION LINES 90 MM BEND. IMPACT PULVERIZER REQUIRE	7.5 HP	1	1,60,000	1,60,000.00
4	CONVEYER WARM SIZE 15 FEET – 7" DIA.	2 HP	1	80,000	80,000.00
5	EMPLOYS ELEVATORS 4"X4" - 25' FEETS LONG.		1	90,000	90,000.00
6	PIPE CONNECTION& PACKER SETS.		1	80,000	80,000.00
	ELECTRIC MOTOR			1,85,000	1,85,000.00
8	PANNEL BOARD			75,000	75,000.00
9	FITTING & INSTALLATION			83,000	83,000.00
		34.5HP		Sub Tot.	13,33,000.00
				GST 18%	2,39,940.00
				TOTAL	15,72,940.00

Terms & condition:

As factory delivery
GST 18% Included
With ele.motor
Structure & fabrication will be extra
Our technician's food & hotel accomodation will be extra.

Payment condition:

25% Payment at order time
75% Payment at before delivery

CONTACT US

+91-97129 46905 / 96380 46900

info@tulsiagrofood.com

salestulsiagro@gmail.com

www.tulsiagrofoodind.com

www.tulsiagroproduct.com

www.tulsiagrofood.com

Office : 1302, Twin Star North Tower, 150 ft. Ring Road, Nr. Nana Mava Circle, Rajkot-360005.
UNIT 1 : 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval), Dist. : Rajkot, (Guj.).
UNIT 2 & 3 : RSN 50/2, Plot No.1, & RSN 44/1, Plot No.1, Bharudi Village Main Road,
B/h. Ajayraj Hotel, N.H.27, AT : Bharudi, Dist : Rajkot, Gujarat (India).



272



TULSI AGRO ENGI MECH PVT.LTD.

Rs. FIFTEEN LAKHS SEVENTY TWO THOUSAND NINE HUNDRED FORTY RUPEES ONLY.

GST No-24AAFCT8162Q1ZO


FOR, TULSI AGRO ENGI MECH PVT.LTD.

OUR BANK-BANK OF INDIA
BHAKTI NAGAR BRANCH-RAJKOT
A/C NO.312130110000296
IFSC CODE- BKID0003121



AUTHO. SIGNATURE

Office: 1302, Twin star North Tower, 150 ft. ring road, Nr. Nana Mava circle, Rajkot-360005
Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Alloy Cast, Shapar (Veraval) Dist- Rajkot-360024
Unit 2 & 3 : RSN 50/2, Plot No. 1 & RSN 44/1, Plot No. 1, Bharudi Village Main Road, B/h Ajayraj Hotel,
N.H.27, AT : Bharudi dist : Rajkot, Gujarat(India).
Contact Us: - Mo-+91 94283 46905, Mo- +91 98796 13955
Email: - salestulsiagro@gmail.com, chiragbhalodiya@gmail.com
Website: - www.tulsiagrofood.com



273



SERVOSTAR INDIA PVT. LTD.

AN ISO 9001 : 2015 CERTIFIED CO.

Servo Voltage Stabilizers, Isolation, Step Down,
All type of Transformers, Voltages Stabilizers, Variac & On Line U.P.S.

SIPL/2023-24/Q/53069

JAN 16 2023

M/S Arushagro Farmer Producer Company Limited
Tandulwadi Tq. Washi Dist. Osmanabad- 413503

KINDATTENTION : Mr. Ramesh

SUB: QUOTATION FOR 200 kVA DISTRIBUTION TRANSFORMER IS 1180 EE LEVEL 1

Dear Sir

With referenceto your above referred enquiry forThree Phase Distribution Transformers, we have the pleasure to quote ourmost competitiveoffer as under:-

QUOTATION

S.No	Description	Qty.	Unit Price	Amount
1.	SERVOSTARMAKE 200 KVA THREE PHASE DISTRIBUTIONTRANSFORMER 11/0.433KV, IS1180 ENERGY EFFICIENT LEVEL 1 COPPER WOUND INCLUDINGFIRSTFILLINGOIL INSTALLATION & FRIGHT CHARGES	01 No.	Rs 5,20000.00	Rs ,520,000.00
			Rs. 33275.00	Rs. 33275.00
	TOTAL AMOUNT WITH GST		Rs 6,46,875.00	Rs 6,46,875.00

For SERVOSTAR INDIA PVT. LTD.


Authorised Signatory

Arushagro Farmer Producer
Company Limited


Director



Regd. Off.: 40, Shakarpur Khas, (Near Modern Happy School) Delhi - 92 (India)

☎ 011-41035727, 41083568

Works : Plot No. D-43, Sector-B-1, Tronica City, Loni Ghaziabad, U.P. 201102





SERVOSTAR

SERVOSTAR INDIA PVT. LTD.

AN ISO 9001 : 2015 CERTIFIED CO.

Servo Voltage Stabilizers, Isolation, Step Down,

All type of Transformers, Voltages Stabilizers, Variac & On Line U.P.S.

TECHNICAL SPECIFICATIONS:

Make	SERVOSTAR
Capacity	200 kVA
Input HV Voltage	11 kV
Output HV Voltage	.433kV
Phase	Three Phase
Cycle	50 Hz
Type	Indoor Type
HV& LV Winding	Copper Wound
Duty Cycle	100%continuous24Hrs.
Applicable Standard	IS 1180 EE Level 1
Method of Cooling	ONAN
Termination	CABLE BOX HV Side & LV Side as per requirement
Vector	Dyn 11
Top oil temperature rise	40 °C
Winding temperature rise	45 °C
Impedance	4.5%
Efficiency at full load at UPF	98.9%
Load Losses at 50 % load	780 WATT
Load Losses at 100% load	2300 WATT
Transformer Oil	"A Grade" tested & certified as per IS:335
Stamping Used (CORE)	Imported Low Losses CRGO Laminations- 23
Copper	99.9% Pure Electrolytic Grade
Paint type	Epoxy Siemens/Light Grey
Tap Changer	Off load tap changer
No. of Steps	9 Steps
Ratio of each step	2.5%

For SERVOSTAR INDIA PVT. LTD.

Asingh
Authorised Signatory

Arushagro Farmer Producer
Company Limited
[Signature]
Director



Regd. Off.: 40, Shakarpur Khas, (Near Modern Happy School) Delhi - 92 (India)

☎ 011-41035727, 41083568

Works : Plot No. D-43, Sector-B-1, Tronica City, Loni Ghaziabad, U.P. 201102





SERVOSTAR

SERVOSTAR INDIA PVT. LTD.

AN ISO 9001 : 2015 CERTIFIED CO.

Servo Voltage Stabilizers, Isolation, Step Down,

All type of Transformers, Voltages Stabilizers, Variac & On Line U.P.S.

STANDARD FITTINGS:

DESCRIPTION	QTY
Oil Conservation with Drain Plug & Filling Hole	01No.
Prismatic Oil Level Gauge with Minimum, Normal & Maximum Marking.	01No.
Earthing Terminals	02Nos.
Air Release Plug	01No.
Name, Rating, Diagram & Terminal Marking Plate.	01No.
Manufacturers Monogram Plate	01No.
Thermometer Pocket	01No.
Dehydrate Silica Gel Breather Assembly	01No.
Under Based Channel	02Nos.
First Filling of Fresh Oil as per SI:335.	01Job.
Top Filter Valve	01No.
Drain cum Bottom Filter Valve	01No.
Lifting Lug to Lift the Complete Transformer.	04Nos.
Pressed Steels Radiators for ONAN Cooling	01Job.
HV Porcelain Bushing with Metal Parts & Gaskets	03Nos.
LV Porcelain Bushing with Metal Parts & Gaskets	04Nos.
Oil Temperature Indicator	01No.
Top Cover Lifting Eyes	02Nos.
Off load Tap Changer Switch	01No.
Explosion Vent with Diaphragm	01No.
Inspection Hole with Cover	01No.
Winding temperature Indicator (WTI)	01No.
Marshalling Box	01No.
Buchholz Relay	01No.

TERMS & CONDITIONS

PAYMENT	: 50% advance and 50% Before dispatch
G ST	: @18% extra.
DISPATCH	: Within 2-3 weeks after receiving the Confirmed order
VALIDITY	: 60 days from the date of quotation.
WARRANTEE	: ONE YEAR against any manufacturing defect.
BRAND	: SERVOSTAR

Arushagro Farmer Producer
Company Limited

Director

For SERVOSTAR INDIA PVT. LTD.

Asingh
Authorised Signatory



Regd. Off.: 40, Shakarpur Khas, (Near Modern Happy School) Delhi - 92 (India)

☎ 011-41035727, 41083568

Works : Plot No. D-43, Sector-B-1, Tronica City, Loni Ghaziabad, U.P. 201102

JAS-ANZ





SERVOSTAR INDIA PVT. LTD.

AN ISO 9001 : 2015 CERTIFIED CO.
Servo Voltage Stabilizers, Isolation, Step Down,
All type of Transformers, Voltages Stabilizers, Variac & On Line U.P.S.

We hope that our rates will be found very competitive and reasonable and we shall receive your valued order at the earliest.

Thanking you and assuring you of our best attention.

Yours faithfully,
For SERVOSTAR INDIA PVT LTD

IQUBAL HUSAIN
8588862433
7392880001
Manager Sale
salessn@servostar.in

For SERVOSTAR INDIA PVT. LTD.

R Singh
Authorized Signatory

Arushagro Farmer Producer
Company Limited
[Signature]
Director



Regd. Off.: 40, Shakarpur Khas, (Near Modern Happy School) Delhi - 92 (India)

☎ 011-41035727, 41083568

Works : Plot No. D-43, Sector-B-1, Tronica City, Loni Ghaziabad, U.P. 201102

JAS-ANZ



Regd. with



ECOSOL

Quotation

+919096555110

Office no B15,
Motiwala Trade Centre,
Opp. HDFC Bank,
Nirala Bazar, Aurangabad,
Maharashtra, 431001

sales@eco-sol.in

For, www.eco-sol.in

M/s Arushagro Farmer Producer Company Limited

Tandulwadi, Tq. Washi Dist. Osmanabad, 413503

Project type- **CAPEX**

Party Details-

MOB :

GSTIN :

Pan No : AABCL1721B

State Code : 27

Project by-

Mobile No :9096555110


GSTIN :27FJWPS2297M1ZV

Pan No :FJWPS2297M

State Code : 27

Date :03-01-2023

Q No :370

#	Particular	Details	530-550 Wp				
1	Solar Module	Make - TATA					
2	Inverter	Make- Solis-TATA Specification	60 KWp DC and LT 3-phase				
#	Item name	HSN/SAC	QTY	Price/Unit	Unit	GST	Amount
1	Ground Mounted Solar System LT 3 phase of Capacity 60 KWp DC.	8541	60	₹ 59,000.0	KW	₹ 4,88,520	₹ 35,40,000
i)	Modules- Monocrystalline Half cut 540 Wp each. Total capacity 60 KWp DC side. Total Modules used- 111 numbers. Make- TATA.						
ii)	Inverters- 50 kW. Make- Solis-As per TATA Specs						
iii)	DC Cables- As per TATA						
iv)	ACDB -As per TATA specification						
v)	Mono short rail structure on tin shed for panel fitting-As per TATA						
vi)	Net and Generation meter- As per MSEDCL						
vii)	MC4, HDG Fastener						
viii)	AC cable from Inverter to meter- total distance assumend is 70 meters						
x)	Our work is limited only till meter only					13.80%	
60 KWp LT 3-phase				Amount	₹ 35,40,000		
				SGST @6.9%	₹ 2,44,260.00		
TATA POWER SOLAR				CGST @6.9%	₹ 2,44,260.00		
				Total	₹ 40,28,520.00		

Arushagro Farmer Producer Company Limited

Director



2078



+919096555110

Office no B15,
Motiwala Trade Centre,
Opp. HDFC Bank,
Nirala Bazar, Aurangabad,
Maharashtra, 431001

sales@eco-sol.in

Declarations

We declare that this invoice shows the actual price of the goods described and that all the project is inclusive of everything.

Payment terms:-

100% Advance

Product Discription and Warranty

Solar Modules - 10 years product warranty & 25 years performance warranty
Inverter - 7 years +3 years(added bonus)=10 years
Grid Box - 1 years
Transportation - Included
Installation - Included

Terms and conditions-

Quotation Valid for 7 days.

The cost is inclusive of all material and permission work for generating power from solar power plant.

Civil Work required if any will be in clients scope.

Electricity and water required for fabrication and other tasks will be in clients scope.

A spare room will be required for storing our material safely.

Maintaining Power Factor is in clients scope.

If any Pandemic arise and if prices vary, then mutual discussion is to be considered.

Any changes in payment terms can lead to change in rates.

Final invoice will be given after 100% payment recovery.

Company's Bank Details:-

Bank Name : HDFC
Account Type : Current Account
A/c No. : 50200035683515
Branch : Akashwani Branch
IFS Code : HDFC0000113



For, Ecosol
Authoreised Channel Partner
Tata Power Solar

Arushagro Farmer Producer
Company Limited

Director

279



ECOSOL

Know your solar photovoltaic project:-

What do you need?

1. Shadow free area available for solar PV = 7000 sq. ft.
We (Ecosol) need **116 sq. ft.** shadow-free area per kilowatt of solar PV
2. Your average electricity consumption per month = -.
The estimated average electricity generation per kilowatt of solar PV is **100 Units/month on an average throughout the year. So, plant will generate 6000 Units.**

Key calculations:-

- Latitude angle of Osmanabad- 19.88 degrees.
- Longitude angle of Osmanabad- 75.49 degrees.
- Osmanabad has solar radiation of 5.83 Kwh/m²/day.
- Osmanabad falls in semi-arid climatic zone.
- Annual mean temperature are in the range 17 to 40 degree Celsius.
- The maximum temperature sometimes would cross 45°C in summer season in the month of April or May.
- The optimum angle of tilt for solar will be as per the slope.

Per unit rate of electricity from MSEB for HT consumers – 9 rupees per Unit, (Energy rate+Wheeling charges+FAC+ED+Tax-TOD Tariff EC-Bulk Consumption)= 9 rupees

Price of 6000 Units = (6000*9) = 54,000 rupees/month

Total Savings because of Solar- 54,000 rupees/month, as the plant will generate 39,000 yearly average per month units. 6,000 is the estimated average per month generation throughout the year observed under standard conditions.

Return of investment (ROI):-




54,000 *12= 6,48,000 rupees/year (savings)

Arushagro Farmer Producer
Company Limited

Director



 Motiwala Trade Centre, Opp. HDFC Bank, Office No B15, Nirala Bazar, Aurangabad-431001,

 sales@eco-sol.in  www.eco-sol.in  +91 9096 555 110

287



ECOSOL

Bill of Material (BOM):-

60 kWp DC side -3 phase On-Grid Rooftop Solar System

Sr. No.	Description	Qty	Units
1.	PV modules 540 wp (Monocrystalline Half Cut), (Make: TATA). 60 KW DC	111	Nos.
2	Grid tie inverter 50 KW 415V AC, 50Hz, Nine MPPT	1	Nos.
3.	Monitoring- Data Logger- Itaps.	1	Set
4.	Electrical Protection for grid connectivity: - Inverter in build SPD.	1	Set
5.	Aluminum Short mono rail structure- As per Tata Specs	1	Set
6.	Solar DC cable 4 SQMM Black EN50618 from panel to inverter- As per requirement	1	Set
7.	Copper chemical Earthing rod with Al earth strip with earth pit cover- As per requirement	1	Set
8.	MC-4 Cable Coupler (Male & Female Pairs) as required	1	Set
9.	ESE Lightning Arrester with Al earth strip- As per requirement	1	Set
10	240 sq.mm 3.5 core.-1 runs of 65 meters from ACDB to Clients LT Panel.	1	Set
11.	400 A (415 V) Al. Bus Bar feeder	1	Set
12.	Underground wiring as required - as per TATA specifications	1	Set
13.	Transportation of all goods included	1	Set
14.	Installation and Commissioning of 325 kWp DC and 240 kWp AC On-Grid Solar Power Plant	1	Set



Arushagro Farmer
Company Limited
Producer
Director

Motiwala Trade Centre, Opp. HDFC Bank, Office No B15, Nirala Bazar, Aurangabad-431001,

sales@eco-sol.in

www.eco-sol.in

+91 9096 555 110



ECOSOL

15.	Net and Generation Meter with CT	1	Set

Some miscellaneous things under clients scope-

1. If any Transformer required will be in clients scope.
2. Use of existing HT line from LT panel till net meter will be used.
3. Any type of grid infrastructure up gradation as per current MSEDCL rule will be in clients scope.
4. Land levelling and boundary fencing is in clients scope if required (optional)
5. Electricity required for fabrication and other installation work will be in clients scope.
6. Providing water if required will be at clients scope
7. As per the current bill the security deposit held is 3,18,153. MSEDCL will demand an additional security deposit as per the latest rules from MERC.

Arushagro Farmer Producer
Company Limited


Director



📍 Motiwala Trade Centre, Opp. HDFC Bank, Office No B15, Nirala Bazar, Aurangabad-431001,

✉ sales@eco-sol.in 🌐 www.eco-sol.in ☎ +91 9096 555 110

282

