

WORK: AGRICULTURE SHED (2000 SQ FT)

SR. NO	SERVICE TEXT	UNIT	RATE	QTY	AMOUNT
1	EXCAVATION ORDINARY SOIL;MNL:0-1.5M EXCAVATION, TYPE OF SOIL: ORDINARY SOIL; METHOD: MANUAL; TYPE OF WORK: EARTHWORK; EQUIPMENT SUPPLY BY: VENDOR; DEPTH: 0-1.5M; TRANSPORTATION UPTO: 50 M	M3	280.00	100.00	28000.00
2	SOLING, 230MM; VENDOR HAND PACKING WATERING SOLING THICKNESS: 230MM, BOULDER SUPPLY BY VENDOR; COMPATION BY MANNUL; HAND PACKING	M2	295.00	350.00	103250.00
3	CNCRETE, PRNG PCC, M15; VENDOR CONCRETE, POURING, TYPE OF CONCRETE: PCC; GRADE CONCRETE: 1:2:4; SIZE OF AGGREGATE: 20 AND DOWN MM; TYPE OF AGGREGATE: BASALT; METHOD OF MIXING: MACHINE/MANUALLY; POURING METHOD: MACHINE/MANUALLY; WORKING HEIGHT: 0-3 M; TYPE OF STRUCTURE: ALL CIVIL STRUCTURES; AGGREGATE SUPPLY: VENDOR; CEMENT SUPPLY: VENDOR; TRANSPORTATION BY: VENDOR; LEAD: 10-20KM	M3	6900.00	18.00	124200.00
4	CNCRTE, PRNG, RCC; M20; 20MM CONCRETE, POURING, TYPE OF CONCRETE: RCC; GRADE CONCRETE: M20; SIZE OF AGGREGATE: 20MM; TYPE OF AGGREGATE: BASALT; METHOD OF MIXING: MACHINE OR MANUAL; POURING METHOD: MANUAL; WORKING HEIGHT: ALL HEIGHTS; TYPE OF STRUCTURE: CIVIL; AGGREGATE SUPPLY: VENDOR; CEMENT SUPPLY: VENDOR; TRANSPORTATION BY: VENDOR; LEAD: UPTO 1KM; ADDITIONAL INFORMATION: USING REVER SAND	M3	7750.00	40.00	310000
5	FIX, FORMWORK, ROUGH; VENDOR, ALL HGT FIXING, ITEM NAME: FORMWORK, TYPE: ROUGH; MATERIAL SUPPLY BY: VENDOR, WORKING HEIGHT: ALL HEIGHT, SCAFFOLDING SUPPLY BY: VENDOR; TOOLS AND TACKLS BY: VENDOR, HANDLING EQUIPMENT BY: VENDOR	M2	460.00	350.00	161000.00
6	FIX, CUT/BND, REINFORCMNT STL; 10MM TO 16 MM FIXING, ITEM NAME: CUT/BEND, TYPE: REINFORCEMENT STEEL; MATERIAL SUPPLY BY: VENDOR, CONSUMABLE SUPPLY BY: VENDOR, WORKING HEIGHT: 0 TO +5MTR, SCAFFOLDING SUPPLY BY: VENDOR; TOOLS AND TACKELS BY: VENDOR, HANDLING EQUIPMENT BY: VENDOR, SIZE: 10MM TO 16 MM, ADDITIONAL INFORMATION: PROVIDING, CUTTING, BENDING AND FIXING IN POSITION HYSD - REINFORCEMENT	MT	70000.00	2.80	196000.00
7	BRICKWORK, 230MM; VENDOR BRICKWORK, THICKNESS: 230MM; MATERIAL SUPPLY BY: VENDOR; ADDITIONAL INFORMATION: PROV AND LAY BRICKWORK 230MM IN 1:6 CEMENT MORTOR.	M3	7000.00	20.00	140000.00
8	PLASTERING, WLL, EXT, 20MM PLASTERING, WALL, TYPE: INTERNAL, PROPORTIONS OF MIXTURE: 1:4 WATER PROOFING INCLUDED: YES, THICKNESS: 20MM, NO OF COATS 2, MATERIAL SUPPLY BY: VENDOR, WORKING HEIGHT: 3 MTR, CONSUMABLES SUPPLY BY: VENDOR	M2	310.00	165.00	51150.00
9	FAB, LIGHT WT STRUCTURE; MSTL, ALL HGT FABRICATION, TYPE: LIGHT WEIGHT STRUCTURE: MATERIAL: MILD STEEL, CONSUMABLE SUPPLY BY: VENDOR, TOOLS AND TACKLES BY: VENDOR, TYPE OF WELDING: ARC, SHIFTING OF MATERIALS: VENDOR, HEIGHT: ALL HEIGHT, SCAFFOLDING BY: VENDOR, TYPE OF WELDING: ARC, SHIFTING OF MATERIALS: VENDOR, ADDITIONAL INFORMATION: MATERIALS SUPPLY BY VENDOR, TRANSPORTATION BY VENDOR, FABRICATION AND ERECTION OF LIGHT WEIGHT STRUCTURE AS PER THE DETAILED DRAWINGS AND SPECIFICATIONS	MT	105000.00	4.50	472500.00


*Chairman*

Chairman  
Aditi Agro Producers Co. Ltd.  
Shirki Chal-No.2 Pen-Raigad

*Sam. N. K.*  
मुख्य कार्यकारी अधिकारी  
अदिती अॅग्रो प्रोड्युसर कंपनी लि.

280

10	PAINING,EXTL,VENDOR,0-3M,VENDOR PAINING,ITEM NAME:PAINING,TYPE OF PAINTING:EXTERNAL,PAINT TO BE USED:APEX ULTIMA ASIAN PAINT,NUMBER OF COATING:PRIMER 1 AND PAINT 2COATS,PRE TREATMENT REQUIRED:NO,PAINTING EQUIPMENT SUPPLY BY:VENDOR,PAINT SUPPLY BY:VENDOR,CONFINED SPACE ENTRY:N.A.,SCAFFOLDING SUPPLY BY:VENDOR,WORKING HEIGHT:0-3M,HANDLING EQUIPMENT BY:VENDOR,CONSUMABLES SUPPLY BY:VENDOR,TOOLS and TACKLES SUPPLY BY:VENDOR,ADDITIONAL INFORMATION:INCLUDING, SAND PAPERING, WIRE BRUSHING AND CLEANING THE SURFACE, FILLING UP THE CRACKS WITH CRACK SEAL, EXPANSION FILLER AND SERVICES, IF ANY, WITH APPROVED PUTTY, ETC. COMPLETE AS PER SPECIFICATIONS, DRAWINGS, MANUFACTURERS RECOMMENDATIONS AND AS DIRECTED BY ENGINEER IN CHARGE.	M2	130.00	22.00	2860.00
11	PAINTING,ENM,2COATS OVER PRMR PAINING,ITEM NAME:ENAMEL,TYPE OF PAINTING:BRUSH,PAINT TO BE USED:ENAMEL,NUMBER OF COATING:2 COATS OVER PRIMER,PAINT SUPPLY BY:VENDOR,CONFINED SPACE ENTRY:N.A.,SCAFFOLDING SUPPLY BY:VENDOR,WORKING HEIGHT:0-3M,HANDLING EQUIPMENT BY:VENDOR,CONSUMABLES SUPPLY BY:VENDOR,TOOLS and TACKLES SUPPLY BY:VENDOR,ADDITIONAL INFORMATION:PROVIDING AND APPLYING 2 COATS OF ENAMEL PAINT OF APPROVED MAKE AND SHADE, OVER ONE COAT OF PRIMER	M2	150.00	110.00	16500.00
12	FIX ROOF SHEETING GI COLOURED SHEET;0.5MM THK FIXING,NAME- ROOF SHEETING, TYPE- G.COLOURED COATED SHEET;MATERIAL SUPPLY BY VENDOR, WORKING HEIGHT 5-10M, SCAFFOLDING, TOOLS & TACKLES BY:VENDOR, HANDLING EQUIPMENTS SUPPLIED BY VENDOR,SIZE:0.5MM TH, ADDITION INFORMATION PROVIDING & FIXING OF TILE PROFILE COLOURED COATED SHEET 0.5MM SELF DRILLING SCREW, WORK INCLUDES CUTTING OF SHEET AS PER SIZE & FIXING. SHEETS, HARDWARE, TOOLS AND TACKLES IN VENDOR SCOPE COLOUR OF SHEET AS DIRECTED BY SITE INCHARGE AND COMPLETE AS PER SPECIFICAYION	M2	650.00	800.00	520000.00
13	LAY,FLOORING,KOTA STONE,25MM THK,VENDOR LAYING,ITEM NAME:FLOORING,TYPE:KOTA STONE,SIZE:25MM THK, MATERIAL SUPPLY BY:VENDOR,WORKING HEIGHT:ANY,ADDITIONAL INFORMATION:PROVIDING AND LAYING MACHINE CUT, MACHINE POLISHED 25MM THK KOTA STONE FLOORING AT VARIOUS ELEVATIONS AND OVER 25MM THK BASE OF CEMENT MORTAR 1:4 AND JOINTED WITH NEAT CEMENT SLURRY AND CURING ETC. COMPLETE.	M2	1291.93	170.00	219628.10
14	FIXING EXHAUST FAN AT TOP ROOF FIXING NAME:ROOF EXHAUST-FAN, TYPE:STAINLESS-STEEL, MATERIAL SUPPLY BY VENDOR, TOOLS AND TACKLES:BY VENDOR, REQUIRED SIZE FIXING IN REQUIRED POSITION	NOS	6500	8	52000
				TOTAL	23,97,088 .10
				ADD GST 12% RS.	2,87,650 .57
				GRAND TOTAL RS.	26,84,738 .67



*[Handwritten Signature]*

Chairman  
Aditi Agro Producers Co. Ltd.  
Shirki Chal-No.2 Pen-Raigad

*[Handwritten Signature]*  
मुख्य कार्यकारी अधिकारी  
अदिती अॅग्रो प्रोड्युसर कंपनी लि.



WORK: AGRICULTURE MARKET (1000 SQ FT)					
ABSTRACT					
SR. NO.	SERVICE TEXT	UNIT	RATE	QTY	AMOUNT
1	EXCAVATION, ORDINARY SOIL; MNL; 0-1.5M	M3	228.23	20.50	4679.23
	EXCAVATION, TYPE OF SOIL: ORDINARY SOIL; METHOD: MANUAL; TYPE OF WORK: EARTHWORK; EQUIPMENT SUPPLY BY VENDOR, DEPTH: 0-1.5M, TRANSPORTATION UPTO: 50 M				
2	SOILING, 230MM, VENDOR, W WATERING, HND PKNG	M2	230.55	146.00	33660.71
	SOILING, THICKNESS: 230MM; BOULDER SUPPLY BY: VENDOR; COMPACTION BY: MANUAL; ADDITIONAL INFORMATION: WITH WATERING, HAND PACKING				
3	CNCRTE, PRNG, PCC; 1:2:4; VENDOR	M3	6311.00	20.00	126220.00
	CONCRETE, POURING, TYPE OF CONCRETE: PCC; GRADE CONCRETE: 1:2:4; SIZE OF AGGREGATE: 20 AND DOWN MM; TYPE OF AGGREGATE: BASALT; METHOD OF MIXING: MACHINE/MANUALLY; POURING METHOD: MACHINE/MANUALLY; WORKING HEIGHT: 0-3 M; TYPE OF STRUCTURE: ALL CIVIL STRUCTURES; AGGREGATE SUPPLY: VENDOR; CEMENT SUPPLY: VENDOR; TRANSPORTATION BY: VENDOR; LEAD: 10-20 KM				
4	CNCRTE, PRNG, RCC, M20; 20MM	M3	7124.00	40.00	284960.00
	CONCRETE, POURING, TYPE OF CONCRETE: RCC; GRADE CONCRETE: M20; SIZE OF AGGREGATE: 20MM; TYPE OF AGGREGATE: BASALT; METHOD OF MIXING: MACHINE OR MANUAL; POURING METHOD: MANUAL; WORKING HEIGHT: ALL HEIGHTS; TYPE OF STRUCTURE: CIVIL; AGGREGATE SUPPLY: VENDOR; CEMENT SUPPLY: VENDOR; TRANSPORTATION BY: VENDOR; LEAD: UPTO 1KM; ADDITIONAL INFORMATION: USING REVER SAND				
5	FIX, FORMWORK, ROUGH; VENDOR, ALL HGT	M2	420.00	268.00	112562.02
	FIXING, ITEM NAME: FORMWORK, TYPE: ROUGH; MATERIAL SUPPLY BY: VENDOR, WORKING HIGHT: ALL HEIGHT, SCAFFOLDING SUPPLY BY: VENDOR, TOOLS AND TACKELS BY: VENDOR, HANDLING EQUIPMENT BY: VENDOR				
6	FIX, CUT/BND, REINFORCMNT STL; 10MM TO 16 M	MT	66000.00	3.00	198000.00
	FIXING, ITEM NAME: CUT/BEND, TYPE: REINFORCEMENT STEEL; MATERIAL SUPPLY BY: VENDOR, CONSUMABLE SUPPLY BY: VENDOR, WORKING HIGHT: 0 TO +5MTR, SCAFFOLDING SUPPLY BY: VENDOR; TOOLS AND TACKELS BY: VENDOR, HANDLING EQUIPMENT BY: VENDOR, SIZE: 10MM TO 16 MM, ADDITIONAL INFORMATION: PROVIDING, CUTTING, BENDING AND FIXING IN POSITION HYSO - REINFORCEMENT				
7	BRICKWORK, 230MM; VENDOR	M3	5381.50	60.00	322890.00
	BRICKWORK, THICKNESS: 230MM; MATERIAL SUPPLY BY: VENDOR; ADDITIONAL INFORMATION: PROV AND LAY BRICKWORK 230MM IN 1:6 CEMENT MORTOR.				
8	PLASTERING, WLL, EXTR, 20 MM	M2	310.00	750.00	232500.00
	PLASTERING, WALL, TYPE: EXTERIOR, PROPORTIONS OF MIXTURE: 1:4; WATER PROOFING INCLUDED: YES, THICKNESS: 20 MM, NO OF COATS: 2, MATERIAL SUPPLY BY: VENDOR, WORKING HEIGHT: UP TO 3 MTR, CONSUMABLES SUPPLY BY: VENDOR				

Scanned with OKEN Scanner  
 मुकुम, शिर्की, अंधिका  
 शिर्की


Chairman  
 Aditi Agri-Produsor Co. Ltd.  
 Shirki Chal- No.2 Pen-Raigad



SR. NO.	SERVICE TEXT	UNIT	RATE	QTY	AMOUNT
9	PAINTING,EXTL,VENDOR,0-3M,VENDOR	M2	100.00	300.00	29999.80
	PAINTING,ITEM NAME:PAINTING,TYPE OF PAINTING:EXTERNAL,PAINT TO BE USED:APEX ULTIMA ASIAN PAINT,NUMBER OF COATING:PRIMER 1 AND PAINT 2 COATS,PRE TREATMENT REQUIRED:NO,PAINTING EQUIPMENT SUPPLY BY:VENDOR,PAINT SUPPLY BY:VENDOR,CONFINED SPACE ENTRY:N.A.,SCAFFOLDING SUPPLY BY:VENDOR,WORKING HEIGHT:0-3M,HANDLING EQUIPMENT BY:VENDOR,CONSUMABLES SUPPLY BY:VENDOR,TOOLS and TACKLES SUPPLY BY:VENDOR,ADDITIONAL INFORMATION:INCLUDING, SAND PAPERING, WIRE BRUSHING AND CLEANING THE SURFACE, FILLING UP THE CRACKS WITH CRACK SEAL, EXPANSION FILLER AND SERVICES, IF ANY, WITH APPROVED PUTTY, ETC. COMPLETE AS PER SPECIFICATIONS, DRAWINGS, MANUFACTURERS RECOMMENDATIONS AND AS DIRECTED BY ENGINEER IN CHARGE.				
10	LAY,FLOORING,KOTA STONE,25MM THK,VENDOR	M2	1400.00	115.00	161000.00
	LAYING,ITEM NAME:FLOORING,TYPE:KOTA STONE,SIZE:25MM THK,MATERIAL SUPPLY BY:VENDOR,WORKING HEIGHT:ANY,ADDITIONAL INFORMATION:PROVIDING AND LAYING MACHINE CUT, MACHINE POLISHED 25MM THK KOTA STONE FLOORING AT VARIOUS ELEVATIONS AND OVER 25MM THK BASE OF CEMENT MORTAR 1:4 AND JOINTED WITH NEAT CEMENT SLURRY AND CURING ETC. COMPLETE.				
11	FIX,FAB GRL,FOR WINDOWS	KG	80.00	700.00	56000.00
	FIXING,ITEM NAME:FABRICATED GRILL,TYPE:FOR WINDOWS,MATERIAL SUPPLY BY:VENDOR,WORKING HIGHT:0 TO 5 M LVL,SCAFFOLDING SUPPLY BY:VENDOR;TOOLS AND TACKELS BY:VENDOR,HANDLING EQUIPMENT BY:VENDOR,ADDITIONAL INFORMATION:SUPPLYING AND FIXING OF FABRICATED GRILLS OF APPROVED DESIGN FOR WINDOWS.				
12	PAINTING,ENM,2COATS OVR PRMR	M2	100.00	180.00	18000.00
	PAINTING,ITEM NAME:ENAMEL,TYPE OF PAINTING:BRUSH,PAINT TO BE USED:ENAMEL,NUMBER OF COATING:2COATS OVER PRIMER,PAINT SUPPLY BY:VENDOR,CONFINED SPACE ENTRY:NA,SCAFFOLDING SUPPLY BY:VENDOR,WORKINGHEIGHT:ALL HEIGHTS,HANDLING EQUIPMENT BY:VENDOR,CONSUMABLES SUPPLY BY:VENDOR,TOOLS and TACKLES SUPPLY BY:VENDOR,ADDITIONAL INFORMATION:PROVIDING AND APPLYING 2 COATS OF ENAMEL PAINT OF APPROVED MAKEAND SHADE, OVER ONE COAT OF PRIMER				

Chairman  
Aditi Agro Producer Co. Ltd.  
Shirki Chal-No.2 Pen-Raigad

मुख्य कार्यकारी अधिकारी  
आदिती अग्रा प्राइव्हेट लि. 7/83



NO.	SERVICE TEXT	UNIT	RATE	QTY	AMOUNT
13	INSTL,ELECL,SPY,INSTL OF 5A CKT WIRING	M	70.00	200.00	14000.00
	INSTALLATION,ELECTRICAL,ITEM NAME:SUPPLY,INSTALLATION OF 5A CIRCUIT WIRING,SIZE:2.5 SQMM,INDOOR / OUTDOOR:INDOOR,CONSUMABLE SUPPLYBY:VENDOR,HANDLING EQUIPMENT BY:VENDOR,WORKING HEIGHT:0-10 M,SCAFFOLDING BY:VENDOR,TOOLS and TACKLES SUPPLY BY:VENDOR,SHIFTING OF MATERIALS:VENDOR,ADDITIONAL INFORMATION:SUPPLY AND INSTALLATION OF 5 AMP CIRCUIT WIRING SUPPLY.INST. OF 5 AMP CIRCUIT WIRING MATERIALINCLUDING /POLYCAB/HAVELS MAKE 2.5 MM2 PVC CU WIRE, PRESTO PLAST CASING CAPING / PVC PIPE, WITH ALL CONSUMABLE				
14	FIX,ELECL ITEMS,LED TB LGHT,PHILIPS	EA	400.00	10.00	4000.00
	FIXING,ELECTRICAL ITEMS,TYPE:LED TUBE LIGHT,SIZE:1.2 METER, WATTAGE : 40 W,MAKE:PHILIPS,MODEL:BN208C,COLOUR:WHITE,MATERIAL SUPPLY BY:VENDOR,SCAFFOLDING SUPPLY BY:VENDOR,ADDITIONAL INFORMATION:WITH ALL MOUNTING ACCESSERIES				
15	FIX,ELECL ITEMS,CEILING FN;48IN	EA	1800.00	6.00	10800.00
	FIXING,ELECTRICAL ITEMS,TYPE:CEILING FAN;SIZE:48 inch;MAKE:ANY STANDARD MAKE;MODEL:APPROVED;WORKING HEIGHT:ALL LVL,SCAFFOLDING SUPPLY BY:VENDOR;ADDITIONAL INFORMATION:RATE IS INCLUSIVE OF DIMMER				
				TOTAL	1609271.76
				ADD GST 12%	178231.92
				GRAND TOTAL RS.	1787503.68

Chairman  
Aditi Agro Producer Co. Ltd.  
Shirki Chai-No.2 Pen-Raigad

मुख्य कार्यकारी अधिकारी  
अदिति अग्रो प्रोड्यूसर कंपनी लि.

284