




# TULSI AGRO ENGI MECH PVT.LTD.



**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

## QUOTATION

ORIGINAL

M/S.

**DAL MILL PROCESSING PLANT 3 TPH**

Quotation No: Q306/3

Date:31/03/2022

No	Particulars	HP	Qty	Rate	Amount
01	<p><b>CLASSIFIER 3 DECK</b> <b>MOC-Mild Steel ,Thick:3 MM</b> <b>SCREEN SIZE:950X950 MM</b> <b>DIMENTION:2000X1250X1500MM</b> are used for a wide range of applications such as removing large impurities like stick, buck and leaves and are also used for removing fine dirt and sand from products in seed cleaning plants and seed processing plants.</p> 	21	7	3,95,000	27,65,000.00
02	<p><b>DE – STONER 1200X900</b> <b>MOC:- Mild Steel,3MM, Thickness</b> <b>DIMENTION:1500X1200X1800 MM</b> De-stoner mainly finds application in the seed handling industries wherein same size stones have to be removed from seeds before processing.</p> 	2	1	4,50,000	4,50,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



## TULSI AGRO ENGI MECH PVT.LTD.

03	<p><b>GRAVITY SEPRATOR SEVEN FAN WITH A.C. DRIVE CONTROLLER.</b>  <b>SIZE-L-96", W-50", H-96"</b>  <b>POWER: 10+2=12 HP</b>  <b>M.O.C.- Mild Steel</b>  <b>Gravity Separator for Agriculture Industry</b> that we are providing is widely appreciated owing to its unique functionalities, adaptiveness to separate impurities and unwanted items from the grains, operational reliability and long service life. This machine is produced incorporating the cutting-edge techniques and tools in our production premises and therefore, it performs in the most accurate manner to separate the grains by weights. <b>Gravity Separator for Agriculture Industry</b> can be availed from us in the reasonable price range.</p> 	10+2= 12 HP	1	6,00,000	6,00,000.00
04	<p><b>ASPIRATION CHANNEL</b>  <b>MOC:- Mild steel,2.5 mm thickness</b>  <b>DIMENTION:1250X450X1000 MM</b>  is used for removal of light weight particles from all kind of grains maximum cleaning action is obtained by installing a good aspirator after the scourer aspiration channel is particularly suited to separate husks, chaff, small seeds, insect fragments, broken &amp; hollow kernels accuracy of separation.</p> 	**	5	55,000	2,75,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:-** Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:-** [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:-** [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

05	<p><b>HORIZONTAL CYCLONE SEPARATOR</b>  <b>MOC:- Mild Steel,3.5 MM Thickness</b>  <b>DIA:950 MM</b>  <b>DIMENTION:2400X1200MM</b>          Application for the pre-separation of dust from the horizontally flowing separation air.</p> 	**	3	50,000	1,50,000.00
06	<p><b>FLOUR MILL 24"-CHAKKI</b>          a-Heavy duty "TULSI" brand chakki 24"          b-with emery stone 2 pair, 4 nos.          c-With pulley set &amp; v-belt,2.5" shaft &amp; double bearing  <b>Power : 5 HP</b>          We offer high quality <b>Chakki Heavy duty24'</b> that is Commonly used for grinding purpose. Furthermore, these chakki machines are used for various industry Purposes like <b>grinding cereals, flours, and spices</b>. Our product is designed using superior grade material that Gives it optimum performance and longer working life. We also offer various specifications and customization on this products range to cater the different needs of our valued clients</p> 	5X4=20 HP	4	55,000	2,20,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



## TULSI AGRO ENGI MECH PVT.LTD.

<p>07</p>	<p><b>EMERY ROLL (WITH MOTOR) 14 X 33"</b>  <b>MOC:MILES STEEL &amp; G.I SHEET,2.5 MM thickness</b>  <b>ROLL SIZE:350X825</b>  <b>DIMENTION:1050X750X1800 MM</b>          Our special range of emery roll can effectively remove the husk of GRAM, green whole lentil, red whole lentil, toor dal whole beans, green gram, Mung Black gram, URAD. the specialty of our machine is that it takes less powder and give maximum production .</p> 	<p>50 HP</p>	<p>5</p>	<p>1,50,000</p>	<p>7,50,000.00</p>
<p>08</p>	<p><b>BUCKET ELEVATOR 32" APPROX 30FT.</b>  <b>MOC:- Mild Steel &amp; GI Sheet,2.5mm Thickness</b>  <b>8 mm cotton belt with 5" PVC Bucket</b>  <b>DIMENTION:250X250</b>          Elevators are highly functional and are have various applications such as vertical lifting of materials such as coffee, rice, food grains and other granular materials.</p> 	<p>28 HP</p>	<p>14</p>	<p>1,20,000</p>	<p>16,80,000.00</p>

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

09	<b>WORM CONVEYOR (WITH MOTOR)</b> 	5	100' Appr.f t.	3,000 per ft.	3,00,000.00
10	<b>CYCLONE SEPARATOR (900 DIA)</b> <b>MOC:- Mild Steel,3.5 MM Thickness</b> <b>DIA:1100 MM</b> <b>DIMENTION:2400X1100 MM</b> In general, cyclones are used to remove dust and other product streams from processing operations. There are many factors that directly affect the efficiency of a cyclone. 	***	4	40,000	1,60,000.00
11	<b>CENTRIFUGAL FAN 15 HP (WITH MOTOR)</b> <b>MOC:- Mild Steel,3 MM Thickness</b> <b>DIA:600 MM</b> <b>DIMENTION:900X300X1050 MM</b> Our fans serve industries where they must run around the clock, continually delivering high performance under tough conditions. 	60	4	95,000	3,80,000.00
12	<b>DE – STONER FAN 15 HP (WITH MOTOR)</b> <b>MOC:- Mild Steel,3 MM Thickness</b> <b>DIA:600 MM</b> <b>DIMENTION:900X300X1050 MM</b>	15	1	1,10,000	1,10,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

					
13	<p><b>LATHER POLISHER MACHINE (WITHOUT MOTOR)</b>  <b>MOC: Mild Steel &amp; Lather belt,3 MM Thickness</b>            Polishing the pulse and seeds surface after bran removal.</p> 	15	1	1,40,000	1,40,000.00
14	<p><b>AIR LOCK WITH GEAR MOTOR</b>  <b>MOC: Iron Cast, With Horizontal gear box</b>  <b>DIA:150MM</b>            Airlocks are used in pneumatic conveying, dust control and flow control applications</p> 	1x8=8	8	35,000	2,80,000.00
15	<p><b>INTAKE HOOPER</b>  <b>MOC:GI Sheet,3 MM Thickness</b>  <b>DIMENTION:1500X1500 MM</b>            Material intake and product transport equipment including elevators, trough, belt conveyors and screw conveyors.</p>	**	1	30,000	30,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

16	<b>MAGNET CUM DAD BOX</b> <b>MOC:13000 GUESS SS Roll</b> Magnetic separators are employed for the removal of metal particles, e.g. nails, wire and screws. 	**	1	40,000	40,000.00
17	<b>WATER &amp; OIL WHEEL DUMPER</b> 	**	2	80,000	1,60,000.00
18	<b>SPEED SPOUT SUPPORTING LINE &amp; MACHINERY HOPERS</b> <b>MOC:GI &amp; MILED STEEL,1.5 TO 3 MM</b> Speed Spout is a system that includes all types and sizes of standardized parts. Each is designed to meet rigid requirements in both gravity and pneumatic conveying lines.	**	1 set	3,75,000	3,75,000.00
19	<b>AIR DUST DUCTING LINE</b> <b>MOC:GI,1 MM</b> Dust Duct" is a total system of pre-engineered, welded metal ducting and fittings for dust control work. Full range of sizes from small to large size. These types and sizes cover almost 100% of the requirements for air pollution and dust control systems, excepting very unusual or extremely large jobs.	**	1 set	3,00,000	3,00,000.00
20	<b>PROCESS BINS &amp;STORAGE BINS</b> <b>[ 10'x 10'x12']</b> <b>MOC:- Mild Steel &amp; GI,2 MM</b>		14 Nos.	95,000	13,30,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

21	<p><b>DRYER COMPLETE SET WOOD DRYER WITH HEATING CHAMBER, INCLUDING BLOWER 15 HP AND ALL ACCESSORIES</b></p>	20	1	9,50,000	9,50,000.00
22	<p><b>ELECTRIC MOTOR &amp; PANEL BOARD ALL ELECTRIC MOTOR MAKE BY CROMPTON OR ABB , CONTROL PANEL MAKE BY L&amp;T</b></p>			8,75,000	8,75,000.00
23	<p><b>PLANT FITTING &amp; ERECTION CHARGES</b></p>			5,50,000	5,50,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

<u>OPTIONAL</u>				
1	<b>AIR COMPRESSOR</b>  <p style="text-align: center;">CTS-20 TANK MOUNTED AIR COMPRESSOR</p>	35 HP		4,25,000
2	<b>MULTIPLALE PRODUCT COLOR SORTER MACHINE</b> <b>MODEL:- FB5(CHUTE)</b> Capacity:- 3 ~ 8 TPH Accuracy:- ≥99.99 % Voltage:- AC 220 – 50 (V – HZ) Power (KW):- ≤ 3.0 Weight (KG):- 1450(± 5 %) Dimension:- (L x W x H) (MM) 2170 X 1595 X 2040 Air Consumption :-125 (CFM)			26,00,000
		256 HP	Sub Tot.	1,28,70,000.00

**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

**Terms & condition:**

- As factory delivery
- GST 5% Extra
- 1 year warranty.
- All plant pulley set, V-belt & nut bolt are included.
- Our technician's food & hotel accommodation will be extra.
- Steel raw material for structure approx 15 ton will be extra.
- Extra Structure & Fabrication Material Approx 10 Ton.

**Payment condition:**

- 25% Payment at order time
- 75% Payment at before delivery

**Rs. ONE CRORE TWENTY EIGHT LAKHS SEVENTY THOUSAND  
RUPEES ONLY.**

**GST TIN NO: 24AAFCT8162Q1ZO**

**FOR, TULSI AGRO ENGI MECH PVT.LTD.**

**A/C NO.312130110000296**

**IFSC COAD: BKID0003121**

**OUR BANK-BANK OF INDIA**

**BHAKTINAGAR-RAJKOT**

**AUTHO.SIGNATURE**



**Unit 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**Unit 2:-** N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**Contact Us:** - Mo-+91 94283 46905 Mo-+91 98796 13955

**Email:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**Website:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)