





# TULSI AGRO ENGI MECH PVT.LTD.



L = 80 feet  
 Plant Size: W = 40 to 50 feet  
 H = 40 feet

 <b>Cleaning &amp; Milling Machinerles</b>	NAME	DATE	PROPOSED LAYOUT		
	DRAWN	M.D.M.	07-03-21	TITLE: <b>MAIDA PLANT          4 - ROLL BODY</b>	
	CHECKED	C.H.B.	07-03-21		
	ENG APPR.	B.M.P.			
	MFG APPR.	C.H.B.	07-03-21		
QA	B.M.P.	07-03-21			
INTERPRET GEOMETRIC TOLERANCING PER MATERIAL	COMMENTS:		SIZE	DWG. NO.	REV
FINISH	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MM		A	-	00
DO NOT SCALE DRAWING			SCALE: NTS	WEIGHT: NA	SHEET

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:-** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

**CONTACT US:-** Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:-** [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:-** [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

## QUOTATION


ORIGINAL

M/S. GARUDPANKH FOODGRAINS PRODUCER CO .LTD. KAKADSHIVANI KARANJA

**FULLY AUTOMATIC WHEAT MAIDA/RAWA/FLOUR  
ROLLER FLOUR MILL PLANT (4 ROLL BODY) CAPACITY 2 TPH  
(4 TON CLEANING+2 TON MILLING)**

Quotation No: Q103/1

Date:01/09/2022

No	Particulars	HP	Qty	Rate	Amount
01	<p><b>PRE CLEANER VIBRO MTR (AS PER CLEANING)</b> <b>Size:-1250x2000</b> <b>Vibrating Motor : 1x2=2 hp</b> <b>Double Deck Screen : Perforated Sheet</b> The vibrating sifters are used to separate the coarse and fine impurities from cereal both for pre-cleaning purposes for cereal storage systems and for main cleaning in flour mills for effective cleaning. The principle of the separation is based on the kernel size.Vibrating sifters are composed of main chassis, swinging and feeding section.The machine has upper and lower decks sieves compartment. The sieves are being cleaned by the rubber balls.</p> 	4	2	5,75,000	11,50,000.00
02	<p><b>DRUM SIEVE WITH GEAR MOTOR</b> <b>Power : 2 HP with gear motor</b> Drum Sieve can be used in many different ways for pre-cleaning materials.It is Successfully used in the reception of granular mealy and floury bulk materials in grain mills bulk Storage Systems and other plants in the food processing and food manufacturing industries.The drum Sieve separates coarse impurities Such as pieces of Straw. Wood pieces, paper pieces, maize leaver and cobs.</p>	2	1	3,25,000	3,25,000.00

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:-** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

**CONTACT US:-** Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:-** [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:-** [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

					
03	<b>MAGNET ROLL</b> <b>SIZE:-1200MM</b>	3	1	4,75,000	4,75,000.00
04	<b>SCOURER MACHINE WITH ASPIRATION CHANNEL</b> <b>Size:-1800x400mm dia.</b> <b>Power : 7.5 X 2</b> Horizontal scourers are used to clean the grain from dust, separating soil particles, foreign materials from grain by an impact during operation by a knitted sleeve. Horizontal scourers' main structures are a body, a dust room, inspection windows, dust evacuation copper and a rotating rotor with blades, motor drive unit, product feeding/discharge outlets.	15	2	3,15,000	6,30,000.00
					
05	<b>INTENSIVE DAMPENER WITH S.S. CONTACT PARTS</b> <b>Power : 2 hp</b> Intensive dampening augers are used to moisturize the grains to a sufficient moisture content in the mill plants to ease the processing performances with economic usage of energy, increasing usage life of the equipments	2	1	2,90,000	2,90,000.00
					
06	<b>WATER DAMPENER WITH S.S. CONTACT PARTS</b>		1	2,75,000	2,75,000.00
07	<b>VIBRO DESTONER MACHINE WITH BLOWER WITH MOTOR</b> <ul style="list-style-type: none"> <li>• VIBRO DESTONER 2 SEAT</li> <li>• (SIZE:-650X1000MM)WITH MOTOR</li> </ul>	15	1	4,95,000	4,95,000.00

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:** Rsn44/1, Plot no.1, Bharudi Village Main Road, Behind Ajayraj Hotel, N.H.27, AT Bharudi, Dist: Rajkot, Gujarat




**CONTACT US:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

	<ul style="list-style-type: none"> <li>• POWER 1.5X2</li> <li>• WITH MOTOR</li> </ul> 				
08	<p><b>VERTICAL BUCKET ELEVATOR APPROX 40FT.</b>  <b>MOC:- Mild Steel &amp; GI Sheet,2.5mm Thickness 8 mm cotton belt with 6" PVC Bucket</b>  <b>DIMENTION:250X250</b>            Elevators are highly functional and are have various applications such as vertical lifting of materials such as coffee, rice, food grains and other granular materials.</p> 	16	8	125,000	10,00,000.00
09	<p><b>LOW PRESSER FAN WITH MOTOR</b>  <b>Power : 7.5 hp x 2</b>            Low pressure and high pressure blowers are used where the aspiration systems are necessary. These blowers provide low pressure in conveying systems and cereal cleaning machines to prevent dust leakage</p> 	15	2	2,75,000	5,50,000.00

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat




**CONTACT US:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

10	<b>ASPIRATION CHANNEL</b> <b>MOC:- Mild steel,2.5 mm thickness</b> <b>DIMENTION:1050X450X1000 MM</b> is used for removal of light weight particles from all kind of grains maximum cleaning action is obtained by installing a good aspirator after the scourer aspiration channel is particularly suited to separate husks, chaff, small seeds, insect fragments, broken & hollow kernels accuracy of separation.		2	95,000	1,90,000.00
					
11	<b>HORIZONTAL CYCLONE SEPARATOR</b> <b>SIZE:- 950MM</b>		3	125,000	3,75,000.00
12	<b>AIR LOCK</b> <b>SIZE:-150MM</b>		3	25,000	75,000.00
13	<b>WORM CONVEYOR APPROX 30 FEET EACH</b>	3	3	105,000	3,15,000.00
					
14	<b>CLEANING SECTION ACCESSORIES</b> <b>G.I. ASPIRATION, PIPE, BAND, SUIT, ETC...</b>			4,00,000	4,00,000.00
<b><u>MILLING SECTION</u></b>					
15	<b>ROLLER GRINDING MILL</b> <ul style="list-style-type: none"> <li>• Size:-40"</li> <li>• with Indian roller &amp; Timing belt</li> </ul> Roller mill is controlled by Miller,could adjust The roller distance to get different flour, it is used for giving good material flow and keep perfect milling performance.	140	4	9,50,000	38,00,000.00
					

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

**CONTACT US:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

16	<p><b>PLANE SIFTER</b></p> <ul style="list-style-type: none"> <li>• SIZE:8'X16'</li> <li>• with heavy duty structure</li> <li>• with zali frame</li> <li>• with 28x2=56 zali</li> </ul> 	5	1	8,50,000	8,50,000.00
17	<p><b>PLANE SIFTER</b></p> <ul style="list-style-type: none"> <li>• SIZE:4'X14'</li> <li>• with heavy duty structure</li> <li>• with zali frame</li> <li>• with 24x2=48 zali</li> </ul> 	3	1	5,00,000	5,00,000.00
18	<p><b>HIGH PRESSER FAN WITH MOTOR</b>  <b>Power : 75 hp</b></p> <p>High pressure pneumatic fans are used to convey the by-products vertically during milling.They are radial type fans and used for the high pressure and middle flow rates. They have two sections; one is snail formed body supported by stand and motor chassis.And the other is blades fixed rotor</p> 	75	1	4,50,000	4,50,000.00

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

**CONTACT US:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)

19	<p><b>VIBRO PURIFIER MACHINE</b></p> <ul style="list-style-type: none"> <li>• With Automatic brush</li> <li>• &amp; gear motor</li> </ul> <p>The purifier is basically used in Vibro Purifier Flour Mill Machinery to purify the Semolina stock and airlift the bran which further improves the quality of the end product The new generation Vibro Purifier is a sturdy machine with Vibro-motors and has a noise free operation and is easy to maintain. The design also allows easy changing of sieves (bolting cloth) to ensure very low down times and higher productivity</p> 	3	1	4,50,000	4,50,000.00
20	<p><b>VIBRO BRAN FINISHER</b></p> <p><b>Power:15 hp</b></p> <p>Flour Mill Vibro Bran Finisher is very ideal machine used to remove flour particle adhering to bran during grinding processing of wheat.</p> 	15	1	3,50,000	3,50,000.00
21	<p><b>LOW PRESSER FAN FOR PURIFIER</b></p> <p><b>Power : 15hp</b></p> <p>Low pressure and high pressure blowers are used where the aspiration systems are necessary. These blowers provide low pressure in conveying systems and cereal cleaning machines to prevent dust leakage</p> 	15	1	125,000	125,000.00

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

**CONTACT US:-** Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:-** [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:-** [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

22	<b>SCREW REGULAR WARM APPROX 300FEET.</b> <b>Power: 1.5 HP x 6</b> Intensive dampening augers are used to moisturize the grains to a sufficient moisture content in the mill plants to ease the processing performances with economic usage of energy, increasing usage life of the equipments.	15	6nos	95,000	5,70,000.00
23	<b>IMPACT DETACHER WITH BUILTIN MOTOR</b>	5	1	2,75,000	2,75,000.00
24	<b>AIR LOCK WITH GLASS &amp; STAND</b>		25	20,000	5,00,000.00
25	<b>SMALL CYCLONE</b> <b>SIZE:-450-500MM</b>		12	40,000	4,80,000.00
26	<b>BIG CYCLONE</b> <b>SIZE:-1100MM</b>		4	75,000	3,00,000.00
27	<b>REFRIZRETER BOX</b> <b>SIZE:-113MM</b>		10	15,000	1,50,000.00
28	<b>LIFT BAND</b> <b>SIZE:-113MM</b>		15	7,000	105,000.00
29	<b>LIFT PIPE</b> <b>SIZE:-113MM</b>		25	10,000	2,50,000.00
30	<b>LIFT PIPE</b> <b>SIZE:-88MM</b>		15	9,000	1,35,000.00
31	<b>MILLING ACCESSORIES</b> <ul style="list-style-type: none"> <li>• Fan presser line pipe 300mm-400mm</li> <li>• All machine connection pipe 200mm-100mm</li> <li>• Fan belt pulley</li> <li>• Zali 120mm</li> <li>• Ring 120mm</li> <li>• Devides 120mm</li> <li>• Y section 120mm</li> <li>• T section 120mm</li> <li>• Fan belt</li> <li>• Shifter zali</li> <li>• Purifier zali</li> </ul>			8,00,000	8,00,000.00
32	<b>ELECTRIC MOTOR FOR ALL EQUIPMENT</b>			27,50,000	27,50,000.00
33	<b>PLANT FITTING &amp; INSTALLATION CHARGES</b>			10,75,000	10,75,000.00
		<b>347</b>		<b>Sub Tot.</b>	<b>2,04,60,000.00</b>
		<b>HP</b>			

**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

**CONTACT US:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

## Terms & condition:

- Ex. factory Rajkot Delivery
- GST 18% Extra.
- 1 year warranty for All electric motor and 6 months of full plant
- Delivery 90 days after confirm order
- Structure fabrication extra
- All motor included without panel board
- All civil works are excluded.
- Capacity 2 ton per hour

## Payment condition:

- 25% Payment at order time
- 75% Payment at before delivery

**Rs. ONE CRORE FIFTY SIX LAKHS TWENTY THOUSAND RUPEES ONLY.**

**GST TIN NO: 24AAFCT8162Q1ZO**

**FOR, TULSI AGRO ENGI MECH PVT.LTD.**

**A/C NO.312130110000296**

**IFSC COAD: BKID0003121**

**OUR BANK-BANK OF INDIA**

**BHAKTINAGAR-RAJKOT**

**AUTHO.SIGNATURE**



**UNIT 1:-** 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

**UNIT 2:-** N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

**UNIT 3:** Rsn44/1,Plot no.1,Bharudi Village Main Road,Behind Ajayraj Hotel, N.H.27,AT Bharudi,Dist: Rajkot,Gujarat

**CONTACT US:** - Mo-+91 94283 46905, Mo- +91 98796 13955

**EMAIL:** - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

**WEBSITE:** - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)