



SHRIRAM ASSOCIATES

Address - J-71, M.I.D.C Phase 3, Opposite Rallis India, Shivar, Akola-444104 Maharashtra,
Ph No - 9823090002, 9422862457; Web:www.shriramassociates.com E-mail:manoj9khandelwal@gmail.com

QUOTATION

Hi-Tech Dal Mill Plant (2500 - 3000 KG/DAY)

BILL TO -
Company name -
Address -
State -
Ph.- 91 -

Date - 01/08/2022
Quote - 437/2021-22

Thank you for enquiring with us. Please find the required quotation below.

PRODUCT & DESCRIPTION	POWER	QUANTITY	RATE	AMOUNT
1. PKV Mini Dal Mill Process - Process all types of pulses like toor, moong, urad, chana, masoor, etc.	7.5 HP	1	161017	161017
2. Dal Sheller Process - Shelling or splitting of pulses Dal.	2 HP	1	24576	24576
3. Dal Polisher Process - Shelling or splitting of pulses Dal.	5 HP	1	47457	47457
4. Dal Grader Process - Shelling or splitting of pulses Dal.	2 HP	1	80508	80508
5. Dal Dryer Process - Shelling or splitting of pulses Dal.	5 HP	1	140000	140000
GROSS AMOUNT				453558
18% IGST				81642
Total Amount				535200 INR

Company Details

GST NO :- 27ACJPK1448D1ZS
State:- MAHARASHTRA Code: 27

Bank Name: - Central Bank of India, Akola
Bank Detail: - M/s. SHRIRAM ASSOCIATES
A/C NO: 3051546786
IFSC CODE: CBIN0282333



Yours faithfully

For M/s. SHRIRAM ASSOCIATES



SHRIRAM ASSOCIATES

Address - J-71, M.I.D.C Phase 3, Opposite Rallis India, Shivar, Akola-444104 Maharashtra,
Ph No - 9823090002, 9422862457; Web:www.shriramassociates.com E-mail:manoj9khandelwal@gmail.com

7.5 HP ANNAPURNA Mini Dal Mill



Price - 190,000

Specifications

Power	7.5 Hp
Capacity	300 Kg/Hr
Capacity	3 Ton/Day
Dimension	5ft. * 8ft. * 10ft.
Phase	Three
Weight	800 KG
Grains	Toor, Moong, Urad, Chana, Masoor, Matar
Output(Toor)	72-78 %
Output(others)	82-86 %
Closed Area	1000 sq feet
Open Area	1000 sq feet
Total Area	2000 sq feet

Company Details

GST NO :- 27ACJPK1448D1ZS
State:- MAHARASHTRA Code: 27

Bank Name: - Central Bank of India, Akola
Bank Detail: - M/s. SHRIRAM ASSOCIATES
A/C NO: 3051546786
IFSC CODE: CBIN0282333



Yours faithfully

For M/s. SHRIRAM ASSOCIATES



SHRIRAM ASSOCIATES

Address - J-71, M.I.D.C Phase 3, Opposite Rallis India, Shivar, Akola-444104 Maharashtra,
Ph No - 9823090002, 9422862457; Web:www.shriramassociates.com E-mail:manoj9khandelwal@gmail.com

Sheller 2HP



Price(with GST) - 29000

Specifications

Power	5Hp
Capacity	600 Kg/Hr
Capacity	5 Ton/Day
Dimension	3ft. * 3ft. * 4ft.
Phase	Three
Weight	65 KG
Grains	Wheat, Chana

Company Details

GST NO :- 27ACJPK1448D1ZS
State:- MAHARASHTRA Code: 27

Bank Name: - Central Bank of India, Akola
Bank Detail: - M/s. SHRIRAM ASSOCIATES
A/C NO: 3051546786
IFSC CODE: CBIN0282333



Yours faithfully

For M/s. SHRIRAM ASSOCIATES



SHRIRAM ASSOCIATES

Address - J-71, M.I.D.C Phase 3, Opposite Rallis India, Shivar, Akola-444104 Maharashtra,
Ph No - 9823090002, 9422862457; Web:www.shriramassociates.com E-mail:manoj9khandelwal@gmail.com

Polisher 5 HP



Price(with GST) - 56000

Specifications

Power	5Hp
Capacity	400 Kg/Hr
Capacity	3 Ton/Day
Dimension	3ft. * 4ft. * 4ft.
Phase	Three
Weight	100 KG
Grains	All Pulses

Company Details

GST NO :- 27ACJPK1448D1ZS
State:- MAHARASHTRA Code: 27

Bank Name: - Central Bank of India, Akola
Bank Detail: - M/s. SHRIRAM ASSOCIATES
A/C NO: 3051546786
IFSC CODE: CBIN0282333



Yours faithfully

For M/s. SHRIRAM ASSOCIATES



SHRIRAM ASSOCIATES

Address - J-71, M.I.D.C Phase 3, Opposite Rallis India, Shivar, Akola-444104 Maharashtra,
Ph No - 9823090002, 9422862457; Web:www.shriramassociates.com E-mail:manoj9khandelwal@gmail.com

Dryer 5 HP



Price(with GST) - 165,200

Specifications

Power	5Hp
Capacity	1000 Kg/Hr
Capacity	8 Ton/Day
Dimension	10ft. *8 ft. * 4ft.
Phase	Single/Three
Weight	300 KG
Grains	All
Total Area	1000 sq feet

Company Details

GST NO :- 27ACJPK1448D1ZS
State:- MAHARASHTRA Code: 27

Bank Name: - Central Bank of India, Akola
Bank Detail: - M/s. SHRIRAM ASSOCIATES
A/C NO: 3051546786
IFSC CODE: CBIN0282333



Yours faithfully

For M/s. SHRIRAM ASSOCIATES



SHRIRAM ASSOCIATES

Address - J-71, M.I.D.C Phase 3, Opposite Rallis India, Shivar, Akola-444104 Maharashtra,
Ph No - 9823090002, 9422862457; Web:www.shriramassociates.com E-mail:manoj9khandelwal@gmail.com

Grader 2 HP with Elevator



Price(with GST) - 95000

Specifications


Power	2 Hp
Capacity	600 Kg/Hr
Capacity	5 Ton/Day
Dimension	5ft. * 8ft. * 10ft.
Phase	Three
Weight	200 KG
Grains	Toor, Moong, Urad, Chana, Masoor, Matar

Company Details

GST NO :- 27ACJPK1448D1ZS
State:- MAHARASHTRA Code: 27

Bank Name: - Central Bank of India, Akola
Bank Detail: - M/s. SHRIRAM ASSOCIATES
A/C NO: 3051546786
IFSC CODE: CBIN0282333



Yours faithfully

For M/s. SHRIRAM ASSOCIATES



SHRIRAM ASSOCIATES

Address - J-71, M.I.D.C Phase 3, Opposite Rallis India, Shivar, Akola-444104 Maharashtra,
Ph No - 9823090002, 9422862457; Web:www.shriramassociates.com E-mail:manoj9khandelwal@gmail.com

Transportation: -

1. Transportation charges will be beared by customer.
2. It takes anything between 4 - 8 days to transport machineries from Manufacturing plant in Akola to nearest transport hub.
3. We try our best to provide best possible transport option considering budget, safety and time of delivery.
4. We won't be responsible for damages to the machine during transportation.

Motor

1. For all the machinery with power 3Hp or less, any one of single or three phase motor will be provided. For all the machinery with power more than 3 HP only three phase motor will be provided.
2. The choice of motor provided at the time of confirmation of the order will be final.

Installation

1. Installation charges will be born my the customer.
2. It could take anywhere between 2 to 10 days for installation once machine reaches.
3. Our engineer will install the machineries and train to process the pulses of different categories.
4. The electrification has to be done before our engineer visit and electrification charges will be born by the customer.

Payment

1. 25% of the total amount at the time of confirmation.
2. Remaining 75% payment before dispatching the goods from the manufacturing plant.
3. All the payment should be made in the mentioned bank account of Shriram Associates.

Miscellaneous

1. All quotations are valid for ONE MONTH from this date and are subjected to our confirmation at the time of our accepting the order.
2. Any legal dispute will be as per Akola jurisdiction.
3. Price, terms and conditions of payment, time of delivery, specification etc are always subject to change without any prior notice and are subjected to terms or our usual conditions of business as detailed overleaf.

Output

1. For Toor Dal the output of the 1st quality dal is around 75-78%.
2. For Moong, Urad, Chana, Masoor Dal the output of the 1st quality dal is around 82-85%.
3. The output will depend the quality of the raw material and the expertise of the operator.

INDO AMERICAN EQUIPMENT	agrisep®
HO: PLOT NO. D-22, ADDL. M.I.D.C. AREA, AURANGABAD ROAD, JALNA	02482-220422
http://www.indoamericanequipment.com	agrisep@rediffmail.com
<u>GSTN No.- 27AYHPS3777M1ZI</u>	

REF: IAE/YK/01/22-23/467

DATE: 03/01/2023

QUOTATION

TO

MANDPRABHA FARMER PRODUCER CO LTD

Gat No 74/1,Guptling Road,Shikhar Shinganapur

Tal Man Dist - Satara 415008

SUBJECT: OFFER FOR SUPPLY OF 4TPH CAPACITY (BASED ON WHEAT) ONLINE SEEDS PROCESSING PLANT.

S. N.	Particulars	Qty.	Rate (Rs.)	Amount (Rs.)
1	Vertical Bucket Elevator- MODEL: IAE / VBE/ GD6, G I , Geared Drive 1HP, Fiber buckets, attached big hopper. Capacity 6 tones/ hour on wheat basis	1	2,00,000	2,00,000=00
2	Fine Cleaner/ Grader- MODEL: IAE / FIN / J-1507 Three Screen Machine, 4500 CFM Suction Fan of 7.5 HP & Vibrator Sieve-boat on 2 HP. Vibro feeder on 80w single phase, Capacity 4 tones/ hour on wheat basis.	1	7, 60,000	7, 60,000=00
3	Dust Cyclone Fine Cleaner	1	85,000	85,000=00
4	Vertical Bucket Elevator- MODEL: IAE / VBE/ GD6- G I, Geared Drive 1HP, Fiber buckets. Capacity 6 tones/ hour on wheat basis.	1	1,90,000	1,90,000=00
5	Bins & Valves For Gravity Feeding	1	85,000	85,000=00
6	Gravity Separator- MODEL: IAE / GS /J-247 4 Fan Machine. Main Drive on 10 HP, Vibrating Deck Variable speed on 1.5 HP. Aluminium frame Deck. Capacity 3.5 to4.0 tones/ hour on wheat basis.	1	6, 95,000	6, 95,000=00
7	Vertical Bucket Elevator- MODEL: IAE / VBE/ GD4- For Destoner- G I, Geared Drive 1HP, Fiber buckets. Capacity 4 tones/ hour on wheat basis.	1	1, 48,000	1, 48,000=00
8	De-stoner- MODEL: IAE / DS / J-6147-2 Fan Machine, Main Drive on 5 HP, Vibrating Deck variable speed on 1 HP. Capacity 3 to 4 tones/ hour on wheat basis.	1	4,00,000	4,00,000=00
9	Dual Vertical Bucket Elevator- Model: IAE / VBE- With Maintenance Service Platform, Geared drive of 2 HP, Fiber buckets, Attached hopper.	1	2, 38,000	2, 38,000=00
10	Electrical panel for controlling all machinery	1	1,50,000	1,50,000=00
11	Foundation Bolts, SS Spouting etc.	Set	-----	70,000=00
12	Installation & Commissioning Charges For Complete plant	Set	-----	70,000=00

	Total Cost of Machinery			30,91,000=00
	Non Negotiable Discount offered-	18%		5,56,380=00
	Final Cost after Discount			25,34,620=00

SUBJECT: OFFER FOR SUPPLY OF 4TPH CAPACITY (BASED ON WHEAT) GRAVITY SEPARATOR.

S. N.	Particulars	Qty.	Rate (Rs.)	Amount (Rs.)
1	Gravity Separator- MODEL: IAE / GS /J-247 4 Fan Machine. Main Drive on 10 HP, Vibrating Deck Variable speed on 1.5 HP. Aluminium frame Deck. Capacity 3.5 to4.0 tones/ hour on wheat basis.	1	6, 95,000	6, 95,000=00
	Total Cost of Machinery			6,95,000=00
	Non Negotiable Discount offered-	18%		1,25,100=00
	Final Cost after Discount			5,69,900=00

Terms & Conditions-

- 1) **Prices** : Our Prices are Ex-works, Jalna.
- 2) **Freight** : To pay at actual.
- 3) **Unloading** : Safe Unloading of the equipment at the site shall be arranged by the buyer at his Own risk and cost.
- 4) **Taxes** : **EXTRA-GST @ 18% ON AGRIL. MACHINE.**
- 5) **Validity** : Our quotation is valid for 30 days and thereafter subject to our confirmation.
- 6) **Payment** : 60% payment advance along with your order, 30% against Delivery and Balance 10 % Payment against installation & Commissioning.
- 7) **In your scope** : Safe Unloading, Civil work, Chain Block to lift the machines during Installation work or Hydra Crane for shifting the machines to their Installation position, Electrical cables & wiring to be done by you.
- 8) **Delivery** : 8 WEEKS AFTER ADVANCE
- 9) **Installation & Commissioning Charges-** Mentioned in Quotation.

BANK ACCOUNT DETAILS-
I NDO AMERICAN EQUIPMENT,
STATE BANK OF INDIA,
SME BRANCH, JALNA.
ACCOUNT NO.- 62095047913
IFSC CODE- SBIN0061561

Please feel free to contact us in case of any query.
Thanking you and looking forward to your confirmed order.

Yours sincerely
For Indo American Equipment.

Authorized signatory.

Electrical Requirement-

- 1) Fine Cleanr-9.5 hp
- 2) Gravity Separator-11.5 hp
- 3) Destoner with Elevator-7 hp
- 4) Vertical Bucket Elevator- 2 nos. x 1 hp- 2 hp
- 5) Dual Bucket Elevator-2 hp

Total Electrical Load- 32 hp

9923346157

कोटेशन

No.

डी. जी. ऑटोमोबाइल्स कंपनी



3208

नाना पाटील चौक, फलटण - ४१५५२३, जि. सातारा
महिंद्रा अॅण्ड महिंद्रा लि; मुंबई, ट्रॅक्टर व औजार
अधिकृत विक्री, सेवा व सुटे भाग

Mahindra

प्रति,

तारीख - / / २०२

श्री. ~~संदपुष्पा कामरि प्रोड्यूसर कंपनी लिमिटेड कंपनी सातारा~~

बँकेचे नांव

९४०३१४७३७२

७४११, ७४१२ सि २००१५२

स. न. वि. वि.

ता. मा. ता.

महाशय, आपल्या मागणीप्रमाणे आम्ही खालीलप्रमाणे दर देत आहोत.

अ. नं.	तपशील	मग	किंमत
१	महिंद्रा ट्रॅक्टर 275 DI <input type="checkbox"/> 415 DI <input type="checkbox"/> 475 DI <input type="checkbox"/> 575 DI <input type="checkbox"/> 585 DI <input type="checkbox"/> 555 अर्जुन <input checked="" type="checkbox"/> 605 नोवो MS/PS/1 <input type="checkbox"/> 245 जिवो 4 WD <input type="checkbox"/> 305 जिवो 4 WD <input type="checkbox"/> 365 जिवो 4 WD <input type="checkbox"/> युवो 275 DI <input type="checkbox"/> 415 DI <input type="checkbox"/> 475 DI <input type="checkbox"/> 575 DI <input type="checkbox"/> 575 XP Plus <input type="checkbox"/> 275 XP Plus <input type="checkbox"/> 575 SP Plus <input type="checkbox"/> (सर्व साहित्य कंपनीने पुरवठा केले प्रमाणे)	०१	९,२०,०००/-
२	अॅक्सेसरी सेट	०१	३००००/-
३	ट्रेलर ६ टनी / ४ टनी		
४	सिंगल पल्टी नांगर साई / पॉप्युलर		
५	Mitra Blower प्रकार		
६	insurance/passing	०१	२००००/-
७			
८			

Bank Name	A/c. No.	IFSC Code
IDBI Bank	46835110000101	IBKL0000468
कोटेशन ता. फलटण, माण, खटाव, खंडाळासाठी मर्यादित.		एकूण ९,७०,०००/-

सुचना - १) सदरच्या किंमती आजच्या असून त्या आपले माहितीसाठी आहेत. त्यामध्ये पूर्वसूचनेशिवाय बदल होऊ शकतो. ट्रॅक्टर डिलीव्हरी वेळी लागू असलेली किंमत आकारण्यात येईल व ट्रॅक्टरची डिलीव्हरी, पूर्ण पेमेंट झालेनंतर मिळेल.
२) इन्शुरन्स व रजिस्ट्रेशनचा वेगळा आकार पडेल व रजिस्ट्रेशन झालेशिवाय वाहन ताब्यात दिले जाणार नाही.
३) आपले पेमेंटचे डिमांड ड्राफ्ट हे फक्त फलटण वर देय असलेले स्विकारले जातील.
४) कोणतेही पेमेंट रोखीने स्विकारले जाणार नाही. आपण डिमांड ड्राफ्ट / NEFT / RTGS / Account Transfer द्वारे पेमेंट करावे लागेल. चेक स्विकारला जाणार नाही.
५) औजार व अॅक्सेसरीजला कोणतीही वॉरंटी मिळणार नाही.
वरील अटी मला मान्य आहेत.

शनिवार बंद

गिहाईकाची सही

डी. जी. ऑटोमोबाइल्स कंपनी करिता

BPL ENGINEERS

W-257 , S Block , Near Indrayani Nagar , MIDC Bhosari ,Pune-411026
Mobile -8830089132, Email: bplengineers.weighbridge@gmail.com

Date:02-01-2023

QUOTATION

To,

M/s. MANDPRABHA FARMER PRODUCER COMPANY LTD

At: 74/1 SHIKHAR SHINGNAPUR TAL Man dist satara

Sub :- Quotation For BPL Make Fully Electronics Weigh Bridge

We BPL Engineers manufacturing all types of weighing machines since 27 years. With reference to your enquiry for an " BPL " Make Electronic Weigh Bridge We take pleasure to quote for the same :-

Type:- Pitless Type

"BPL" Make Fully Electronics Weigh Bridge

Capacity	Least Count	Platform Size	Qty
1) 60 Tons	10 Kg	10 M * 3 M	1 no
Using 6 nos Loadcells of 30 Tons Each			

SPECIFICTIONS OF THE STEEL STRUCTURE:

1	Platform Design Basis	Maximum rated Axle Load Centre to Center
2	Platform Design Testing	Approved In-House Testing, 'BPL' Standard
3	Platform Design Factory of Safety	Designed for Max Big Size overload of specified capacity.
4	Design Calculations	Design and details provided with each shipment
5	Type of Platform	Load bearing Mechanical structure with evenly spaced Stiffeners, Incorporating Fasteners, SiteAssembled & highly Portable
6	Standard of Material of Construction ofStructural Steel	Mild Steel Confirming IS:2062
7	Paint	One Coat of red Oxide Primer and two Coats of Black Enamel
8	Type of structural steel	ISMB Beam sections with top plates
9	Make of Beams Sections & Deck Plates	Branded Steel plate make JINDAL/SAIL with test Certificates
10	Deck Plate	10 MM THICK with Antiskid Grippers Welded
11	Antiskid	MIN 2MM THICK
12	Top Plate	10 MM Thick With Antiskid Gripper & Welded Across The Length






Contd...2

BPL ENGINEERS

W-257 , S Block , Near Indrayani Nagar , MIDC Bhosari ,Pune-411026
 Contact: Mobile -8830089132, Email: bplengineers.weighbridge@gmail.com

(2)

ACCESSORIES INCLUDED WITH WEIGHBRIDGE

DESCRIPTION / MATERIAL LIST	PHOTO	QTY.
<p>WEIGHBRIDGE PLATFORM STRUCTURE</p> <ul style="list-style-type: none"> • All Material will be IS 2062 Grade • Painting: 1 Coat Primer & 2 coats with Enamel Paint (Make: Burger / Asian / Shalimar) • All Standard Joint Assembly, Nut & Bolts, Foundation Plates etc.... 		<p>01</p>
<p>HEAVY-DUTY LOAD CELL</p> <ul style="list-style-type: none"> • Digital- Type Load Cell • IP 68 Protected Load Cell • In-built Lightning & Surge Protection. 		<p>As per Platform Size</p>
<p>ELECTRONICS DIGITIZER (SMART INTELLIGENT TERMINAL SYSTEM)</p> <ul style="list-style-type: none"> • Dual range system in which scale capacity is divided in two ranges with different division sizes. • Three-step calibration to achieve perfect and error free calibration • Smart calibration to provide correction for small weight errors • Actual weight display at power ON • Auto zero tracking • Weight tracking to generate stable weight on display in loaded platform condition • Decimal point selectable • Averaging of internal counts to achieve stable and accurate weight • Password for security • String selection with different communication parameters can be factory set as per user's requirement for interfacing the indicator with computer Software. • RS232 serial protocol & parameters are field changeable to make the indicator output compatible with other makes of indicator. 		<p>01</p>
<p>JUNCTION BOX (SUMMATION BOX)</p> <ul style="list-style-type: none"> • High Protection Junction Box with GD Tubes & Built in Surge & Lightning Protection made of ABS plastic. • Water Proof Cable PG-9 Gland (IP67 Protected). 		<p>01</p>
<p>OUT DOOR JUMBO DISPLAY</p> <ul style="list-style-type: none"> • 2.3 Inches RED LED Display with Data Cable & SMPS Power Supply. 		<p>01</p>
<p>LOAD CELL CABLE (SHIELDED) - Junction Box to Digitizer</p>	<p>4 Core Shielded</p>	<p>10 Mtr.</p>
<p>ACCESSORIES (CABLE, CONNECTORS & DATA SIGNAL CABLE ETC....)</p>	<p>Standard Accessories</p>	<p>01</p>

BPL ENGINEERS

W-257 , S Block , Near Indrayani Nagar , MIDC Bhosari ,Pune-411026

Contact: Mobile -8830089132, Email: bplengineers.weighbridge@gmail.com

(3)

Technical Specification of Loadcell

1	Loadcell	
	Model	Digital
	Type	Double Ended Shear Beam Type
	Design Capacity of each load cell, tons	Nearby to 30 Ton each
	Allowable over-load on each load cell, % of design load	
	- Safe	150 % of RO
	- Impact or Ultimate	300 % of RO
	Rated Output Sensitivity	3mV/V +/- 0.002
	Protection provided for dust, water, etc.	IP 68 (Hermetically Sealed)
	Input Resistance	750 +/- 10 Ohms
	Output resistance	750 +/- 3 Ohms
	Insulation Resistance	5000 Ohms Max. at 50VDC
	Non- Repeatability	+/- 0.01
	Non-linearity, % RO	+/- 0.01
	Hysteresis, % RO	+/- 0.02
	Creep 30 Min. % RO	+/- 0.02
	Zero balance % RO	+/- 1
	Recommended Voltage	5-15V AC/DC
	Maximum Excitation Voltage	20 V AC/DC
	Temperature compensation range, deg Celsius =+/-	0 to 60 deg Celsius
	Operating Temperature Limits, deg Celsius =+/-	0 to 50 deg Celsius

Unique features of these Sensortronics / ADI load cells are:

High Accuracy, Easy Installation ,No cornering issue ,showing same reading at any position of platform. No Difference in weight as vehicle is moved from left to right & right to left

Scope of supply:

Purchaser's Scope:

- Entire Civil foundation work as per the Drawings & weigh cabin.
- Earth Pit and Earth strip routing to and over foundation pedestals as per diagram.
- Test weights for Govt. Stamping.
- Required Printing Material , & Inverter (If needed),Insulation PVC pipe for loadcell cable.
- Loading and unloading for hydra crane for installation.
- TVSE make dot matrix printer.

Our Scope Of Supply:

- Structure / MS Platform Assembly
- A0024 Digitizer with jumbo display(2 inch) for driver.
- Load cells of 30T capacity each for Weigh bridge
- Junction Box – 1 No.
- Standard Home run Cable.
- Standard Weighbridge software.

Contd...4

BPL ENGINEERS

W-257 , S Block , Near Indrayani Nagar , MIDC Bhosari ,Pune-411026
Contact: Mobile -8830089132, Email: bplengineers.weighbridge@gmail.com

(4)

Commercial Offer :

Sr. No	Particulars	Unit	Qty	Price (In Rs.) Each	GST @ 18%	Total Price(In Rs.) Each
1.	Price of 60 Ton Weigh Bridge Type : Pitless Type Model:TBPL Platform Size : 10 mtrs x 3 mtrs No. of Load cells : (6)	Set	1 no	Rs.7,20,000.00	Rs.1,29,600.00	Rs.8,49,600.00

FREIGHT(Transport) : Included up to the site...

INSTALLATION : Included

GOVT. STAMPING : **Included.** (BPL Engineers shall do the stamping at site.)

WARRANTY : Warranty of one year from the date of invoiced. The warranty offered is an on-site warranty and is applicable only to the original buyer to whom the weighbridge is invoiced.

DELIVERY : 3 - 4 Weeks.

PAYMENT TERMS : 50% Advance with PO, 45% plus full taxes against Proforma Invoice before delivery , Balance 5% against Installation or within 15 days of material receipt. Whichever is earlier

VALIDITY OF THE OFFER : 10 days from the date of the company's offer.

Note:-As per department of weights & metrology guideline, customer has to keep 1 ton test weights is mandatory along with weighbridge.



With Best Regards

For BPL Engineers,



Manoj S

Mobile- (8830089132)

	Authorized Dealer Universal Enterprises Vijay Heights Bldg Satara Mo. No. 09673244299		Regional Office:	Cooper Corporation Pvt. Ltd M-60/1, Addl. MIDC, Post: Kodoli, Satara - 415004, India Tel: +91 2162 240413/ 240272/240273 FAX- +91 2162 240271			
	Attention	Mr Shreepad Vijay Honrao Sir		Date	1/9/2023		
Bill To:	Mandprabha Farmer Producer Co Ltd		Ship To:	Gat 74/1, 74/2 Guptling Road, Shikhar Shinganapur Tal Man Dist Satara			
QUOTATION UE/22-23/14							
Generator Set Details							
Rating kVA/Kw	100/ 80						
Output Voltage (V)	415						
Start	12V						
Frequency (Hz)	50						
Engine	4B5D1C100RW						
Alternator	CCPL Approved						
Control Panel	STD/AMF						
Fuel Tank Capacity	300						
Engine Details				Alternator Details			
Model No	4B5D1C100RW	BHP	135.9	Manufacturer	Approved	Ampere @100%	139.1
Rated speed	1500 RPM	Governor	Mechanical	Capability (kVA)	100	Exciting Mode	Brushless-self excited
Cylinder	4	Fuel	Diesel	Insulation Class	H	Protection Class	IP 23
Aspiration	TCIC	Cooling mode	Liquid Cooled	Phase	3	Voltage Control	AVR
Quotation							
Unit Price INR STD Panel	703390 + 18% GST = 8,30,000/-		Amt in Word:- Eight Lakh Thirty Thousand Rs. Only				
Unit Price INR AMF Panel	745000 + 18% GST = 8,79,100/-		Amt in Word:- Eight Lakh Seventy Nine Thousand Hundread Rs. Only				
Quantity	One		Payment	60% Advance & 40% before delivery			
Price Validity	15 Days		Delivery Time	2-3 weeks			
Note: Above Price includes							
Diesel Engine, Alternator, Anti Vibration, Base tank, 12V battery, battery wires, Silencer, Manuals Package							
Note: The above prices includes							
GST @ 18%							
Octroi if applicable, transport, unloading, initial fill of Diesel, transit insurance, installation extra at actuals							
Warranty							
One year Warranty on the complete Genset and 24 Months or 5000 hrs whichever is earlier for Engines from date of commissioning							
<i>Genset picture is only for representation and is subject to change</i>							
<i>Subject to Ex-Factory Satara Jurisdiction</i>							
www.coopergenset.com							

Timing India Color sorter

E-115.BASEMENT, KRISHNA MARKET, KALKAJI, NEWDELHI.INDIA-110019,
PH.NO:+91-1149028976, 9910676976,8512888848
[Email id:timingindiaco@gmail.com](mailto:timingindiaco@gmail.com)/[web:www.timingindia.co.in](http://www.timingindia.co.in)

QUOTATION

Your Ref. No.	Our Ref. No.	Your GST	Our GST	Date
RC 7	TCS20230123S		07AYXPP9289P2ZP	23/01/2023

Attention/MS: MANDPRABHA FARMER PRODUCER CO. LTD

Address: GAT 74/1,74/2 GUPTLING ROAD, SHIKHAR
SHINGANAPUR TAL MAIN DIST SATARA

Sub: Quotation of the spares of color sorter machine from Timing India Color Sorter

Dear Sir,

We are pleased to quote you the following goods under the stated Terms and Conditions.

Origin: AMD COLOR SORTER,R.O CHINA
Representative: Timing India Color Sorter, NewDelhi
Payment: INR 43,77,328 By FundTransfer/Cheque/DD/NEFT

Payment Terms: First Payment: 100% as Advance

Bank Details: TIMING INDIA COLOR SORTER,A/CNO-
102305001159,IFSC CODE-ICIC0001023,BRANCH CODE-001023,.
ADDRESS- ICICI Bank Ltd., D1, Alaknanda Shopping Complex, Kalkaji,
New Delhi.

Dispatch: within 30 Days after the receipt of Payment by Transport

Packing: Standard Wrapped Packing

From: New Delhi

To: To the Buyer Factory

Inspection: Maker's inspection Shall be final

Validity of this PI: 3 months

Model	Product Description	Qty	Price	Total
Color Sorter Automatic	RC 7 Capacity: 4-5TPH Rajma- 7-8%Rejects	11	INR. 29,00,000	INR. 29,00,000
	10 KVA CVCF/UPS + 18AH/12V SMF BATTERY AMARON 16 NO.			INR 107,600
	AIR COMPRESSOR 40 HP	01	4,10,000	INR 4,10,000
	AIR DRYER	01	2,00,000	INR 2,00,000
	LINE FILTER SET 3	03	12,000	INR 36,000
	AIR RECEIVER TANK 1000L	01	50,000	INR 50,000
	AUTO DRAIN	02	3,000	INR 6,000
TOTAL				INR 37,09,600
IGST 18%				INR 667,728
TOTAL				INR 43,77,328

For Timing India Color Sorter:

**Accepted By:
Sign By:**





QUOTATION

MANDPRBHA FARMER PRODUCER CO.LTD

74/1 Guptling Road, Shekhar Shingnapur Tal Man
Dist Satara

**10-20 HP
COMPITABLE MODELS**



PRICE VALIDITY 15 DAYS

WITHOUT MOTOR * PRICE MAY CHANGE ANY TIME

S.N.	DESCRIPTION	QTY.	UNIT	RATE RS.	TOTAL RS.
Cattle Feed Machine (WITHOUT MOTOR)					
1	14"X 7" Cattle Feed Machine 10 HP 3600 RPM, SUPER BLOWER, 2 SCREEN 410 10 HP POWER COMPITABLE 250-300 KG/HR, NT WT.200 KG	1	PCS	90000.00 ADD. GST @18%	90000.00 16200.00
				TOTAL AMOUNT	106200.00
2	16"X 8" Cattle Feed Machine 15 HP 3600 RPM, SUPER BLOWER, 2 SCREEN 230/410 15 HP POWER COMPITABLE, 500-700 KG , NT. WT. 250 KG	1	PCS	135000.00 ADD. GST @ 18%	135000.00 24300.00
				TOTAL AMOUNT	247800.00
				10' ELEVATOR	37000.00
1 HP MOTOR				ADD. GST @ 18%	6660.00
				AIR LOCK SYSTEM	38000.00
0.5 HP MOTOR				ADD. GST @ 18%	6840.00
				TOTAL AMOUNT	247800.00
3	20"X 11" Cattle Feed Machine 20 HP 3600 RPM, SUPER BLOWER, 2 SCREEN 410 V 20 HP POWER COMPITABLE, 1000-1200 KG .HR, NT. WT. 385 KG	1	PCS	180000.00 ADD. GST @18%	180000.00 32400.00
				TOTAL AMOUNT	307980.00
				12' ELEVATOR	43000.00
1 HP MOTOR				ADD. GST @ 18%	7740.00
				AIR LOCK SYSTEM	38000.00
0.5 HP MOTOR				ADD. GST @ 18%	6840.00
				TOTAL AMOUNT	307980.00
NOTE: QUOTED PRICES AR WITHOUT MOTOR BASIS PRICES					
INCLUDEING HAMMER CUTTER, 3 SCREEN, COTTON BAG,					
PULLEY , BELT PRICE EXTRA 3500.00					
Z INPUT MODEL 2500 EXTRA					

TRANSPORT TO-PAY	BANK DETAILS	BANK OF BARODA, BEDIPARA BRANCH, RAJKOT
MODE OF DESFRoad		BENEFICIARY A/C. NO. 1682020000298
PAYMENT 50% + 50%	UNISOFT PHERIPHERIALS	
DELIVERY TIME	10-15 DAYS AFTER 50% ADVANCE PAYMENT	3, SHREYAS ANAND COMPLEX. ASHRAM ROAD, NR. KUVADAVA ROAD, RAJKOT -360003, GUJARAT IFSC CODE: BARB0BEDIPA (5TH IS ZERO)

GST IN NO. 24AABFU9224B1ZJ

NOTE: QUOTED PRICE ARE EX WORKS BASIS PRICE

PACKINGA CHARGES EXTRA

TRANSPORTATION COST EXTRA

WE ARE NOT RESPONSIBLE FOR ANY TRANSPORTATIONAL DAMAGE



FOR, UNISOFT PHERIPHERIALS

FOR, UNISOFT PHERIPHERIALS.

Chauhan
PARTNER.

PARTNER

THIS IS AN COMPUTERISED GENERATED DOCS HENCE NOT REQUIRE TO SIGNATURE.

Cattle Feed Machine





भारत अग्रो इक्विपमेंट्स



सर्व्हे नं. ४३/१ अ, प्लॉट नं. २, दहिवडी रोड, कोळकी, ता.फलटण, जि.सातारा.

● फोन : (०२१६६) २२५०२९ ● मो.९८५०२४७८९७, ९५९५२४७८९७, ८०५५२४७८९७, ७७४४०४७८९७

नं. ३२४

कोटेशन

दिनांक : १६ / १ / २०२०

बँक प्रति / श्री. मंदप्रभा फार्मर प्रोड्यूसर्स कंपनी लि. शिंवाणा
मु.पो.जाटन, त.मा.मा. ता. मा. जि. सातारा
शिंवाणा
आपले चौकशीवरून आम्ही आमचे कोटेशन (दरपत्रक) खाली देत आहोत.

अ.नं.	तपशील	संख्या	दर	रुपये	एकूण	पैसे
०१)	भारत चाकी ट्रेलर (क्षमता - ८ टन) टायर साईज : 9.16x 16x14 Ply Type with Spring Ass.					
०२)	भारत चार चाकी टिपींग ट्रेलर्स (क्षमता - ८ टन) टायर साईज : 9.16x 16x14 Ply Type with helper Ass.					
०३)	भारत दोन चाकी टिपींग ट्रेलर्स (क्षमता - ४ टन) टायर साईज : 9.16x 16 Ply (Box Type)					
०४)	भारत दोन चाकी टिपींग ट्रेलर्स (क्षमता - ४ टन) टायर साईज : 9.16x 16 Ply with Spring Ass.	1 Nos.	1,90,500	1,90,500		
०५)	भारत दोन चाकी टिपींग ट्रेलर्स (क्षमता - ४ टन) टायर साईज : 9.16 x 16 Ply without Spring Ass.					
०६)	भारत दोन चाकी टिपींग ट्रेलर्स (क्षमता - ३ टन) टायर साईज : (8x5) 7 x 50 x 16 x 16 Ply					
०७)	भारत दोन चाकी टिपींग ट्रेलर्स (क्षमता - २ टन) टायर साईज : 195 x 15 / 8 Ply					
०८)	कल्टी व्हेटर : सात फणी / नऊ फणी.					
०९)	फरांडी					
१०)	पेरणी औजार					
११)	रेजर					
१२)	ऊस बांधणी औजार					
अक्षरी रुपये <u>एक लाख नव्वे हजार</u> <u>पाचशे पैसे</u>			एकूण	1,90,500		

अटी : १) वरील दरपत्रक फलटण येथील आमचे गोडावून डिलेव्हेरीचे आहेत.

२) ट्रेलर रजिस्ट्रेशन (RTO) इन्शुरन्स चार्जेस अलग पडेल.

३) एकदा दिलेली ऑर्डर कोणत्याही सबबीवर कॅन्सल केली जाणार नाही.

४) ट्रेलरची गॅरंटी सहा महिने राहिल ५) टायरची गॅरंटी टायर कंपनीच्या नियमानुसार राहिल.

आपला विश्वासू,

For
CP

भारत अग्रो इक्विपमेंट्स
प्रोप्रायटर



Dnyanvi Electricals And Contractor

Government Electrical Contractor

Ap-Mohi Tal-Man Dist-Satara, 415508

Mob: 9561282917

Prop- Rahul H Salunkhe

Email: dnyanvi9595@gmail.com

9595838355

Amol D Kengar

GST IN : 27DJXPK7066R1ZT



Rf.

Date- 14.12.2022

To, Mr. Vishal Todkar

A/p- Shingapur, Tal- Man, Dist- Satara, 415508.

Sub- Quotation for 63/22 KVA Transformer, HT Line, LT Line.
Respected Sir, 2 pole 5 pole

With reference to the above subject, we are submitted to here with as per Details

Sr. No.	Description Of Material	Unit	Qty	Amount
1	Providing of 63/22 KVA Transformer. (Approved by MSEDCL)	1	1	2,35,000/-
2	Providing of two pole DP structure with DO set, LA set, AB switch, fuse box, HT & LT step set, cut point Hardware, 5 LT pole, 2 RSJ pole	Ls	Ls	2,65,000/-
3	Liasoning of MSEDCL	Ls	Ls	25,000/-
4	Labour & Transportation	Ls	Ls	40,000/-
Total Amount				5,65,000/-

Note-

- 1) All Civil work will be provided.
- 2) Work will be start after MSEDCL sanction Letter.
- 3) MSEDCL quotation and meter will be provided by owner/consumer.

Payment Condition-

- 1) 30% Advance payment.
- 2) 60% After MSEDCL Approval.
- 3) 10% After Completion of work.