



Quotation No : UEC / 2021-22 / 098

Date : 18 / 09 / 2021

To,

LAMKANI FARMERS PRODUCER COMPANY

Dhule

Contact Person : Mr.Newadkar

Email : dnewadkar@rediffmail.com

Subject : Regarding Requirement of Filling Machine - Rose Water

Reference :As per our discussion dated : 17th Sep 2021

Dear Mr.Newadkar,

We acknowledge with thanks the receipt of your above enquiry of Automatic Liquid Filling Machine.We are pleased to enclose here with our Techno-Commercial Offer of Automatic Filling Machine as per your requirement.

Annexure I : Technical Specification

Annexure II : Price & Terms - Conditions

We trust above is inline with your requirement and we look forward to your valuable order,continued business relationship and patronage.

Please feel free to contact us for any further clarification if required.

Thanking you & assuring you best of our service at all times.

Yours Faithfully,
For Unitech Engineering Company

Avinash Shewale
Sr.Sales Engineer
+91 9766303428

Lamkani Farmers Producer
Company Ltd.

Director



Annexure I: Technical Specifications

Automatic Four Head Mechanical Piston Filling Machine

PARTICULAR	SPECIFICATION
Machine Model	MPF-4X (4 Nozzles)
Filling System	Automatic through piston (Syringe)
Production: Filling Speed Per Minute	200ml : 28 BPM 500 ml : 24 BPM 1000ml : 20 BPM *Speed is depending upon the nature of product and bottle sizes
Number of Filling Heads	4 Heads for MPF-4X
Working Direction	Left to Right - Linear
Suitable for Products	Rose Water
Suitable for Packing Material	PET / HDPE
Application	LIQUID FILLING
Volume Capacity	200 ML to 1000 ML
*Change Part Required	Respective heads per set of syringes at an extra cost if required for below 200ml (>100ml)
Volume Adjustment	Can change manual by CAM adjustment with negligible time.
Machine Working	The Bottles are to be placed manually on Machine in feed conveyor. The nozzles dive into the Bottles and filling take place.
Prevention of Dropping	Deep free nozzles
Up Down Movement	By mechanical CAM
Filling Volume Accuracy	±0.25 %
Bottle Stopper	By pneumatic gates.
Conveyor	8' long SS Conveyor for MPF-4X machine
Machine main base frame	SS 304
Machine body	Complete in S.S. 304
Product Contact Parts	Stainless Steel 316 / SS 304
Non Contact Parts	Stainless Steel / Aluminum / Teflon (Whichever is applicable)
Power	Power 415 Volts : 50 Hz
Phase	Three Phase
Compressed Air Required	6 Kg air pressure; 2HP

Lankani Farmers Producer
Company Ltd.

Director



(214)

Annexure II : Price & Terms - Conditions

Price :

Sr. No.	Machine & Model	HSN Code	Qty	Price In INR
1	Automatic Four Head Mechanical Piston Filling Machine Model : MPF - 4X	84223000	1 Nos	4,50,000.00
	Extra Syringe Set Required for 50 ml to 200 ml Filling Range		1 Nos	60,000.00
2	Automatic Single Head Linear Capping Machine Model : UF-1X - Linear - Auto	84223000	1 Nos	4,00,000.00
	Change Part : Chuck, Chute & Hopper- Required If Change in Cap Size		1 Nos	65,000.00

} 510,
246100

Terms & Condition :

PRICE	Ex Works (Mumbai)
PACKING CHARGES	3 % Extra on Basic Value
TAX	GST 18 % Applicable on Basic Value
INSURANCE	Extra Charge as Applicable
TRANSPORTATION	Extra Charge as Applicable
UNLOADING	To be arranged at site by buyer
INSTALLATION	Extra Charge as Applicable Engineer To & Fro (Air Ticket), Local Travelling Arrangement, Lodging & Boarding is in buyer scope.
TERMS OF PAYMENT	50% advance along with order & balance 50% against Proforma Invoice before dispatch of the machine
CANCELLATION OF ORDER	Cancellation of orders, in whole or in part, cannot be accepted without seller's consent in writing. Cancellation of order, in any case will result in the forfeit of advance.
GUARANTEE	One-year guarantee against faulty workmanship and manufacturing defects from the date of supply of the machine. However, electrical, electronic items and consumables are Excluded from the guarantee.
DELIVERY	At present 4-6 weeks OR as Mutually agreed applicable from the date of receipt of your confirmed order along with advance.
VALIDITY	This offer is valid for 45 days and thereafter it is subject to our reconfirmation.
INSPECTION	Inspection is offered at our factory prior to despatch if required.
JURISDICTION	In case of any dispute, the jurisdiction of Mumbai.
SUPPLY OF MACHINE	The machines shall be supplied from our plant located in Mumbai.

Lankar... Producer

Company Ltd.

Director Jk



Automatic Single Head Linear Capping Machine

Model	UF- 1X- Linear - Auto
Application	For tightening of Pre Threaded Caps of HDPE Bottles

The machine comprises of capping unit with Automatic placement of caps.

The containers as it comes out of the filling station moves to the capping unit, and goes towards the capping head. The caps are subsequently tightened through magnetic clutch system. The capped bottles finally emerge out of the machine through discharge conveyor.

The speed can be adjusted through the control panel of the machine.
Necessary Mechanism shall be provided for no bottle – no cap.

The capping machines will be supplied with parts for one pack size along with 8 feet long and 150 mm wide conveyor. Additional change part will be required for each pack for any change in dimensions of the containers which shall be charged at extra.

[Faint signature and text]