




# TULSI AGRO ENGI MECH PVT.LTD.

## QUOTATION

ORIGINAL

M/S. <b>JIVANDHARA FARMERS PRODUCERS COMPANY LTD.</b> AT. POST-PADAVAD TAL-SHINDKHEDA DIS-DHULE(M.H)	Quotation No: Q106/2 Date:01/01/2022
DAL MILL PROCESSING PLANT 1 TPH	

No	Particulars	HP	Qty	Rate	Amount
01	<b>Classifier 3 Deck</b> are used for a wide range of applications such as removing large impurities like stick, buck and leaves and are also used for removing fine dirt and sand from products in seed cleaning plants and seed processing plants. MOC-Mild Steel ,Thick:3 MM SCREEN SIZE:950X950 MM DIMENTION:2000X1050X1500MM 	5	5	2,60,000	13,00,000.00
02	<b>Aspiration channel</b> is used for removal of light weight particles from all kind of grains maximum cleaning action is obtained by installing a good aspirator after the scourer aspiration channel is particularly suited to separate husks, chaff, small seeds, insect fragments, broken & hollow kernels accuracy of separation. MOC:- Mild steel,2.5 mm thickness DIMENTION:1050X450X1000 MM	**	5	45,000	2,25,000.00

Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

Unit 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

Contact Us: Mo-+91 94283 46905 , +91 98796 13955

Email: - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

Website: - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)






# TULSI AGRO ENGI MECH PVT. LTD.

## QUOTATION

ORIGINAL

M/S JIVANDHARA FARMERS PRODUCERS COMPANY LTD. AT. POST-PADAVAD TAL-SHINDKHEDA DIS-DHULE(M.H)		Quotation No.: Q117/1 Date:01/01/2022			
DAL PACKING MACHINE					
No.	Particulars	HP	QTY.	Rate	Amount
1	PACKING MACHINE FOR DAL 500 GM, 1 KG, 5 KG CAPACITY PER MINUTE 10 TO 12 BAG FULLY AUTOMATIC DOUBLE SERVO TECH MACHINE. 		1	11,50,000	11,50,000.00
2	COMPRESOR	3 HP		75,000	75,000.00
		3 HP		<b>Sub Tot.</b>	<b>12,25,000.00</b>
<u>Terms &amp; condition:</u> As factory delivery GST 18% Extra. With ele.motor Including fitting & installation charges. Our technician food & hotel accomodation will be extra.			<u>Payment condition:</u> 25% Payment at order time 75% Payment at before delivery		
<b>Rs. TWELVE LAKHS TWENTY FIVE THOUSAND RUPEES ONLY.</b>					

Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024  
 Unit 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat  
 Contact Us: - Mo-+91 94283 46905 Mo-+91 98796 13955  
 Email: - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)  
 Website: - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)

**TULSI AGRO ENGI MECH PVT. LTD.**

GST TIN NO: 24AAFCT8162Q1ZO

FOR, TULSI AGRO ENGI MECH PVT.LTD.

A/C NO.312130110000296

IFSC CODE: BKID0003121

BANK OF INDIA BHAKTI NAGAR BRANCH-RAJKOT

AUTHO. SIGNATURE

Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

Unit 2:- N/H 27, B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

Contact Us: - Mo+91 94283 46905 Mo+91 98796 13955

Email: - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)Website: - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



# TULSI AGRO ENGI MECH PVT.LTD.

## QUOTATION

ORIGINAL



M/S. JIVANDHARA FARMERS PRODUCERS COMPANY LTD. AT. POST-PADAVAD TAL-SHINDKHEDA DIS-DHULE(M.H)		Quotation No: Q114/2 Date:01/01/2022			
(WHEAT FLOUR ) ATTA PACKING MACHINE					
No	Particulars	HP	Qty	Rate	Amount
1	<b>PACKING MACHINE FOR ATTA DOUBLE SERVO TECH MACHINE</b> <ul style="list-style-type: none"> <li>• Filling System :- Auger Filler</li> <li>• Filling Capacity:- 1KG to 10Kg.(Exchange Auger Accessory)</li> <li>• Per Minute :- 1kg pouch 16 to 20 per min , 5kg pouch 8 to 10 per min , 10kg pouch 6 to 8 pouch per minute</li> <li>• Filling Accuracy :- +/- 1 to 2% (Depend upon nature of Product)</li> <li>• Type of Sealing :- Center Seal</li> <li>• Sealing System :- By Air Cylinder</li> <li>• Bag Pulling System :- Ac Drive</li> <li>• Film Roll Size :- 450 to 850mm-Width / Up to 750mm-Length</li> <li>• Film Material :-Laminated Film in Roll Supported Film E.g. Aluminum Foil, PE, PP</li> <li>• Speed :- 6 TO 20 Bag/min. (Varies with the nature of Product &amp; Filing Range)</li> <li>• Machine Controlled :- PLC</li> <li>• Power Supply:- 220V AC Single Phase &amp; 415V AC Three Phase</li> <li>• Machine Size :- 2000 x 1550 x 3400mm (LXWXH)</li> </ul>	5 HP	1	10,40,000	10,40,000.00

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024  
 UNIT 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat  
 CONTACT US:- Mo-+919428346905 ,Mo-+919879613955  
 EMAIL:-[salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [info@tulsiagrofood.com](mailto:info@tulsiagrofood.com)  
 WEB SIDE- [www.tulsiagrofood.com](http://www.tulsiagrofood.com) ,[www.tulsiagroproduct.com](http://www.tulsiagroproduct.com) ,[www.tulsiagrofoodind.com](http://www.tulsiagrofoodind.com)





## TULSI AGRO ENGI MECH PVT.LTD.

					
2	<p><b>SCREW CONVEYER CONTACT PARTS SS</b>            Length : 25 Feet            Power : 2*1.5 hp            Trough Diameter : 150 MM</p> <p>Screw conveyors are used to convey Granulated and powdered materials and finished products such as cereals, flour, semolina, bran, screenings, etc. horizontally. They are Composed of two structures which are; U shaped trough &amp; pipe and blades comminuted conveying spiral.</p> 	2 HP	1	1,30,000	1,30,000.00
3	<p><b>ATTA STORAGE CILO CONTACT PART SS WITH MS STURCTURE</b></p> <ul style="list-style-type: none"> <li>All sheet metal components shall be manufactured on CNC Machine.</li> <li>These should be designed to avoid formation of fungus &amp; other pesticides and fabricated from SS Plates Hopper &amp; Bin (1.5mm thick plate) for Grains and SS Clamed for flours and vitamins and minerals storage, the min. valley angle of the hopper is 55</li> </ul>		1	1,700,000	1,70,000.00

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

UNIT 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat



CONTACT US:- Mo-+919428346905 ,Mo-+919879613955

EMAIL:-[salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [info@tulsiagrofood.com](mailto:info@tulsiagrofood.com)

WEB SIDE- [www.tulsiagrofood.com](http://www.tulsiagrofood.com) ,[www.tulsiagroproduct.com](http://www.tulsiagroproduct.com) ,[www.tulsiagrofoodind.com](http://www.tulsiagrofoodind.com)





# TULSI AGRO ENGI MECH PVT.LTD.

	<p>degree and min. slope angle is 60 degree with necessary stiffeners, level sensor, view glass, cleaning hatch door and bin activator.</p> <ul style="list-style-type: none"> <li>Used for Store the final Atta as per plant capacity.</li> </ul>				
					
4	<p><b>PNEUMATIC SYSTEM</b></p> <ul style="list-style-type: none"> <li>High Pressure blower 7.5 hp</li> <li>cyclone</li> <li>Air Collector five out let</li> <li>Air lock with glass &amp; pulley set</li> <li>High pressure pneumatic fans are used to convey the by-products vertically during milling.They are radial type fans and used for the high pressure and middle flow rates.</li> <li>They have two sections; one is snail formed body supported by stand and motor chassis.And the other is blades fixed rotor</li> </ul>	7.5 HP	1	1,85,000	1,85,000.00
					
5	<p><b>VIBRATOR (BIN ACTIVATOR)</b> Power : 1 HP The Bin Activator designed by us consists of a conical shape</p>	1HP	1	45,000	45,000.00

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024  
 UNIT 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat  
 CONTACT US:- Mo-+919428346905 ,Mo-+919879613955  
 EMAIL:-[salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [info@tulsiagrofood.com](mailto:info@tulsiagrofood.com)  
 WEB SIDE- [www.tulsiagrofood.com](http://www.tulsiagrofood.com) ,[www.tulsiagroproduct.com](http://www.tulsiagroproduct.com) ,[www.tulsiagrofoodind.com](http://www.tulsiagrofoodind.com)



**TULSI AGRO ENGI MECH PVT.LTD.**

	<p>discharge zone that is connected to storage silo or hopper through a set of steel hangers. The gap between the hopper and discharge zone is sealed with the help of a special flexible rubber sleeve. The material is made to flow normally through the opening provided at the discharge point with the help of one Unbalance Vibrator motor that is fixed on one side.</p> 				
6	<p><b>AIR COMPRESSOR</b></p> 		1	55,000	55,000.00
		15.5 HP		<b>Sub. Total</b>	<b>16,25,000.00</b>

AMOUNT IN WORD- SIXTEEN LAKHS TWENTY FIVE RUPESS ONLY.

**Terms & condition:**

- As factory delivery
- GST 18% Extra.
- With ele.motor
- Extra caller set as per requirement 1kg , 5kg &10 kg
- Including fitting & installation charges
- Our technician's food & accommodation provided by party scope

UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024  
 UNIT 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat  
 CONTACT US:- Mo-+919428346905 ,Mo-+919879613955  
 EMAIL:-[salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [info@tulsiagrofood.com](mailto:info@tulsiagrofood.com)  
 WEB SIDE- [www.tulsiagrofood.com](http://www.tulsiagrofood.com) ,[www.tulsiagroproduct.com](http://www.tulsiagroproduct.com) ,[www.tulsiagrofoodind.com](http://www.tulsiagrofoodind.com)



**TULSI AGRO ENGI MECH PVT.LTD.**

**Payment condition:**

- 25% Payment at order time
- 75% Payment at before delivery

(delivery 30 to 40 days after getting Advance Payment)

GST No-24AAFCT8162Q1Z0

FOR, TULSI AGRO ENGI MECH PVT.LTD.

OUR BANK-BANK OF INDIA  
BHAKTI NAGAR BRANCH-RAJKOT  
A/C NO.312130110000296  
IFSC CODE: BKID0003121  
SWIFT CODE- BKIDINBBRAJ

AUTHO. SIGNATURE



UNIT 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024  
UNIT 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat  
CONTACT US:- Mo-+919428346905 ,Mo-+919879613955  
EMAIL:-[salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [info@tulsiagrofood.com](mailto:info@tulsiagrofood.com)  
WEB SIDE- [www.tulsiagrofood.com](http://www.tulsiagrofood.com) ,[www.tulsiagroproduct.com](http://www.tulsiagroproduct.com) ,[www.tulsiagrofoodind.com](http://www.tulsiagrofoodind.com)



# TULSI AGRO ENGI MECH PVT.LTD.

## QUOTATION

ORIGINAL

<b>M/S.</b> <b>JIVANDHARA FARMERS PRODUCERS COMPANY LTD.</b> <b>AT. POST-PADAVAD</b> <b>TAL-SHINDKHEDA</b> <b>DIS-DHULE(M.H)</b>		<b>Quotation No: Q328/2</b> <b>Date:01/01/2022</b>			
<b>SORTEX MACHINE</b>					
No.	Particulars	HP	QTY.	Rate	Amount
1	<b>MULTIPLE PRODUCT COLOR SORTER MACHINE</b> <b>MODEL:-APLHA+5R (3 CHUTE)</b> Chute distribution (P+S):-2+1 Output :-1500 to 2000 No of camera (F&R):-3+3 Air requirement :-30 CFM Machine dimension:- (LXWXH) (FEET) 5 X 4.25 X 5 Cabin dimension:- (LXWXH) (FEET) 6 x 6 x 4 Air compressor :-15 HP Power requirement :-3 KVA 		1	19,50,000	19,50,000.00
2	<b>AIR COMPRESSOR</b> 	15 HP		2,90,000	2,90,000.00

Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024

Unit 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat

Contact Us: Mo-+91 94283 46905 , +91 98796 13955

Email: - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)

Website: - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)



## TULSI AGRO ENGI MECH PVT.LTD.

	15HP	Sub Tot.	22,40,000.00
<b>Terms &amp; condition:</b> As factory delivery Withele.motor GST 5% Extra With air compressor		<b>Payment condition:</b> 25% Payment at order time 75% Payment at before delivery	
RS.TWENTY TWO LAKHS FOURTY THOUSAND RUPEES ONLY.			
GST No-24AAFCT8162Q1ZO		FOR, TULSI AGRO ENGI MECHPVT.LTD.	
OUR BANK-BANK OF INDIA BHAKTI NAGAR BRANCH-RAJKOT A/C NO.312130110000296 IFSC CODE- BKID0003121		AUTHO. SIGNATURE	

Unit 1:- 14, Ankur Com. Complex, Nr. Gujarat Aelloy Cast, Shapar (Veraval) Dist- Rajkot-360024  
 Unit 2:- N/H 27,B/H Ajayraj Hotel, Gondal Highway, At- Bharudi, Dist-Rajkot, Gujarat  
 Contact Us: Mo+91 94283 46905 , +91 98796 13955  
 Email: - [salestulsiagro@gmail.com](mailto:salestulsiagro@gmail.com), [chiragbhalodiya@gmail.com](mailto:chiragbhalodiya@gmail.com)  
 Website: - [www.tulsiagrofood.com](http://www.tulsiagrofood.com)