

Shree Sai

Sales & Services

Dealer For:-CONTECH Instrument,

:- MTECH Weighing Systems Pvt.Ltd.

Near MP Hotel,Balapur Road, Akola

Ph:-0724 2800477

Mo.No.9423850270,9822440982



Dealer & Repairer

Electro Magnetic & Load cell
based Weighing Scales,
Electronic Weighbridges,&
General Supplier

Subject to Akola jurisdiction

Date 11,03,2022

Ref SS/MKT./IND/AP/10-2264

To,

MS/ Krushideep Agricultural Producer Company Ltd.
Borgaon

Sub:

Competitive Offer for **Luckytech** WEIGHING SYSTEMS PVT.LTD.
50M.T. Fully Electronic Weighbridge

Dear Sir,

Please to refer to the above Mention Subject & Personal Discussion had with you. We are Pleased to Quote our Competitive Offer fo **50 M.T.** Fully Electronic Weighbridge with All Technical and Commercial Terms & Conditions.

Price Bid with Commercial Terms & Conditions.

Capacity : 50 M.T.
5 kg e

Plate form Size : 9 x 3 Meter

Number of Load Cell. : 4 Nos Digital

Type : Fully Electronic Pit Less


Price : 6,65000/- +GST

20 Kg CI Weight 1 ton Rs : 78000/- + GST

Heavy Structure

Bank

Lucky Tech Instrument
Ac No 502000328950200
IFSC Code HDFC 0003803
Branch Khasala Nagpur
GST No
27AHVPC4130F1ZH



173

Shree Sai

Sales & Services

Dealer For:-CONTECH Instrument,
:- MTECH Weighing Systems Pvt.Ltd.
Near MP Hotel,Balapur Road,Akola
Ph:-0724 2800477
Mo.No.9423850270,9822440982




Dealer & Repairer
Electro Magnetic & Load cell
based Weighing Scales,
Electronic Weighbridges,&
General Supplier


Subject to Akola jurisdiction
.2.

COMMERCIAL TERMS AND CONDITIONS.

1. **Crane / Unskilled labor** : Will be provided by you during loading, unloading, Fitting & at the time of stamping.
2. **Transportation Charges** : Extra
3. **Stamping Charges** : Extra
4. **Standard test weights** : will be provided by you if required during testing & at The time of stamping.
5. **Guaranty** : **2 Years** from the date of commissioning against any Manufacturing defect.
6. **Delivery period** : 4-6 Weeks from the date of confirm order along with Advance.
7. **Operator Training** : Free of cost provided by us.
8. **Free services** : We will give 8 Nos.(Quarterly) free services.
9. **Separate Earthling** : Will be provided by you as per our earthling pit design.
10. **Power supply Board** : will be provided by you as per our drawing.
11. **Payment terms** : 70% Advance along with order
: 25% at the time of structure dispatch.
: 5% after Commissioning.

Thanking you,
For Shree SAI Sales & Services


(Manish Deshmukh)



Shree Sai

Sales & Services

Dealer For:-CONTECH Instrument,
:- MTECH Weighing Systems Pvt.Ltd.
Near MP Hotel,Balapur Road, Akola
Ph:-0724 2800477
Mo.No.9423850270,9822440982



Dealer & Repairer
Electro Magnetic & Load cell
based Weighing Scales,
Electronic Weighbridges,&
General Supplier

Subject to Akola jurisdiction

SCOPE OF SUPPLY

1. 1.Digital Alpha Numeric Weight Indicator.	: Luckytech Weighing Systems	: 01 No.
2. 2.Printer	: Epson	: 01 No.
3. 3.Key board	: Logitech	: 01 No.
4. 4.Load cell	: Keli Digital	: 04 No.
5. 5.Extra Display	: Luckytech Weighing Systems	: 01 No.
6. 6.Electronic Junction Box	: Luckytech Weighing Systems	: 01 No.
7. 7.Mechanical Load Structure	: 5500kg +/- 200 Kg	: 01 Set
8. 8.Camera	: Ip	: 00No.
9. 9.Digital UPS	: Genus 300 VA	: 00Set
10. 10.SMS Systems	: Luckytech Weighing Systems	: 00Set
11. 11.Electronic Voltage Stabilizer	: V.Guard 1Kva	: 00 No.

SERVICES

- Supervision of civil foundation work.
- Supply of civil foundation

WEIGHTMENT SLIP FORMAT With 4 Photo

Three line
Header→ **ABC WEIGHBRIDGE PVT.LTD.**
25,R.R.INDUSTRIAL ESTATE
INDORE(M.P.) PH.0731-

RST NO. : 35→Auto Generated Ticket No. **Entry 1**→Vehicle No. : MP09 HD 8901
Commodity :Wheat→**Entry 2** **Entry 2**→Source : Godown
Customer :Sanjay→**Entry 4** **Entry 5**→Address : A.B.Road

Gross : **16005 Kg.** Date : 20/05/09 Time : 15 : 35
Tare : **8000 Kg.** Date : 20/05/09 Time : 15 : 05
Net : **8005 Kg.**

Charges(1) : Rs. 10 Charges(2): Rs. 10 Charges(Total) : Rs.20

Operator Signature :

Two line
Footer

Shree SAI Sales & Services
9822440982



Shree Sai

Sales & Services

Dealer For:-CONTECH Instrument,
:- MTECH Weighing Systems Pvt.Ltd.
Near MP Hotel,Balapur Road, Akola
Ph:-0724 2800477
Mo.No.9423850270,9822440982



Dealer & Repairer
Electro Magnetic & Load cell
based Weighing Scales,
Electronic Weighbridges,&
General Supplier

Subject to Akola jurisdiction

.4.

GENERAL TECHNICAL SPECIFICATION

1. MTECH DIGITAL FULLY ELECTRONIC WEIGHBRIDGE

In this type of weighbridge, once the vehicles come on the platform, its weight is displayed automatically on the Electronic Weight Indicator. The platform structures having the arrangement of total load distribution into four, six & eight load cells (depending upon the length of the platform) The Load cell converts the pressure energy into electrical energy in the analog form. The process of conversion of analog signal into digital is done by the Weight Indicator and finally the weight is obtained on the display of Weight Indicator. The input data's and commercial information deeded by the key board into the weight indicator and finally the Printer prints out Tickets and commercial information along with date and time. The technical specification, description and other details of all the accessories of fully Electronic Weighbridge are described below:

2. PIT TYPE & PIT LESS LOAD STRUCTURE OF ELECTRONIC W/B


The load structure comprises of wide Flanged steel beams at adequate section and high grade tested steel and is designed to take heavy loads. Accurately fabricated, the side Flanged and other structure members are build of high quality engineering standards for durability and accurate performance. and being installed in Pit type & Pit Less foundation (strength → Robust in construction with ample safety margins) the platform is covered with M.S. Plates duly ribbed.

PIT TYPE

- * Suitable, if there is space limitation, as the ramp are not required in either side.
- * Flush to ground Level.
- * Designed for heavy usages and harsh environment.
- * Easy movement of vehicles on platform.

PIT LESS & TOP LOADING PITLESS TYPE

- * Low civil cost with lesser excavation is required.
- * Very rugged and tough in structure.
- * Available in module form for easy transportation and installation.
- * Surface mounted.
- * The load cells and the top of deck plate are above the ground level, facilitating easy maintenance.
- * No high water table or drainage related problem.



Vimal Goenka Warehousing Cont...5

976

Shree Sai

Sales & Services

Dealer & Repairer

Dealer For:-CONTECH Instrument,

:- MTECH Weighing Systems Pvt.Ltd.

Near MP Hotel,Balapur Road, Akola

Ph:-0724 2800477

Mo.No.9423850270,9822440982



Electro Magnetic & Load cell
based Weighing Scales,
Electronic Weighbridges.&
General Supplier

Subject to Akola jurisdiction

3. ALPHA NUMERIC WEIGHT INDICATOR

THIS Micro-Processor based Digital Weight Indicator is the most advance and efficient for commercial application. The enclosure and durable cover style offer protection against moisture and dust. The display stabilizes in less than 5 second to speed your weighing.

TECHNICAL SPECIFICATIOIOS

Microprocessor	- 8051 derivative.
Clock	- 18 MHz
Memory	- 128 K for data storage with battery backup.
Power Supply	- SMPS type with EMI/RFI filter and Spike Suppressor.
A/D Converter	- Sigma Delta type 24 BIT ADC.
Conversion Speed	- 20 Hz
Load cell Excitation	- 7 V @ 330 mA (up to eight load cells of 350 ohms each).
Signal / Unit weight	- 0.3 μ V/div (minimum).
Keyboard	- 101-key Keyboard IBM PC AT type.
Printer Port	- Getronics compatible parallel port.
PRINTER	- EPSON LX 800/ LX 300 OR TVSE make.
Serial Port	- 1 Number Rs-232C type port is available(For computer interface or remote display interface)
Display	- 40 char X 2 or 16 char X 2 lines LCD display with backlight for data entry and display of weight, date and time.
Remote Display Port	- 9-Pin D-shell female connector for optional 1/2" / 1" / 2.3" / 4" 6-digit bright red LED display.
Indications	- Buzzer for fault and data entry.
Fuse	- F 1 fuse of 2.5 A for AC power in.
Protection	- a) RFI/EMI filter for input power. b) Spike Suppressor for input transients.
Weight Record Storage	- 1530 records, depending on options programmed.
Consolidated Reports	- Date wise, RST wise and all 5 entries wise for full & pending report.
Input Voltage	- 90 V - 270 V AC @ 50 Hz/ 60 Hz.
Power Consumption	- 10 V A (approx).
Environment	- Operate Temp : 10° to + 55 °Celsius Humidity: 0 to 95% relative humidity non- condensing.
Mechanical	- Dimensions : 250X 260 X 80 mm mm mm (W) (D) (H) Weight : 2.8 Kg . (approx)

Shree Sai

Sales & Services

Dealer For:-CONTECH Instrument,
:- MTECH Weighing Systems Pvt.Ltd.
Near MP Hotel,Balapur Road, Akola
Ph:-0724 2800477
Mo.No.9423850270,9822440982



Dealer & Repairer
Electro Magnetic & Load cell
based Weighing Scales,
Electronic Weighbridges.&
General Supplier

Subject to Akola jurisdiction

6.

4. DESCRIPTION

This is the model of Weight Indicator with facility of Electronic balance detector and convenient zero adjustment by push button. Also, the system has Automatic zero tracking, even if small particulars of dirt, water accumulates on the scale platform during continuous weighment. The system has facility of entry and printing of alpha - Numeric information. IBM compatible 101Key board provided for entry purpose. It can also print following information:

1. Commodity
2. Address
3. Customer Name
4. Truck No.
5. Source

The following types of reports can be print out in the standard format:


1. Date wise Report: List of all weighments on particular date.
2. Commodity wise / truck No. wise /address wise/ customer wise etc. report can be obtained.

5. Electronic printer (Make – EPSON LX 300+ / OR TVSE / WEP):

This is fully Electronic Dot Matrix Printer; which can print Weight with accuracy and clarity. The printing can be obtained on Price Stationery. The Printer is suitable for operation on 220+/- 10% Volt.

S6. Load Cells (Double Ended Shear Beam /Compression):

The Load cell are of compression type having better stability, repeatability and zero temperature drift in operating condition. The load cells are hermitically sealed IP- 68 rated and also shielded against any stray electric and magnetic fields in the vicinity. The temperature effects on linearity and sensitivity are nil. The Load cell structure is designed in such a way that the applied horizontal forces are eliminated by allowing the cells to align freely. The applied load is converted directly to an electrical signal by the load cell having ample load capability (150% functional & 400% structural) to withstand accidental overloading.



Dayal Cots-Spins, Wani

178

Shree Sai

Sales & Services

Dealer For:-CONTECH Instrument,
MTECH Weiging Systems Pvt.Ltd.
Near MP Hotel,Balapur Road, Akola
Ph:-0724 2800477
Mo.No.9423850270,9822440982



Dealer & Repairer
Electro Magnetic & Load cell
based Weighing Scales,
Electronic Weighbridges.&
General Supplier

Subject to Akola jurisdiction

.7.

► We have many successful Installations for Weighing Scales, process weighing systems and Weigh Bridges. Some of our Key installation includes-

- 1) Son Oil Products, Khamgaon.40 Ton
- 2) Dayal Cots-Spins,Wani.40 & 5 Ton
- 3) Balaji Coal Depo, Chandrapur.40 Ton
- 4) OM Shankar Ginning Khamgaon. 40 Ton
- 5) Dayal Cots-Spins,Wani. . 50 Ton
- 6) Rajlaxmi Weighbridge, Umerkhed.40 Ton
- 7) Rajesh war Ginning,Sonpeth. 40 Ton
- 8) Kasat Stone Industries,Jalgoan K. 50 Ton
- 9) White Cotton Ginning, wani. 40 Ton
- 10) Indira Cotton Ginning, wani. 40,50 & 5 Ton
- 11) Satya dharam Kata, Khamgaon 40 Ton
- 12) A.P.M.C. Washim 50 Ton
- 13) A.P.M.C. Annshing 50 Ton
- 14) Rajmata Rice Mill, Wadsa. 40 Ton
- 15) Vimal Goenka Warehousing Co.Jalna 80 Ton
- 16) Lahoti Cotton Ginning,Javala Bazar 50 Ton
- 17) Rohit Weighbridge Mahan 50 Ton
- 18) Kisan Weighbridge,Barshitakli 50 Ton
- 19) B.K.Agribusiness, Kanchanpur 50 Ton
- 20) Sharda Ambaka Power Plant Chimur 80 Ton
- 21) Padamavati Kapush P. Kaneri 50 Ton
- 22) Mauli Cots-Spins, Punoti 50 Ton
- 23) Gajanan Oil, Nandura, 50 Ton x 2,100 Ton
- 24) N.K.Ginning & Pressing, Barshitakli 50 Ton
- 25) Jai Gajanan weigh Bridge,Dabaki,Akola 50 Ton


With our track record and expertise, we are very keen to associate with you in this requirement & we are sure we be to fulfill your requirement

Thanking you.

Manish Deshmukh
Manish Deshmukh

Yours Faithfully.

For:-Shree SAI Sales & Services



179