

Narendra Home Appliances

Main Road, Warora, Dist. Chandrapur

Ref No.

QuotationDate 15/10/2022

To,

Krushakomati Krushinikas

Adadriwadi FPC.

Jenuwda

To Warora, Dist Chandrapur.

Respected Sir,

① 'Dell' / 'HP' make
All in one computer
with Desktop & monitor
Complete P.C. → 82500/-

② 'Konica' make computer
Xerox, Scanner & Printer
All in one Machine → 72000/-

Including G.S.T
Rs. one lakh fifty four thousand
two hundred only
1,54,500/-

Thanking You
Yours

Narendra Home Appliances
Main Road, Warora,
Dist. Chandrapur

JYOTI

= 4 =

- ERECTION & FITTINGS** - We shall carry out the Supervision of Erection and Fitting of Electronic Weighbridge at your Site through our experts. All labour, crane/hydra, welding machin & residential accommodation for our staff etc. will be provided by you free of cost.
- STAMPING** - We shall arrange stamping of the Weighbridge from the concerned Weights & Measures Dept. Stamping cost will be borne by you and weights for testing of Weighbridges will be provided by you.
- WARRANTY** - One year from the date of installation against any manufacturing defects.
- PAYMENT TERMS** - 50% Payment as advance along with the order and remaining payment along with Taxes against Proforma Invoice / at the time of Inspection of Weighbridge at our Works before Delivery.
- PAST SUPPLIES** - We may inform you that we have already supplied and installed number of similar capacity Electronic Weighbridges to various Govt/Private/Public sector Organizations/Sugar Mills all over the country including Iron and Steel Plants which are working satisfactorily.


We hope you will find our offer acceptable to you and we await to be favoured with your valued order at the earliest. Feel free to contact at the below given contact details for any queries.

Thanking you,

Yours faithfully,

For **JYOTI WEIGHING SYSTEMS PVT. LTD.**

JAMIL SILARMA
BUSINESS DEVELOPMENT EXECUTIVE
Mobile: +91 991394 46480
Mail: jamilsilarma@jyotiweighing.com



- 3 -

OUR OFFER

1. Pit Less Type Weighbridge

Capacity	:	60000 Kgs. (60 MT)
Platform Size	:	9 Mtr. x 3 Mtr.
Minimum Graduation	:	10 Kgs.
Load Cells (Digital)	:	06 Nos.
◆ PRICE	:	Rs. 6,00,000-00 (Rs. Six Lakh Only)
◆ GST @ 18 %	:	Rs. 1,08,000-00 (Rs. One Lakh Eight Thousand Only)

◆ TOTAL PRICE	:	Rs. 7,08,000-00 (Rs. Seven Lakh Eight Thousand Only)

TESTING FACILITIES:

We are one of very few manufacturers having testing facility for over load / testing of Weighbridge at our Works with actual weights. Most of the manufacturers have only facilities to test Weighbridges with simulator only.

INSPECTION:

The Weighbridges will be inspected at our Works, Dewas (M.P.) before dispatch.

TERMS & CONDITIONS

PRICES	-	Prices are FOR site delivery. (FREIGHT INCLUDING)
GST	-	GST @ 18% Including.
INVOICING	-	Invoicing will be done directly from our Works: M/s. Jyoti Weighing Systems Pvt. Ltd., 60, Indl. Area No.1, A. B. Road, Dewas (M.P.)
VALIDITY OF PRICE	-	7 days from the date of this offer after which it will be subject to our written confirmation.
DELIVERY	-	Within 4 - 6 weeks from the date of receipt of your PO.
CIVIL WORKS	-	All Civil works for the construction of foundations and Weighbridge room will be done by you at your cost as per Foundation Drawings to be provided by us.

LOAD CELLS - DIGITAL:

Load structure is equipped with heavy-duty strain gauge type load cells with a unique mounting assembly to ensure accurate performance. The assembly is designed to compensate for expansion and contraction between the Weightbridge and the foundation caused by temperature variation, allowing the load cells to align freely. The applied load is converted directly to an electrical signal by these precision hermetically sealed load cells having ample load capability (150% functional and 300% structural) to withstand accidental overloading.

LOAD STRUCTURE:

Load structure is comprising of wide flanged steel beams of adequate heavy section high grade tested steel and is designed to take heavy loads. Accurately fabricated, the side flanges and other structural members are built to high quality engineering standards for durable and accurate performance and being installed in a Fitless / Pre type thereby reducing the cost of construction of foundation. The platform load structure is provided with thick M.S. Plates duly ribbed to avoid slipping. Restainers are provided with the platform to regulate the oscillations of the platform.

SPECIFICATION OF LOAD CELL

Load Cell Type	Double ended shear beam
Load Cell Capacity	30 M.T. each
Load Cell Make	Jyoti
Output	Digital
Insulation Resistance	>2000 Mega ohms
Environmental Protection	IP 68
Safe overload	150%
Ultimate overload	300%
Temperature	-10 to +60°C

ELECTRONIC PRINTER & RECOLUMNS:

Fully Electronic Printer which can print weight with accuracy and clarity. The printing can be obtained on tickertape - Suitable for operation on 220 volts.

The Printer can print the following information:

- | | |
|------------------------------|-------------------------------|
| 1. Code No./Emp. No. | 5. Gross Weight |
| 2. Tare Weight | 6. Net Weight |
| 3. Date & Time | 7. No. of Nos. |
| 4. Supplier's Name & Address | 8. Comments/Remarks & Remarks |

The Weigher also has three special features i.e.

1. Electronic Load Cell Base for printing the weight of the weight in the platform. It is done only once the weight is fully installed.
2. Conversion from weight to weight in the platform.
3. Automatic Zero tracking even if the scale is disturbed by the weight of the platform during commissioning.



JYOTI

WEIGHING SYSTEMS PVT. LTD.

Regd. Off: 88 Jyoti Complex, New Family Court, Opp. M. T. Hospital, Indore (M.P.) 452004
Mob. No. 98170-16189, E-Mail - sales@jyotiweighing.in
CIN: U28113MP1909PTC081124, GST NO.: 21AAAACN2181Z3

TECHNO - COMMERCIAL OFFER

Ref. No. JWS/AS/IND/MKT/2022-23/0171

Date: 17/10/2022

To,
M/S. KRUSHAKONNATI KRUSHIVIKAS ADADHIWASI FPCL,
TEMURDA TQ. WARORA,
DIST. CHANDRAPUR (M.H.)

SUB. : OFFER FOR SUPPLY OF 60 M.T. FULLY ELECTRONIC WEIGHBRIDGE.

Dear Sir,

This is with reference to telephonic discussions you had with undersigned, for the supply & installation of 60 M.T. Fully Electronic Weighbridge for your Plant. We are pleased to submit our Techno Commercial offer as under:

SCOPE OF SUPPLY :

- A. It includes:
1. Design, supply, erection, test, calibration / stamping of unit.
 2. All material load cells, signal cable, indicator separate display, printer, foundation belts, structure & junction box etc.
 3. Weighbridge will carry guarantee for one year from the date of Supply.
 4. Shift as well as day report will be generated by offered system.

"JYOTI" FULLY ELECTRONIC WEIGHBRIDGE.

Suitable for weighments of road vehicles.

DIGITAL INDICATOR - MODEL 2000E :

This Digital Indicator is the most modern and efficient weight indicator for commercial applications. The tough enclosure and durable industrial style control offer protection against water and dust. **The display stabilizes in less than 5 seconds to speed up your weighing.** Capable of operation on 220 volts, single phase 50Hz/AC Supply. It is also having provision for hook up with the Central Computer with RS 232 C Port.

Delhi Office : 1012-A, Indra Prakash Building, 21, Barakhamba Road, New Delhi 110 001
Ph: 011-41019020 Fax: 23737433 E-mail: jyotiweighing@jyotiweighing.com
Works : 74-25, Industrial Area No. 7, A B Road, Dehra Dun - 248 101 (U.P.)
Ph. & Waps : 78690 55173 E-mail: jyotiweighingworks@jyotiweighing.com
Website : www.jyotiweighing.com Tollfree No. : 1800 691 9999



ANNEXURE-V

STANDARD FITTINGS / ACCESSORIES FOR OIL TYPE TRANSFORMER

S. No.	DESCRIPTION	QTY
01.	Name, Rating & Terminal Marking Plate	01 No.
02.	Lifting Lugs.	04 Nos.
03.	Earthing Terminals	02 Nos.
04.	Off Load Tap Links	01 No.
05.	Winding Temperature Indicator	01 No.
06.	Base Channel	01 SET
07.	Oil Level Gauge	01 Nos
08.	Breather	01 Nos
09.	Volt Meter	01 Nos
10.	Selector Switch	01 Nos
11.	R Y B Indication	01 Nos
12.	Wheels	01 Nos
13.	MOG	01 Nos
14.	HT Box	01 Nos
15.	LT Box	01 Nos
16.	Base Wheels	01 Nos

With Warm Regards
FOR Selmach Energy (India) Pvt. Ltd.

Lalit Kumar
Sr. Executive-Projects

SELMACH ENERGY (INDIA) PVT. LTD.

www.selmachenergy.com | 022-26026261 | 022-26026262 | 022-26026263 | 022-26026264
104, 105, Shukrawar, Scheme 44/50, N.S.I Road, Sector - 15, Gurgaon - 122001, Haryana, India | 91-9810274121

Selmach Energy India Pvt. Ltd. (A Unit Of Asian Power)

Plot No. 106, 105, Vivak Vihar

Jaipur, Rajasthan, 302019

8047631761

selmachenergy@gmail.com, asiaindoo@gmail.com

GSTIN : 08ADGPN4928H2ZA

ASIANPOWER

Date: 15-10-22

To

Quotation ID: C-requirem-16-10-8432

Bandu Dakhare

India, Chandrapur, Maharashtra


Quotation for load switch breaker

Dear Bandu Dakhare,

Ref: Your enquiry for load switch breaker dated : 16-10-22

Thank you for showing interest in our products & contacting us. Please find our exclusive quotation for your requirement of load switch breaker.

S.No	Product Description	Product Image	Qty	Price/Unit	Amount
------	---------------------	---------------	-----	------------	--------

1	Selmach Load Switch Breaker 11 Kv Number Of Poles: 3 Pole Voltage: 11 KV Rated Voltage: 11 kv Phase: Three Phase Type: High Voltage Brand: SELMACH-ENERGY Material: Mild Steel Frequency: 50 Hz Country of Origin: Made in INDIA		1	RS 60000 / Unit	RS 60000.0
---	--	--	---	-----------------	------------

Sub Total ₹ 60000

Taxes (18%) ₹ 10800

Grand Total ₹ 70800

Terms and Conditions

Applicable Tax : 18%

Delivery Period : 5 Days

Payment Terms : 100% Advance

Please contact us in case of any concerns.

Sincerely yours,

Lalit Kumbhar

8047631761

Catalog Link



**ANNEXURE-IV
PRICE SCHEDULE**

S. No.	DESCRIPTION	UNIT EX- WORKS (JALPUR) PRICE	DISCOUNTED PRICES
01.	200 KVA, 3 PHASE 11/433 KV Aluminium Wound, Oil Type Distribution Transformer, with off load tap links,		2,80,000/-
GST & FREIGHT EXTRA			

We assure you of quality workmanship of our Transformer, backed by our excellent and prompt after sales service. We hope you will find our quotation in line to your requirement. Accordingly, we earnestly look to be favored with your valuable order.

With Warm Regards
FOR Selmach Energy (India) Pvt. Ltd.

Lalit Kumawat
Sr. Executive-Projects

SELMACH ENERGY (INDIA) PVT. LTD.

www.selmachindia.com | Mail - selmachenergyindia@gmail.com | info@selmachenergy.com
104, 105, Vardak vihar, Shyam Nagar, B. S. Road Jaipur - 302001, +919828551122, +919828551123

General Terms & Conditions

SCOPE OF WORK

Design, Manufacturing, Routine testing as per IS-1180 at our works and supply of transformer.

OUR QUOTED PRICES ARE:

1. Ex-Works Jaipur.
2. Packing and forwarding charges- Nil.
3. Taxes & Duties GST @ 18% extra is applicable.
4. Freight Charges & Transit Insurance shall be arranged & borne by purchaser.
5. Unloading at site is not in our scope of service.
6. Our offer is valid for your acceptance for 30 days from the date of our offer.
7. Ex- Works readiness of material at our will be 5-6 Weeks from the date of technically commercially clear order along with advance payment.

THIS DELIVERY SUBJECT TO:

- a. Receipt of 50% advance and balance against Proforma Invoice before dispatch.
- b. Carrying out the inspection on the stipulated date and issuing dispatch clearance immediately. The date of inspection shall be conveyed to you 5 days in advance.

WARRANTY:

The transformer supplied by us will be warranted for **THREE YEAR** from the date of supply. We don't charge anything for service after sales during this period.

FORCE MAJEURE CONDITION:

The supplier shall be under no liability if he is prevented from carrying out any of his obligations due to:

- a) Act of foreign enemy like war, invasion, hostilities (whether war be declared or not) etc.
- b) Internal disturbance like riots, civil commotion, labour disturbances, strike, lockout, munty, rebellion, revolution, insurrection etc.
- c) Natural calamities like fire, accidents, flood, earthquake etc.
- d) Government (Central/ State) statutory orders, like power restrictions, import restrictions etc.
- e) Other conditions said to be beyond the reasonable control of the supplier.

STORAGE:

Should storage of goods be necessarily owing to dispatch/consignation being delayed due to your instruction or neglect or non-availability of transport facilities, the cost of such storage, demurrage and incidental charge at the rate of 1% of the value of equipment ready for dispatch per week or part thereof, will be to your account and the goods shall be stored at your risk.

With Warm Regards
EOR Selmach Energy (India) Pvt. Ltd.

Lalit Kumar
Sr. Executive Projects

SELMACH ENERGY (INDIA) PVT. LTD.

www.selmachenergy.com | 334, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.



SELMACH

ANNEXURE-II

TECHNICAL DETAILS OF 500 KVA, 11KV / 433V OIL TYPE TRANSFORMER

Make (Brand)	Allan
Capacity	200 KVA
HV Voltage	11 KV (11000V)
LV Voltage	433 V
No. of phases	3
Frequency	50 Hz
Type	Oil Cooled
Installation Type	Suitable for INDOOR and Outdoor Installation.
Connection	Delta/Star
Vector Group	DY11
Core material	CRGO Laminations
Duty Cycle	100% continuous
Cooling Method	Oil Cooled
Impedance	5% with ISTD.
Nos of Winding	Two
Material of Winding/Coil	Aluminium
No Load Losses	As per BIS Standard
Load Losses	As Per BIS Standard
Ambient Temperature	40°C
Insulation Class of windings	F Class
Tap Changer	Off Circuit Tap Changer Links on HV Side
HV Current	30.49 Amps
LV Current	166.68 Amps
Tapping	Off Load Tap Links on HV Side
Range	±5 to ±2.5% in steps of 1.25%
Standard Adopted	IS 11200
HV termination	On termination bars
LV termination	On termination Bar
Enclosure	IP-54

With Warm Regards
H.K. Sainath

Lalit Kumar
Sr. Executive-Projects

ANNEXURE-III

SELMACH ENERGY (INDIA) PRIVATE LTD.

SELMACH ENERGY (INDIA) PRIVATE LTD. Plot No. 44/2, Sector 19, Gurgaon, Haryana
122002, India. Phone: 0122-4122222, Fax: 0122-4122222, Email: info@selmachenergy.com

3. दृन्तपोरमेर कोटेसन



SELMACH

AP/22-23/101

Dated: 16/10/2022

M/S KRUSHKONNATI KRUSHIVIKAS ADADHWASI FPCI

Contact:

E-mail Id:

Kind Attn: PREM VIJAY

Subject: Your requirement of 200kva 11KV/ 430V Oil Type Transformer.

Dear Sir,

This has reference to our discussion with us, regarding your associated requirements.

We at Selmach believe that, sale is not an end but a relationship, our journey beginning of our services. With this belief we destined to bring in products, which are customer oriented. We have the ability to offer you the best value products that meet your best requirements at a competitive price.

We are pleased to submit our most competitive offer for your kind consideration.

- | | |
|----------------|---|
| ☛ ANNEXURE-I | Introduction & Company profile |
| ☛ ANNEXURE-II | Technical Data of transformers |
| ☛ ANNEXURE-III | Company Terms & Conditions |
| ☛ ANNEXURE-IV | Price Schedule for Transformers |
| ☛ ANNEXURE-V | Standard Ratings & Output Ratings for Transformer |

With Warm Regards,
For Selmach Energy (India) Pvt. Ltd.

Dr. Lakshmi Kant
Sr. Executive Projects

2. ओंजार बॅक मशीनरी घटकांचे कोटेशन



QUOTATION

Parshv Tractors

AUTHORISED DEALERS : SALES, SERVICE, SPARES

Near Asthaphuja Temple, By-pass Road, Chandrapur-442 401 (M.S.)
 Mob : 9921290880, 9905044000, Email : parshvtractors2016@gmail.com

No. : 3234

Date: 23/12/2022

Order Form

कुसुमोन्नति सुकी विमान पार्श्व मशीनरी कंपनी हेतु
 No. 888826107 (डिजेल मॉडेल)

मॉडेल	शेणी	विवरण अंका	मा	किंमत	टिप
सुवराज					
भूमिपुत्र					
संभव					
सुवी					
उत्तम	कुसुमोन्नति	888826107			

महाराष्ट्र, चंद्रपूर, अंका 442 401

महाराष्ट्र, चंद्रपूर, अंका 442 401

महाराष्ट्र, चंद्रपूर, अंका 442 401

1. बिजनेस व रोडिंग मशीनरी कोटेशन



G. D. Agro Industries

Opp Axiom, Rampur Senher Road, Ambala Cantt, Senheri, Ambala, Haryana - 153001, India

Email: md@gdagroindustries.com
 Mobile: +91-9812038777
 Website: www.gdagroindustries.com
 GST: 0448PW0006012X

Quotation

To,
 Mr. Bandu Dakhare
 M/s Krushikonnott Krishivikas Adhivat IPCL
 Chandrapur, Maharashtra, India
 Mobile: +91-8886261071

Quotation No: GDAI-000117-13-22

Quotation Date: 20-Dec-2022

Valid Till: 17-Jan-2023

Enquiry Ref. ID: GDAI-387

Subject: OFFER FOR SUPPLY OF SEED PROCESSING PLANT - CAPACITY 3 TPH WITH 12% MOISTURE & 10% IMPURITIES BASED ON WHEAT ON INPUT BASIS.

Dear Sir/Ma'am,

We are indeed thankful to you for requesting us and evincing interest in our products. We studied your requirement carefully. Please find here with our most exclusive and technically viable offer for your product and solution. We are glad to submit our offer.

Sr.	Product Details	Unit Price (INR)	Qty	GST (%)	Amount (INR)
1	vertical bucket elevator HSN Code: 8427 Product Code: G11-VB-03 Vertical Bucket Elevator Capacity: 3 TPH Discharge Height: suitable Discharge Pipe: Suitable diameter & 2mm ms pipe Nylon Bucket Size: 4" X 4" Head Section: 2 mm Middle Section: 1.6 mm DOUBLE Bottom Boot Assembly: 3.00 mm thick, self cleaning type Geared Motor: 1, HP, 440 volt, 3ph, 50Hz, AC supply Belt & Belt speed: 4 ply Nylon & speed not exceed 1 mtr. Spout Section And spouting: Suitable to fitting Accessories: Safety Casing Platform with safety railing	148000 per Bucket	3 Pieces	18%	466,000.00