

Estimate

DETAILED ESTIMATE

NAME OF WORK:

Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company Ltd. At Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon

Estimated Cost : 8627000.00


Ajay S. Patil
Consulting Civil Engineer
Reg.No. -NSKJJD/571PAB

Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company Ltd.
At Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon

RECAPITULATION SHEET

| | |
|-----------------------------------|----------------|
| Godown Building 725 MT | Rs. 7164953.87 |
| Total Cost of Godown | Rs. 7164953.87 |
| Electrification | Rs. 86488.92 |
| Add Royalty Charges | Rs. 157553.33 |
| Add Testing Charges | Rs. 28085.00 |
| <hr/> | |
| Tender Cost Rs. 7437081.13 | |
| Add 3% contingencies | Rs. 223112.43 |
| Add 12% GST | Rs. 892449.74 |
| Add 1% Labour Insurance | Rs. 74370.81 |
| <hr/> | |
| Total Cost Rs. 8627014.11 | |
| Say Rs. 8627000.00 | |

Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company Ltd. At Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon

A B S T R A C T (Godown Civil Work)

| Quantity | Item Of Work | Rate | Unit | Amount |
|---------------------------|---|---------|---------------------|-----------|
| 95.58 Cubic Metre | <p>Item No. 1 :- Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area & stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.5 m.) By Mechanical Means</p> <p>DSR Page No./ Item No.21.02</p> <p>Spec. No. : Bd.A.1 Page No. 259 Page No. BDA 1</p> | 193.00 | One Cubic Metre | 18446.94 |
| 18.90 Cubic Metre | <p>Item No. 2 :- Excavation for foundation in hard murum including removing the excavated material upto distance of 50 metres beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.50 m) By Mechanical Means</p> <p>DSR Page No./ Item No.21.06</p> <p>Spec. No. : Bd.A.2 Page No. 259 Page No. BDA 2</p> | 578.82 | One Cubic Metre | 10939.70 |
| 280.26 Cubic Metre | <p>Item No. 3 :- Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete.</p> <p>DSR Page No./ Item No.21.38</p> <p>Spec. No. : Bd.A.12 Page No. 264 Page No. BDA 12</p> | 1294.00 | One Cubic Metre | 362656.44 |
| 45.28 Cumt | <p>Item No. 4 :- Providing and laying in situ cement concrete of 1:4:8 proportion with trap/ granite/ quartzite/ gneiss metal in foundation including necessary form work, compacting and curing etc. complete. (with reversible drum rtype mixer with SCADA with natural sand)</p> <p>DSR Page No./ Item No.11.04</p> <p>Spec. No. : CD.3 Page.No. 160 Page No. CD 3B</p> | 6200.72 | One Cumt | 280790.30 |
| 404.10 Square Metre | <p>Item No. 5 :- Providing and laying in situ cement concrete M20 with tremix treatment for 100 mm thickness for flooring with groove cutting of 4mm wide and 20mm deep with necessary refilling with bitumen etc. complete</p> <p>DSR Page No./ Item No.33.3</p> <p>Spec. No. : As directed by Engineer in charge. Page No. BDM</p> | 796.58 | One Square Metre | 321897.98 |
| 46.44 Cubic Metre | <p>Item No. 6 :- Providing and laying in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, formwork, cover blocks compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. etc. complete, with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant With Natural Sand</p> | 7051.92 | One Cubic Metre | 327491.16 |

| Quantity | Item Of Work | Rate | Unit | Amount |
|-----------------------|--|----------|-----------------|------------|
| 18.64 Cubic Metre | <p>DSR Page No./ Item No.25.11</p> <p>Spec. No. : Bd.F.3 Page No. 298 and B.7, Page No.38 Page No. BDF 3</p> <p>Item No. 7 :- Providing and casting in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawing or as directed including centering, formwork, cover blocks compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete, (Excluding reinforcement and structural steel).with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant (pan mixer).... With natural sand.</p> | 13372.92 | One Cubic Metre | 249228.44 |
| 41.11 Cubic Metre | <p>DSR Page No./ Item No.25.31</p> <p>Spec. No. : Bd.F.5 Page No. 300 and B.7, Page.No. 38 Page No. BDF 5</p> <p>Item No. 8 :- Providing & casting in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. beams and lintels as per detailed designs & drawings or as directed including centering, formwork, cover blocks compaction & roughening the surface if special finish is to be provided & curing etc. complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant (pan mixer).... With natural sa</p> | 11868.92 | One Cubic Metre | 487931.30 |
| 26.00 Cubic Metre | <p>DSR Page No./ Item No.25.5</p> <p>Spec. No. : Bd.F.6 Page No. 300 and B.7, Page.No. 38 Page No. BDF 6</p> <p>Item No. 9 :- Providing fly ash brick masonry with conventional / I.S. type fly ash bricks in C.M. 1:6 in foundation and plinth including bailing out water manually striking joints, racking out joints watering and scaffolding etc. complete.</p> | 7281.12 | One Cubic Metre | 189303.30 |
| 183.41 Cubic Metre | <p>DSR Page No./ Item No.27.12</p> <p>Spec. No. : As director by engineer incharge and BDG2 & 5 Page No. BDG</p> <p>Item No. 10 :- Providing fly ash brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete</p> | 7497.12 | One Cubic Metre | 1375009.29 |
| 242.46 Cubic Metre | <p>DSR Page No./ Item No.27.13</p> <p>Spec. No. : As director by engineer incharge and BDG2 & 5 Page No. BDG</p> <p>Item No. 11 :- Filling in plinth and floors with contractors aterial/brought from outside and approved by Engineer incharge in layers of 15cm. to 20cm. including watering and compaction etc. complete. Spec. No. : Bd.A. 11/Page No. 263</p> | 837.34 | One Cubic Metre | 203021.46 |
| | <p>DSR Page No./ Item No.21.37</p> <p>Spec. No. : Bd.A.11 Page No. 263 Page No. BDA 11</p> | | | |

| Quantity | Item Of Work | Rate | Unit | Amount |
|---------------------------|--|-----------|------------------|------------|
| 10.20 Metric Tonne | <p>Item No. 12 :- Providing structural steel work in trusses, other similar trussed purlins and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting fixing in position, Making riveted/ bolted/ welded connection and one coat of anticorrosive paint and over it 2 coats of oil painting approved quality and shade etc. complete.</p> <p>DSR Page No./ Item No.23.04 Spec. No. : Bd.C.8 Page No. 278 Page No. BDC 8</p> | 105909.00 | One Metric Tonne | 1080343.32 |
| 404.10 Square Metre | <p>Item No. 13 :- Providing and fixing corrugated galvanised iron sheets of 0.63mm thick (24 B.W.G.) for roofing without wind tiles including fastening with galvanised iron screws & bolts, lead & bitumen washers as per drawing etc. complete.(Weight of 5.5 kg/sq.m.).</p> <p>DSR Page No./ Item No.38.34 Page No. 173</p> | 1095.00 | One Square Metre | 442489.50 |
| 6.79 Metric Tonne | <p>Item No. 14 :- Providing and fixing in position TMT FE 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete. a) For TMT Fe 415 steel bars (If Mild Steel/HYSD steel is to be used prior permission from S.E. should be taken)</p> <p>DSR Page No./ Item No.26.33 Spec. No. : Bd.F.17, Page No. 306 Page No. BDF 17</p> | 71926.81 | One Metric Tonne | 488181.36 |
| 16.74 Square Metre | <p>Item No. 15 :- Providing and fixing steel ventilator fully glazed partly fixed as per detailed drawing with hot dip zinc coating including fabricating glazing with plain / obscured glass pans and approved type quality and iron oxidized fixtures and fastening with guard square bars 12 mm 10 cm c/c and oil painting 2 coats etc. complete.</p> <p>DSR Page No./ Item No.39.3 Spec. No. : Bd. T. 53, Page No. 509 & As directed by Engineer in charge. Page No. BDT 53</p> | 4449.00 | One Square Metre | 74476.26 |
| 21.00 Square Metre | <p>Item No. 16 :- Providing and fixing rolling shutter fabricated from steel laths of minimum thickness 0.9 mm with lock plate of 3.15 mm thickness reinforced with 35 x 35 x 5 mm angle section fitted with sliding bolts and handles for both sides. deep M.S. channel section of depth and thickness not less than 65 mm and 3.15 mm respectively with hold fast arrangements, M.S. Bracket plate 300 x 300 x 3.15 mm minimum size and shape with square bar, suspension shaft of minimum 32 mm diameter, hood cover of M.S. sheet not less than 0.9 mm thickness and of any size at top and safety devices including mechanical gear operation arrangement consisting of worm gear wheels and worms of high grade cast iron or mild steel and one coat of red lead primer etc. complete. (I.S. 62481979) (Without mechanical gear)</p> <p>DSR Page No./ Item No.39.24 Spec. No. : Bd.T.55, Page No. 510 Page No. BDT 55</p> | 4310.00 | One Square Metre | 90510.00 |
| 925.80 Square Metre | <p>Item No. 17 :- Providing internal cement plaster 20mm thick in two coats in cement mortar 1:5 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete</p> | 395.29 | One Square Metre | 365959.48 |

| Quantity | Item Of Work | Rate | Unit | Amount |
|----------------------------|--|----------------|-------------------------|-------------------|
| 730.30 Square Metre | DSR Page No./ Item No.32.06 Spec. No. : Bd.L4 Page No. 368 Page No. BDL 4 Item No. 18 :- Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete. | 650.72 | One Square Metre | 475218.21 |
| 1656.10 Square Metre | DSR Page No./ Item No.32.11 Spec. No. : Bd.L7 Page No. 369 Page No. BDL 7 Item No. 19 :- Providing and applying two coats of water proof cement paint of approved manufacture and of approved colour to the plastered surfaces including scaffolding if necessary, cleaning and preparing the surface, watering for two days etc. complete. | 74.00 | One Square Metre | 122551.10 |
| 25.00 Running Metre | DSR Page No./ Item No.35.13 Spec. No. : Bd.0.8 Page No. 406 Page No. BDO 8 Item No. 20 :- Providing and Fixing 110 mm diameter PVC Rain Water pipe with necessary fittings such as bends, tees, single junctions, slotted vent, clamps etc complete. | 502.00 | One Running Metre | 12550.00 |
| 5.00 | DSR Page No./ Item No.42.87 Spec. No. : As directed by Engineer in charge Page No. BDV Item No. 21 :- Shooting of still photographs outdoor and indoor of construction and other works of building , bridges, roads etc. in District and outside dist. At any DSR 2016-17 Item No 1949 | 64.00 | set | 320.00 |
| | A) Work Portion Total with all Charges | | Rs | 6979315.54 |
| 187.69 Cum | Item No. 22 :- Add Royalty as per Government of Maharashtra Revenue and Forest Departments Order For Sand | 237.37 | One Cum | 44551.72 |
| 522.72 Cum | Item No. 23 :- Add Royalty as per Government of Maharashtra Revenue and Forest Departments Order For Other Material | 216.18 | One Cum | 113001.61 |
| | | Royalty | Rs | 157553.33 |
| | Item No. 24 :- Testing Charges for quality control tests on various materials like metal crushed metal bitumen Hard murum Soft Murum , Sand, Cement , Steel etc as per frequency norms and rates for every material in Vigilence and Quality Control Laboratory as directed by Engineer in Charge | | | |
| 2.00 | Compressive Strength of M-20 grade C.C. Cube | 690.00 | Test | 1380.00 |
| 3.00 | Carrying out water absorption , compressive strength & Efflorescence Test of Bricks | 2175.00 | Test | 6525.00 |
| 2.00 | Liquid Limit & Plastic Limit H.M. | 1170.00 | Test | 2340.00 |
| 2.00 | Standard Consistency , fineness specific Gravity Setting Time (Initial & Final) Compressive Strength Soundness | 3770.00 | Test | 7540.00 |
| 2.00 | Steel Upto 16 mm (set of 3 bars) | 1275.00 | Test | 2550.00 |
| 2.00 | Nitrol Solution Test (set of 3 bars) | 3875.00 | Test | 7750.00 |
| | Testing Charges | | Rs | 28085.00 |

Total Civil Work + Royalty + Testing Charges **7164953.87**

| Item Of Work | Quantity | Rate | Add 5% other than Dist Place | Total of 3+4 | Unit | I.N. / P.N. | Amount |
|--|----------|---------|---------------------------------------|-----------------|--------|-------------|----------------|
| Supplying erecting & marking DPMCB 6A to 32A C-series (for motor/power) in provided distribution board as per specification no SW-SWR/MCB | 1.00 | 488.00 | 24.40 | 512.40 | Number | 5-3-6/94 | 512.40 |
| Item No. 13 :- Supplying erecting & making SPMCB 6A to 32A B-series (for Lighting) in provided distribution board as per specification no SW-SWR/MCB | 1.00 | 164.00 | 8.20 | 172.20 | Number | 5-3-3/94 | 172.20 |
| Item No. 14 :- Supplying and erecting GI sheet 1.6mm (16SWG) to be used for fabrication of boxes panel boards etc. including cutting bending drilling welding riveting etc. and painting with one coat of red lead . | 1.00 | 2264.00 | 113.20 | 2377.20 | SQM | 6-1-2/112 | 2377.20 |
| Item No. 15 :- Supplying and erecting machine plywood 18/19 mm thick fixed to wall or on provided panel board with necessary materials such as screws wall fasteners supports nut bolts etc. complete | 1.00 | 1342.00 | 67.10 | 1409.10 | SQM | 9-1-14/113 | 1409.10 |
| Item No. 16 :- Supplying and erecting triple pole and neutral distribution board (TPNDB) surface /flush mounted suitable for SPMCB of 12 ways on iron /GI frame (horizontal bushar type) as per specification no CB-CE | 2.00 | 4732.00 | 236.60 | 4968.60 | Number | RA | 9937.20 |
| Item No. 17 :- Supplying and erecting GI pipe A class 25 mm dia rected for enclosing XLPE armoured cable on wall /pole as per specification no CB-CE | 10.00 | 196.00 | 9.80 | 205.80 | RMT | 7-6-1/138 | 2058.00 |
| Item No. 18 :- Supplying and erecting GI pipe A class 40 mm dia rected for enclosing XLPE armoured cable on wall /pole as per specification no CB-CE | 10.00 | 304.00 | 15.20 | 319.20 | RMT | 7-6-2/138 | 3192.00 |
| Item No. 19 :- Supplying and laying (including excuvation of suitable width & depth up to 90 cm) 75mm outside dia. Double wall corrugated pipes (DWC) of HDPE for enclosing cable below ground / road surface to required depth complete. | 12.00 | 227.00 | 11.35 | 238.35 | RMT | 7-6-10/139 | 2860.20 |
| Item No. 20 :- Supplying and erecting 18 guage M.S. Box Powder coated (4' x 4') 3 way for mains connection | 2.00 | 80.00 | 4.00 | 84.00 | Number | MR | 0.00 168.00 |
| Item No. 21 :- Supplying and erecting Siemens type brass cable glands for 3 to 4 core 6 Sqm .mm /2 to 4 core 10sqmm for XLPE ammoured cable as per specification no CB -GL | 4.00 | 58.00 | 2.90 | 60.90 | Number | 7-7-2/139 | 243.60 |
| Item No. 22 :- Supplying shockproof type hand lamp with lamp holder builb/lamp 100W guarded glass and 30 mtr. 3 core PVC flexible cord with hand shiled type 3 pin 6Amp plug. Top. | 1.00 | 1573.00 | 78.65 | 1651.65 | Number | RA | 1651.65 |
| Item No. 23 :- Supplying shockproof type hand lamp with lamp holder builb/lamp 100W guarded glass and 30 mtr. 3 core PVC flexible cord with hand shiled type 3 pin 6Amp plug. Top. | 2.00 | 496.00 | 24.80 | 520.80 | Number | 1-9-8/17 | 1041.60 |
| Item No. 24 :- point wiring for independent in 20mm ISI marked HMS PVC consuct with 1.5 Sq mm (2+1E) FRISH grade copper wire flush type switch earthing and required accessories as per specification No WG-PW/SW | 1.00 | 466.00 | 23.30 | 489.30 | Number | RA | 489.30 |
| Item No. 25 :- power point wiring for geaser/Refrigerator with ISI mark 2x2.50 sq mm copper PVC insulated wire 1.1 KV grade in PVC casing caping with double locking arragment with 1x1.00 sq mm copper PVC insulated wire for earthing on wall/ ceiling with necessary G.I. screws etc, fixed at an | 2.00 | 131.00 | 6.55 | 137.55 | RMT | RA | 275.10 |
| Item No. 26 :- Supplying and erecting mains with 2x 4.00 Sq mm standerd copper PVC insulated wire with 2x2.15 sq mm copper PVC wire in PVC casting caping 20 mm on wall / ceiling . | 2.00 | 154.00 | 7.70 | 161.70 | RMT | RA | 323.40 |

| Item Of Work | Quantity | Rate | Add 5% other than Dist Place | Total of 3+4 | Unit | I.N. / P.N. | Amount |
|--|----------|---------|------------------------------|--------------|--------------|-------------|-----------------|
| Item No. 27 :- Supplying and erecting double pole metal clad switch surface type flush type 240 V. 32 A with indicator lamp & fuse as per specification o. SW - SWR / MDP | 1.00 | 177.00 | 8.85 | 185.85 | Number | 5-1-1/89 | 185.85 |
| Item No. 28 :- Supplying and erecting double pole metal clad switch with HC type fuse and neutral link 240 V , 32 A on iron /GI frame as per specification o. SW - SWR / MDP | 4.00 | 783.00 | 39.15 | 822.15 | Number | 5-1-3/89 | 3288.60 |
| Item No. 29 :- Supplying and erecting 3 W , 230 V integral type LED Lamp suitable for B-22 / E - 27 base | 1.00 | 125.00 | 6.25 | 131.25 | Number | 2-10-9/40 | 131.25 |
| Item No. 30 :- Supplying and erecting T8 fluorescent tube day light 1200 mm 36 W | 2.00 | 44.00 | 2.20 | 46.20 | Number | 2-10-2/40 | 92.40 |
| Item No. 31 :- Supplying and erecting ready to use Retrofit T8 LED 18 / 20 tube light with polycarbonate body , heat sink , integrated HF electronic driver complete & compatible to T8 / T12 LED luminaire by disconnecting starter & ballast if necessary | 1.00 | 626.00 | 31.30 | 657.30 | SQM | 2-10-14/40 | 657.30 |
| Item No. 32 :- Supplying and erecting regular / standard model ceiling fan of 900 / 1050 mm sweep complete erected in position as per specification no. FG-FN/CF | 1.00 | 1894.00 | 94.70 | 1988.70 | Number | 2-12-2/41 | 1988.70 |
| Item No. 33 :- Supplying and fixing wiremesh (Jali) cover suitable for fitting / an or for purpose , complete with necessary materials . The jali cover shall be made from good quality G.i. wire mesh size 25 x 25 (mm) and made up of 14 SWG G.I. wire with side / supporting MS strips of suitable size | 2.00 | 442.00 | 22.10 | 464.10 | Number | 2-4-10/33 | 928.20 |
| Item No. 34 :- Supplying and erecting ding dong / electronic musical type call bell with heavy duty coil suitable to operate in 230 V A.C. supply erected on polished double wooden block / sunmica block of suitable size | 1.00 | 131.00 | 6.55 | 137.55 | Number | 2-9-3/38 | 137.55 |
| Item No. 35 :- Supplying and erecting street light wall bracket made from 25 mm dia ' B ' class G.I. pipe 1.2 m in total length complete as per specification no. FG-BKT / WB | 3.00 | 575.00 | 28.75 | 603.75 | Number | 5-4-23/97 | 1811.25 |
| Item No. 36 :- Supplying and erecting CRCA sheet metal one wynclosures suitable for DP MCB / TP MCB /FP MCB erected on angle iron /GI frame complete | 1.00 | 361.00 | 18.05 | 379.05 | Number | 5-3-24/95 | 379.05 |
| Item No. 37 :- Supplying and erecting and marking four pole isolators only switch version of minature circuit brerakers of 40 A in provided distribution board complete | 1.00 | 625.00 | 31.25 | 656.25 | Number | 5-4-23/97 | 656.25 |
| | | | | | Total | Rs | 86486.92 |

MEASUREMENT. (Godown Civil Work)

Item No. 1 :-

Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area & stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lft upto 1.5 m.) By Mechanical Means

| | | | | | | | | | | | |
|----|----|---|------|---|------|---|------|---|---------------------|--------------|-----------|
| C1 | 14 | x | 1.50 | x | 1.50 | x | 1.50 | = | 47.25 | CubicMetr | |
| C2 | 4 | x | 1.50 | x | 1.50 | x | 1.50 | = | 13.50 | | |
| C3 | 4 | x | 1.50 | x | 1.50 | x | 1.50 | = | 13.50 | | |
| C4 | 6 | x | 1.50 | x | 1.50 | x | 1.50 | = | 20.25 | | |
| | 1 | x | 1.20 | x | 1.50 | x | 0.60 | = | 1.08 | CubicMetr | |
| | | | | | | | | | Total Qty. = | 95.58 | CubicMetr |

Item No. 2 :-

Excavation for foundation in hard murum including removing the excavated material upto distance of 50 metres beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.50 m) By Mechanical Means

| | | | | | | | | | | | |
|----|----|---|------|---|------|---|------|---|---------------------|--------------|-----------|
| C1 | 14 | x | 1.50 | x | 1.50 | x | 0.30 | = | 9.45 | CubicMetr | |
| C2 | 4 | x | 1.50 | x | 1.50 | x | 0.30 | = | 2.70 | | |
| C3 | 4 | x | 1.50 | x | 1.50 | x | 0.30 | = | 2.70 | | |
| C4 | 6 | x | 1.50 | x | 1.50 | x | 0.30 | = | 4.05 | | |
| | | | | | | | | | Total Qty. = | 18.90 | CubicMetr |

Item No. 3 :-

Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete.

| | | | | | | | | | | | |
|----------------|----|----|---|-------|---|-------|---|------|---------------------|---------------|-------------|
| Column Footing | C1 | 14 | x | 1.50 | x | 1.50 | x | 0.60 | = | 18.90 | Cubic Metre |
| | C2 | 4 | x | 1.50 | x | 1.50 | x | 0.60 | = | 5.40 | |
| | C3 | 4 | x | 1.50 | x | 1.50 | x | 0.60 | = | 5.40 | |
| | C4 | 6 | x | 1.50 | x | 1.50 | x | 0.60 | = | 8.10 | |
| Bed | | 1 | x | 30.00 | x | 13.47 | x | 0.60 | = | 242.46 | Cubic Metre |
| | | | | | | | | | Total Qty. = | 280.26 | Cubic Metre |

Item No. 4 :-

Providing and laying in situ cement concrete of 1:4:8 proportion with trap/ granite/ quartzite/ gneiss metal in foundation including necessary form work, compacting and curing etc. complete. (with reversible drum rtype mixer with SCADA with natural sand)

| | | | | | | | | | | | |
|------|----|----|---|-------|---|-------|---|-------|---------------------|--------------|------|
| | C1 | 14 | x | 1.50 | x | 1.50 | x | 0.075 | = | 2.36 | Cumt |
| | C2 | 4 | x | 1.50 | x | 1.50 | x | 0.075 | = | 0.68 | |
| | C3 | 4 | x | 1.50 | x | 1.50 | x | 0.075 | = | 0.68 | |
| | C4 | 6 | x | 1.50 | x | 1.50 | x | 0.075 | = | 1.01 | |
| Step | | 1 | x | 1.20 | x | 1.65 | x | 0.075 | = | 0.15 | Cumt |
| Bed | | 1 | x | 30.00 | x | 13.47 | x | 0.10 | = | 40.41 | Cumt |
| | | | | | | | | | Total Qty. = | 45.28 | Cumt |

Item No. 5 :-

Providing and laying in situ cement concrete M20 with tremix treatment for 100 mm thickness for flooring with groove cutting of 4mm wide and 20mm deep with necessary refilling with bitumen etc. complete

| | | | | | | | | | | | |
|-----|--|---|---|-------|---|-------|---|--|---------------------|---------------|-------------|
| Bed | | 1 | x | 30.00 | x | 13.47 | x | | = | 404.10 | SquareMetre |
| | | | | | | | | | Total Qty. = | 404.10 | SquareMetre |

Item No. 6 :-

Providing and laying in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, formwork, cover blocks compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. complete, with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant With Natural Sand

| | | | | | | | | | | | |
|----|----|---|------|---|------|---|------|---|---------------------|--------------|-------------|
| C1 | 14 | x | 1.50 | x | 1.50 | x | 0.45 | = | 14.18 | Cubic Metre | |
| C1 | 14 | x | 1.50 | x | 1.50 | x | 0.30 | = | 9.45 | Cubic Metre | |
| C2 | 4 | x | 1.50 | x | 1.50 | x | 0.45 | = | 4.05 | Cubic Metre | |
| C2 | 4 | x | 1.50 | x | 1.50 | x | 0.30 | = | 2.70 | Cubic Metre | |
| C3 | 4 | x | 1.20 | x | 1.50 | x | 0.45 | = | 3.24 | Cubic Metre | |
| C3 | 4 | x | 1.50 | x | 1.50 | x | 0.30 | = | 2.70 | Cubic Metre | |
| C4 | 6 | x | 1.50 | x | 1.50 | x | 0.45 | = | 6.08 | Cubic Metre | |
| C4 | 6 | x | 1.50 | x | 1.50 | x | 0.30 | = | 4.05 | Cubic Metre | |
| | | | | | | | | | Total Qty. = | 46.44 | Cubic Metre |

Item No. 7 :-

Providing and casting in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawing or as directed including centering, formwork, cover blocks compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete, (Excluding reinforcement and structural steel)with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant (pan mixer).... With natural sand.

| | | | | | | | | | | | |
|----|----|---|------|---|------|---|------|---|---------------------|--------------|-------------|
| C1 | 14 | x | 0.30 | x | 0.50 | x | 5.20 | = | 10.92 | Cubic Metre | |
| C2 | 4 | x | 0.30 | x | 0.50 | x | 5.20 | = | 3.12 | | |
| C3 | 4 | x | 0.34 | x | 0.50 | x | 5.20 | = | 3.54 | | |
| C4 | 4 | x | 0.15 | x | 0.34 | x | 5.20 | = | 1.06 | | |
| | | | | | | | | | Total Qty. = | 18.64 | Cubic Metre |

Item No. 8 :-

Providing & casting in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. beams and lintels as per detailed designs & drawings or as directed including centering, formwork, cover blocks compaction & roughening the surface if special finish is to be provided & curing etc. complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant (pan mixer).... With natural sa

| | | | | | | | | | | | | |
|-----|----|---|---|---|------|---|------|---|------|---|------|-------------|
| GB1 | 5 | x | 1 | x | 4.84 | x | 0.30 | x | 0.30 | = | 2.18 | Cubic Metre |
| GB1 | 5 | x | 1 | x | 4.84 | x | 0.30 | x | 0.30 | = | 2.18 | Cubic Metre |
| GB2 | 16 | x | 1 | x | 5.00 | x | 0.30 | x | 0.30 | = | 7.20 | Cubic Metre |
| PB1 | 5 | x | 1 | x | 4.84 | x | 0.23 | x | 0.30 | = | 1.67 | Cubic Metre |
| PB2 | 5 | x | 1 | x | 4.84 | x | 0.23 | x | 0.30 | = | 1.67 | Cubic Metre |
| PB2 | 16 | x | 1 | x | 5.00 | x | 0.23 | x | 0.30 | = | 5.52 | Cubic Metre |
| LB1 | 5 | x | 1 | x | 4.84 | x | 0.23 | x | 0.30 | = | 1.67 | Cubic Metre |
| LB1 | 5 | x | 1 | x | 4.84 | x | 0.23 | x | 0.30 | = | 1.67 | Cubic Metre |

| | | | | | | | | | | | | |
|-----|----|---|---|---|------|---|------|---|------|--------------|-------|-------------|
| LB2 | 16 | x | 1 | x | 5.00 | x | 0.23 | x | 0.30 | = | 5.52 | Cubic Metre |
| SB1 | 5 | x | 1 | x | 4.84 | x | 0.23 | x | 0.30 | = | 1.67 | Cubic Metre |
| SB1 | 5 | x | 1 | x | 4.84 | x | 0.23 | x | 0.30 | = | 1.67 | Cubic Metre |
| SB2 | 16 | x | 1 | x | 5.00 | x | 0.23 | x | 0.30 | = | 5.52 | Cubic Metre |
| | | | | | | | | | | Total Qty. = | 38.13 | Cubic Metre |

Item No. 9 :-

Providing fly ash brick masonry with conventional / I.S. type fly ash bricks in C.M. 1:6 in foundation and plinth including bailing out water manually striking joints, racking out joints watering and scaffolding etc. complete.

| | | | | | | | | | | | | |
|--|---|---|----|---|------|---|------|---|------|--------------|-------|------------|
| | 2 | x | 5 | x | 4.84 | x | 0.23 | x | 0.60 | = | 6.68 | CubicMetre |
| | 2 | x | 14 | x | 5.00 | x | 0.23 | x | 0.60 | = | 19.32 | CubicMetre |
| | | | | | | | | | | Total Qty. = | 26.00 | CubicMetre |

Item No. 10 :-

Providing fly ash brick masonry with conventional / I.S. type bricks in cement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete

| | | | | | | | | | | | | |
|--------------|---|---|----|---|-------|---|------|---|------|--------------|--------|------------|
| | 2 | x | 5 | x | 4.84 | x | 0.23 | x | 5.00 | = | 55.66 | CubicMetre |
| | 2 | x | 14 | x | 5.00 | x | 0.23 | x | 5.00 | = | 161.00 | CubicMetre |
| Parapet Wall | 1 | x | 1 | x | 26.00 | x | 0.23 | x | 0.75 | = | 4.49 | |
| Deduct | | | | | 4.00 | x | 2.10 | x | 2.50 | = | -21.00 | CubicMetre |
| Shutter | | | | | 28.00 | x | 0.60 | x | 0.60 | = | -10.08 | CubicMetre |
| V1 | | | | | 33.00 | x | 0.10 | x | 0.60 | = | -1.98 | |
| V2 | | | | | 8.00 | x | 1.30 | x | 0.45 | = | -4.68 | |
| V3 | | | | | | | | | | Total Qty. = | 183.41 | CubicMetre |

Item No. 11 :-

Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15cm. to 20cm. including watering and compaction etc. complete. Spec. No. : Bd.A. 11/Page No. 263

| | | | | | | | | | | | | |
|--|---|---|--|--|-------|---|-------|---|------|--------------|--------|-------------|
| | 1 | x | | | 30.00 | x | 13.47 | x | 0.60 | = | 242.46 | Cubic Metre |
| | | | | | | | | | | Total Qty. = | 242.46 | Cubic Metre |

Item No. 12 :-

Providing structural steel work in trusses, other similar trussed purlins and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting fixing in position, Making riveted/ bolted/ welded connection and one coat of anticorrosive paint and over it 2 coats of oil painting approved quality and shade etc. complete.

| | | | | | | | | | | | | | | |
|--------------------------------|------|---|------|---|---------|---|---------|---|-------|--------------------|-------------|-------------|----------|-------------|
| Truss Member (100x100 x6mm) | | | | | 22.70 | x | 6.07 | x | 5.53 | = | 761.60 | | | |
| Purlin | | | | | 6.70 | x | 3.80 | x | 5.53 | = | 140.79 | | | |
| Cleat angle | | | | | 6.00 | x | 0.10 | x | 2.61 | = | 1.57 | | | |
| BASE PLATE (12mm tk-62.80/sqm) | | | | | | | | | | | | | | |
| Nut Bolts (16 mm tk-2.46Kg/m) | 35 | x | 0.10 | x | 0.15 | = | 0.56 | x | 62.80 | = | 35.33 | | | |
| | 20 | x | 5.00 | x | 0.45 | = | 67.50 | x | 2.46 | = | 166.05 | | | |
| | | | | | | | | | | Total | 1105.33 | Kg | | |
| | | | | | | | | | | 10% Curtailment Wt | 110.5331377 | | | |
| | | | | | | | | | | Net | 1215.86 | MetricTonne | | |
| Weight of Trusses | 1.35 | x | 5.00 | x | 1215.86 | = | 8207.09 | | | | | | | |
| Waiting & Hall | 5.00 | x | 2.44 | x | 2.44 | = | 29.77 | | | | | | | |
| | | | | | | | | | | 10% Curtailment Wt | 2.98 | | | |
| | | | | | | | | | | Net | 8239.83 | | | |
| | | | | | | | | | | 8239.83 | 1000.00 | = | 8.240 | |
| M.S. Angle | 14 | x | 2 | x | 0.30 | = | 8.40 | | | | | | | |
| M.S. Angle | 15 | x | 4 | x | 0.45 | = | 27.00 | | | | | | | |
| Vertical Support | 20 | x | 5 | x | 0.75 | = | 75.00 | | | | | | | |
| Vertical Support | 7 | x | 6 | x | 1.00 | = | 42.00 | | | | | | | |
| Vertical Support | 8 | x | 8 | x | 1.20 | = | 76.80 | | | | | | | |
| Horizontal Support | 5 | x | 9 | x | 0.65 | = | 29.25 | | | | | | | |
| Horizontal Support | 9 | x | 10 | x | 0.70 | = | 63.00 | | | | | | | |
| | | | | | | | | | | Net | 321.45 | | | |
| | | | | | | | | | | RMT | 6.10 | = | 1960.85 | |
| | | | | | | | | | | | 1000.00 | = | 1.960845 | |
| | | | | | | | | | | | 1960.85 | = | 1.960845 | |
| | | | | | | | | | | | | Net Qty. = | 10.20 | MetricTonne |

Item No. 13 :-

Providing and fixing corrugated galvanised iron sheets of 0.63mm thick (24 B.W.G.) for roofing without wind tiles including fastening with galvanised iron screws & bolts, lead & bitumen washers as per drawing etc. complete. (Weight of 5.5 kg/sq.m.)

| | | | | | | | | | | | | |
|--|------|---|--|--|-------|---|-------|--|--|--------------|--------|-------------|
| | 1.00 | x | | | 30.00 | x | 13.47 | | | | 404.10 | SquareMetre |
| | | | | | | | | | | Total Qty. = | 404.10 | SquareMetre |

Item No. 14 :-

Providing and fixing in position TMT FE 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels parris, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete. a) For TMT Fe 415 steel bars (If Mild Steel/HYSD steel is to be used prior permission from S.E. should be taken)

| | | | | | | | | | | | | |
|---------|--|--|--|--|--------|---|-----------|---|---------|--------------|------|----|
| Item | | | | | Qty | | Steel Per | | | | | |
| Footing | | | | | 46.440 | x | 77.00 | = | 3575.88 | | Kg | |
| Column | | | | | 18.637 | x | 70.00 | = | 1304.58 | | Kg | |
| Beam | | | | | 38.135 | x | 50.00 | = | 1906.74 | | Kg | |
| | | | | | | | | = | 6787.20 | | Kg | |
| | | | | | | | | | | Total Qty. = | 6.79 | MT |

Item No. 15 :-

Providing and fixing steel ventilator fully glazed partly fixed as per detailed drawing with hot dip zinc coating including fabricating glazing with plain / obscured glass pans and approved type quality and iron oxidized fixtures and fastening with guard square bars 12 mm 10 cm c/c and oil painting 2 coats etc. complete.

| | | | | | | | | | |
|----|--|----|---|------|---|------------|---|-------|-------------|
| V1 | | 28 | x | 0.60 | x | 0.60 | = | 10.08 | |
| V2 | | 33 | x | 0.10 | x | 0.60 | = | 1.98 | |
| V3 | | 8 | x | 1.30 | x | 0.45 | = | 4.68 | |
| | | | | | | Total Qty. | = | 16.74 | SquareMetre |

Item No. 16 :-

Providing and fixing rolling shutter fabricated from steel laths of minimum thickness 0.9 mm with lock plate of 3.15 mm thickness reinforced with 35 x 35 x 5 mm angle section fitted with sliding bolts and handles for both sides, deep M.S. channel section of depth and thickness not less than 65 mm and 3.15 mm respectively with hold fast arrangements, M.S. Bracket plate 300 x 300 x 3.15 mm minimum size and shape with square bar, suspension shaft of minimum 32 mm diameter, hood cover of M.S. sheet not less than 0.9 mm thickness and of any size at top and safety devices including mechanical gear operation arrangement consisting of worm gear wheels and worms of high grade cast iron or mild steel and one coat of red lead primer etc. complete. (I.S. 62481979) (Without mechanical gear)

| | | | | | | | | | |
|---------|--|---|---|------|---|------------|---|-------|-------------|
| Shutter | | 4 | x | 2.10 | x | 2.50 | = | 21.00 | SquareMetre |
| | | | | | | Total Qty. | = | 21.00 | SquareMetre |

Item No. 17 :-

Providing internal cement plaster 20mm thick in two coats in cement mortar 1:5 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete

| | | | | | | | | | | |
|--------------|---|---|----|---|-------|-------|------|--------|-------------|-------------|
| | 2 | x | 5 | x | 4.84 | x | 4.50 | = | 217.80 | SquareMetre |
| | 2 | x | 14 | x | 5.00 | x | 4.50 | = | 630.00 | SquareMetre |
| Parapet Wall | 2 | x | 2 | x | 26.00 | x | 0.75 | = | 78.00 | SquareMetre |
| | | | | | | Total | = | 925.80 | SquareMetre | |

Item No. 18 :-

Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc. complete.

| | | | | | | | | | | |
|--|---|---|---|---|-------|-------|------|--------|-------------|-------------|
| | 2 | x | 2 | x | 30.00 | x | 4.20 | = | 504.00 | SquareMetre |
| | 2 | x | 2 | x | 13.47 | x | 4.20 | = | 226.30 | SquareMetre |
| | | | | | | Total | = | 730.30 | SquareMetre | |

Item No. 19 :-

Providing and applying two coats of water proof cement paint of approved manufacture and of approved colour to the plastered surfaces including scaffolding if necessary, cleaning and preparing the surface, watering for two days etc. complete.

| | | | |
|------------------------|---|---------|-------------|
| Qty as per Item No. 17 | = | 925.80 | SquareMetre |
| Qty as per Item No. 18 | = | 730.30 | SquareMetre |
| Total | = | 1656.10 | SquareMetre |

Item No. 20 :-

Providing and Fixing 110 mm diameter PVC Rain Water pipe with necessary fittings such as bends, tees, single junctions, slotted vent, clamps etc complete.

| | | | | | | | | |
|--|---|---|-------|---|------------|---|-------|--------------|
| | 1 | x | 25.00 | x | 1.00 | = | 25.00 | RunningMetre |
| | | | | | Total Qty. | = | 25.00 | RunningMetre |

Item No. 21 :-

Shooting of still photographs outdoor and indoor of construction and other works of building, bridges, roads etc. in District and outside dist. At any distances ii) a set of same three copies of 4' x 6' Size

| | | | | | | |
|--|------|---|------------|---|------|-----|
| | 1.00 | x | 5.00 | = | 5.00 | set |
| | | | Total Qty. | = | 5.00 | set |

Item No. 22 :-

Add Royalty as per Government of Maharashtra Revenue and Forest Departments Order For Sand

| | | | | | | |
|-------------------|--------|---|------------|---|--------|-----|
| 1:4:8 | 45.28 | x | 0.47 | = | 21.28 | Cum |
| Footing | 46.44 | x | 0.425 | = | 19.74 | |
| Columns | 38.13 | x | 0.425 | = | 16.21 | |
| Beam | 38.13 | x | 0.425 | = | 16.21 | |
| BB Masonary | 26.00 | x | 0.32 | = | 8.32 | |
| BB Masonary | 183.41 | x | 0.32 | = | 58.69 | |
| 6 mm plaster | 925.80 | x | 0.025 | = | 23.15 | |
| Sand Face Plaster | 730.30 | x | 0.033 | = | 24.10 | |
| | | | Total Qty. | = | 187.69 | Cum |

Item No. 23 :-

Add Royalty as per Government of Maharashtra Revenue and Forest Departments Order For Other Material

| | | | | | | |
|----------------|--------|---|------------|---|--------|-----|
| Rubble Soling | 280.26 | x | 1.00 | = | 280.26 | Cum |
| filling Plinth | 242.46 | x | 1.00 | = | 242.46 | Cum |
| | | | Total Qty. | = | 522.72 | |

Item No. 24 :-

Testing Charges for quality control tests on various materials like metal crushed metal bitumen Hard murum Soft Murum, Sand, Cement, Steel etc as per frequency norms and rates for every material in Vigilence and Quality Control Laboratory as directed by Engineer in Charge

| | | | |
|---|---|------|------|
| Compressive Strength of M-20 grade C.C. Cube | = | 2.00 | Test |
| Carrying out water absorption, compressive strength & Efflorescence Test of Bricks | = | 3.00 | Test |
| Liquid Limit & Plastic Limit H.M. | = | 2.00 | Test |
| Standard Consistency, fineness specific Gravity Setting Time (Initial & Final) Compressive Strength | = | 2.00 | Test |
| Steel Upto 16 mm (set of 3 bars) | = | 2.00 | Test |
| Nitrol Solution Test (set of 3 bars) | = | 2.00 | Test |

MEASUREMENT. Electrical

| | | | | | | | |
|-----------------------|---|------|---|------------|---|--------------|--------|
| Item No. 1 :- | Supplying, erecting & terminating FR XLPE insulated, galvanised steel formed wire armoured (strip) cable 1100 V, 3 core 4 sq. mm. copper conductor complete erected with glands & luqs, on wall/ trusses/ pole or laid in provided trench/ pipe as per specification no. CB-LT/CU | 1.00 | x | 20.00 | = | 20.00 | RMT |
| | | | | Total Qty. | = | 20.00 | RMT |
| Item No. 2 :- | Making trench of suitable width and depth in hard murum /tar road for laying provided LT cable up to and including 36 sq. mm complete as per specification no. CW-EXNCTR | 1.00 | x | 10.00 | = | 10.00 | RMT |
| | | | | Total Qty. | = | 10.00 | RMT |
| Item No. 3 :- | Making trench of suitable width and depth in Soft murum for laying provided LT cable up to and including 36 sq. mm complete as per specification no. CW-EXN - CTR | 1.00 | x | 10.00 | = | 10.00 | RMT |
| | | | | Total Qty. | = | 10.00 | RMT |
| Item No. 4 :- | Supplying erecting mains PVC unarmoured cable 1100 volt grade / ISI mark 3 core / 2.5 sqmm standard / solid copper complete erected on wall with duly painted G.I. Saddle @ 0.25 m C/C & rigidly grouted in the wall with the help of plated screws. | 1.00 | x | 90.00 | = | 90.00 | RMT |
| | | | | Total Qty. | = | 90.00 | RMT |
| Item No. 5 :- | Supplying erecting weather proof powder coated distribution board 4 way with 2 x 6 / 10 Amps S.P.M.C.B. with industrial two pin plug socket 10A and 3 pin plug top 10 A with top cover necessary connection etc. complete with approved make. | 1.00 | x | 8.00 | = | 8.00 | Number |
| | | | | Total Qty. | = | 8.00 | Number |
| Item No. 6 :- | Providing point wiring for street light with PVC unarmoured cable 1100 Volt grade ISI mark 3 core 1.5 sqm standard / solid copper erected on wall with G.I. saddle duly painted @ 0.25 m C/C rigidly grouted in the wall with the help of plated screw including 4' x 4' M.S. box 2 way with epoxy painting & | 1.00 | x | 4.00 | = | 4.00 | Number |
| | | | | Total Qty. | = | 4.00 | Number |
| Item No. 7 :- | Supplying & erecting 10-12 W , 230 v Integral type LED lamp suitable for B-22 / E-27 base | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |
| Item No. 8 :- | Supplying & erecting LED street light fitting suitable for 20 to 25 W. with PF > 0.95 class IP - 65 and above housing of pressure die cast aluminium alloy and heat sink extruded aluminium complete as per specification No. FG-ODF / FLS | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |
| Item No. 9 :- | Supplying & erecting Street light Wall bracket made from 40 mm dia 'B' class G.I. pipe 1-2 m in total length complete as per specification no. FG-BKT / WB | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |
| Item No. 10 :- | Supplying & erecting with galvanised iron earth plate size 60x60x0.6 cm complete with all materials testing & recording the results as per specifications no. EA-EP | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 11 :- | Providing Pipe type earthing with 40 mm dia G.I. pipe or 20 mm dia G.I. rod complete with all materials a per specification no EA-EP providing pipe type earthing with 40 mm dia G.I. pipe or 20 mm dia G.I. Rod complete with all materials as per specification EA-EP | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 12 :- | Supplying erecting & marking DPMCB 6A to 32A C-series (for motor/power) in provided distribution board as per specification no SW-SWR/MCB | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 13 :- | Supplying erecting & making SPMCB 6A to 32A B-series (for Lighting) in provided distribution board as per specification no SW-SWR/MCB | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 14 :- | Supplying and erecting GI sheet 1.6mm (16SWG) to be used for fabrication of boxes panel boards etc. including cutting bending drilling welding riveting etc. and painting with one coat of red lead . | 1.00 | x | 1.00 | = | 1.00 | SQM |
| | | | | Total Qty. | = | 1.00 | SQM |
| Item No. 15 :- | Supplying and erecting machine plywood 18/19 mm thick fixed to wall or on provided panel board with necessary materials such as screws wall fasteners supports nut bolts etc. complete | 1.00 | x | 1.00 | = | 1.00 | SQM |
| | | | | Total Qty. | = | 1.00 | SQM |
| Item No. 16 :- | Supplying and erecting triple pole and neutral distribution board (TPNCB) surface /flush mounted suitable for SPMCB of 12 ways on iron /GI frame (horizontal bushar type) as per specification no CB-CE | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |

| | | | | | | | |
|-----------------------|---|------|---|------------|---|-------|--------|
| Item No. 17 :- | Supplying and erecting GI pipe A class 25 mm dia rected for enclosing XLPE armoured cable on wall /pole as per specification no CB-CE | 1.00 | x | 10.00 | = | 10.00 | RMT |
| | | | | Total Qty. | = | 10.00 | RMT |
| Item No. 18 :- | Supplying and erecting GI pipe A class 40 mm dia rected for enclosing XLPE armoured cable on wall /pole as per specification no CB-CE | 1.00 | x | 10.00 | = | 10.00 | RMT |
| | | | | Total Qty. | = | 10.00 | RMT |
| Item No. 19 :- | Supplying and leying (including excuvation of suitable width & depth up to 90 cm) 75mm outside dia. Double wall corrugated pipes (DWC) of HDPE for enclosing cable below ground / road surface to required depth complete. | 1.00 | x | 12.00 | = | 12.00 | RMT |
| | | | | Total Qty. | = | 12.00 | RMT |
| Item No. 20 :- | Supplying and erecting 18 guage M.S. Box Powder coated (4' x 4') 3 way for mains connection | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |
| Item No. 21 :- | Supplying and erecting Siemens type brass cable glands for 3 to 4 core 6 Sqm .mm /2 to 4 core 10sqmm for XLPE ammoured cable as per specification no CB -GL | 1.00 | x | 4.00 | = | 4.00 | Number |
| | | | | Total Qty. | = | 4.00 | Number |
| Item No. 22 :- | Supplying shockproof type hand lamp with lamp holder bulb/lamp 100W guarded glass and 30 mtr. 3 core PVC flexible cord with hand shiled type 3 pin 6Amp plug. Top. | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 23 :- | Supplying shockproof type hand lamp with lamp holder bulb/lamp 100W guarded glass and 30 mtr. 3 core PVC flexible cord with hand shiled type 3 pin 6Amp plug. Top. | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |
| Item No. 24 :- | point wiring for independent in 20mm ISI marked HMS PVC consuct with 1.5 Sq mm (2+1E) FRISH grade copper wire flush type switch earthing and required accessories as per specification No WG-PW/SW | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 25 :- | power point wiring for geaser/Refrigerator with ISI mark 2x2.50 sq mm copper PVC insulated wire 1.1 KV grade in PVC casing caping with double locking arragment with 1x1.00 sq mm copper PVC insulated wire for earthing on wall/ ceiling with necessary G.I. screws etc, fixed at an | 1.00 | x | 2.00 | = | 2.00 | RMT |
| | | | | Total Qty. | = | 2.00 | RMT |
| Item No. 26 :- | Supplying and erecting mains with 2x 4.00 Sq mm standerd copper PVC insulated wire with 2x2. 15 sq mm copper PVC wire in PVC casting caping 20 mm on wall / ceiling . | 1.00 | x | 2.00 | = | 2.00 | RMT |
| | | | | Total Qty. | = | 2.00 | RMT |
| Item No. 27 :- | Supplying and erecting double pole metal clad switch surface type flush type 240 V. 32 A with indicator lamp & fuse as per specification o. SW - SWR / MDP | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 28 :- | Supplying and erecting double pole metal clad switch with HC type fuse and neutral link 240 V , 32 A on iom /GI frame as per specification o. SW - SWR / MDP | 1.00 | x | 4.00 | = | 4.00 | Number |
| | | | | Total Qty. | = | 4.00 | Number |
| Item No. 29 :- | Supplying and erecting 3 W , 230 V integral type LED Lamp sutable for B-22 / E - 27 base | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 30 :- | Supplying and erecting T8 fluoescent tube day light 1200 mm 36 W | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |
| Item No. 31 :- | Supplying and erecting ready to use Retrofit T8 LED 18 / 20 tube light with polycarbonate body , heat sink , integrated HF electronic driver complete & compatible to T8 / T12 LED luminaire by disconnectiong starter & ballast if necessary | 1.00 | x | 1.00 | = | 1.00 | SQM |
| | | | | Total Qty. | = | 1.00 | SQM |
| Item No. 32 :- | Supplying and erecting regular / standard model ceiling fan of 900 / 1050 mm sweep complete erected in position as per specification no. FG-FN/CF | 1.00 | x | 1.00 | = | 1.00 | Number |
| | | | | Total Qty. | = | 1.00 | Number |
| Item No. 33 :- | Supplying and fixing wiremesh (Jali) cover suitable for fitting / an or for purpose , complete with necessary materials . The jali cover shall be made from good quality G.I. wire mesh size 25 x 25 (mm) and made up of 14 SWG G.I. wire with side / supporting MS strips of suitable size | 1.00 | x | 2.00 | = | 2.00 | Number |
| | | | | Total Qty. | = | 2.00 | Number |
| Item No. 34 :- | Supplying and erecting ding dong / electronic musical type call bell with heavy duty coil suitable to operate in 230 V A.C. supply erected on polished double wooden block / sunmica block of suitable size | | | | | | |

1.00 x 1.00 = 1.00 Number
Total Qty. = 1.00 Number

Item No. 35 :-

Supplying and erecting street light wall bracket made from 25 mm dia ' B ' class G.I. pipe 1.2 m in total length complete as per specification no. FG-BKT / WB

1.00 x 3.00 = 3.00 Number
Total Qty. = 3.00 Number

Item No. 36 :-

Supplying and erecting CRCA sheet metal one wynclosures suitable for DP MCB / TP MCB /FP MCB erected on angle iron /GI frame complete

1.00 x 1.00 = 1.00 Number
Total Qty. = 1.00 Number

Item No. 37 :-

Supplying and erecting and marking four pole isolators only switch version of minature circuit brakers of 40 A in provided distribution board complete

1.00 x 1.00 = 1.00 Number
Total Qty. = 1.00 Number

Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company Ltd. At Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon

RATE ANALYSIS

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|---|----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|--------|--------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 1 | Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area & stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.5 m.) By Mechanical Means | DSR Page No./Item No.21.02 | 193.00 | | | | | | | | | | | | | | 0.00 | | 193.00 | |
| 2 | Excavation for foundation in hard murum including removing the excavated material upto distance of 50 metres beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.50 m) By Mechanical Means | DSR Page No./Item No.21.06 | 212.00 | | | | | | | | | 1.00 | 366.82 | | | | 366.82 | | 578.82 | |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|--|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|---------|--------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | | | | | |
| 3 | Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete. | DSR Page No./ Item No.21.38 | 1294.00 | | | | | | | | | | | | | | 0.00 | | 1294.00 | |
| 4 | Providing and laying in situ cement concrete of 1:4:8 proportion with trap/ granite/ quartzite/ gneiss metal in foundation including necessary form work, compacting and curing etc. complete. (with reversible drum rtype mixer with SCADA with natural sand) | DSR Page No./ Item No.11.04 | 5780.00 | 0.35 | 52.08 | | | | 0.47 | 206.80 | 0.94 | 281.84 | | | | | 540.72 | 120.00 | 6200.72 | |
| 5 | Providing and laying in situ cement concrete M20 with tremix treatment for 100 mm thickness for flooring with groove cutting of 4mm wide and 20mm deep with necessary refilling with bitumen etc. complete. | DSR Page No./ Item No.33.3 | 746.00 | 0.035 | 5.20 | | | | 0.0425 | 18.70 | 0.089 | 26.68 | | | | | 50.58 | | 796.58 | |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|---|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|--------|---------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 6 | Providing and laying in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, formwork, cover blocks compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. etc. complete, with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant With Natural Sand | DSR Page No./ Item No.25.11 | 6666.00 | 0.35 | 52.08 | | | | | 0.425 | 187.00 | 0.89 | 266.84 | | | | | 505.92 | 120.00 | 7051.92 |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|---|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|--------|----------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 7 | Providing and casting in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawing or as directed including centering, formwork, cover blocks compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete, (Excluding reinforcement and structural steel).with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant (pan mixer).... With natural sand. | DSR Page No./ Item No.25.31 | 12987.00 | 0.35 | 52.08 | | | | | 0.425 | 187.00 | 0.89 | 266.84 | | | | | 505.92 | 120.00 | 13372.92 |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|--|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|--------|----------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 8 | Providing & casting in situ cement concrete M20 of trap / granite /quartzite/ gneiss metal for R.C.C. beams and lintels as per detailed designs & drawings or as directed including centering, formwork, cover blocks compaction & roughening the surface if special finish is to be provided & cunng etc. complete. (Excluding reinforcement and structural steel) with fully automatic micro processor based PLC with SCADA enabled concrete batch mix plant (pan mixer).... With natural sa | DSR Page No./ Item No.25.5 | 11483.00 | 0.35 | 52.08 | | | | 0.425 | 187.00 | 0.89 | 266.84 | | | | | | 505.92 | 120.00 | 11868.92 |
| 9 | Providing fly ash brick masonry with conventional / I.S. type fly ash bricks in C.M. 1:6 in foundation and plinth including bailing out water manually striking joints, racking out joints watering and scaffolding etc. complete. | DSR Page No./ Item No.27.12 | 6762.00 | 0.35 | 52.08 | | | 0.48 | 326.24 | 0.32 | 140.80 | | | | | | | 519.12 | | 7281.12 |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|---|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|--------|-----------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 10 | Providing fly ash brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete | DSR Page No./ Item No.27.13 | 6978.00 | 0.35 | 52.08 | | | 0.48 | 326.24 | 0.32 | 140.80 | | | | | | | 519.12 | | 7497.12 |
| 11 | Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15cm. to 20cm. including watering and compaction etc. complete. Spec. No. : Bd.A. 11/Page No. 263 | DSR Page No./ Item No.21.37 | 550.00 | | | | | | | | | | | 1.00 | 287.34 | | | 287.34 | | 837.34 |
| 12 | Providing structural steel work in trusses, other similar trussed purlins and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting fixing in position, Making riveted/ bolted/ welded connection and one coat of anticorrosive paint and over it 2 coats of oil painting approved quality and shade etc. complete. | DSR Page No./ Item No.23.04 | 105909.00 | | | | | | | | | | | | | | | 0.00 | | 105909.00 |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|---|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|----------|--------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 13 | Providing and fixing corrugated galvanised iron sheets of 0.63mm thick (24 B.W.G.) for roofing without wind ties, including fastening with galvanised iron screws & bolts, lead & bitumen washers as per drawing etc. complete. (Weight of 5.5 kg/sq.m.). | DSR Page No./ Item No.38.04 | 816.00 | | | | | | | | | | | | | | 0.00 | | 816.00 | |
| 14 | Providing and fixing in position TMT FE 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams, columns, canopies, staircase, newels, chajjas, lintels, parris, copings, fins, arches etc. as per detailed designs, drawings and schedules, including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete. a) For TMT Fe 415 steel bars (If Mild Steel/HYSD steel is to be used prior permission from S. E. should be taken) | DSR Page No./ Item No.26.33 | 71778.00 | | 1.00 | 148.81 | | | | | | | | | | | 148.81 | | 71926.81 | |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|--|----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|---------|--------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 15 | Providing and fixing steel ventilator fully glazed partly fixed as per detailed drawing with hot dip zinc coating including fabricating glazing with plain / obscured glass pans and approved type quality and iron oxidized fixtures and fastening with guard square bars 12 mm 10 cm c/c and oil painting 2 coats etc. complete. | DSR Page No./ Item No.39.3 | 4449.00 | | | | | | | | | | | | | | 0.00 | | 4449.00 | |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|--|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|---------|--------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 16 | Providing and fixing rolling shutter fabricated from steel laths of minimum thickness 0.9 mm with lock plate of 3.15 mm thickness reinforced with 35 x 35 x 5 mm angle section fitted with sliding bolts and handles for both sides, deep M.S. channel section of depth and thickness not less than 65 mm and 3.15 mm respectively with hold fast arrangements, M.S. Bracket plate 300 x 300 x 3.15 mm minimum size and shape with square bar, suspension shaft of minimum 32 mm diameter, hood cover of M.S. sheet not less than 0.9 mm thickness and of any size at top and safety devices including mechanical gear operation arrangement consisting of worm gear wheels and worms of high grade cast iron or mild steel and one coat of red lead primer etc. complete. (I.S. 62481979) (Without mechanical gear) | DSR Page No./ Item No.39.24 | 4310.00 | | | | | | | | | | | | | | 0.00 | | 4310.00 | |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|--|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|--------|--------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 17 | Providing internal cement plaster 20mm thick in two coats in cement mortar 1:5 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete. | DSR Page No./ Item No.32.06 | 359.00 | 0.17 | 25.29 | | | | | 0.025 | 11.00 | | | | | | | 36.29 | | 395.29 |
| 18 | Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete. | DSR Page No./ Item No.32.11 | 599.00 | 0.25 | 37.20 | | | | | 0.033 | 14.52 | | | | | | | 51.72 | | 650.72 |

| Sr. No | Description | D.S.R Ip | Rate as per DSR | Additional Lead Charges for | | | | | | | | | | | | Total Rate | Deduct SCADA 120/Cu m | Total Rate of Item | | |
|--------|--|-----------------------------|-----------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|------------|-----------------------|--------------------|--------|--------|
| | | | | Cement | | Steel | | Bricks | | Sand | | Cr. Metal | | Rubble | | | | | Murum | |
| | | | | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | Factor | Amount | | | | Factor | Amount |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | | | |
| 19 | Providing and applying two coats of water proof cement paint of approved manufacture and of approved colour to the plastered surfaces including scaffolding if necessary, cleaning and preparing the surface, watering for two days etc. complete. | DSR Page No./ Item No.35.13 | 74.00 | | | | | | | | | | | | | | 0.00 | | 74.00 | |
| 20 | Providing and Fixing 110 mm diameter PVC Rain Water pipe with necessary fittings such as bends, tees, single junctions, slotted vent, clamps etc complete. | DSR Page No./ Item No.42.87 | 502.00 | | | | | | | | | | | | | | | 0.00 | | 502.00 |
| 22 | Add Royalty as per Government of Maharashtra Revenue and Forest Departments Order For Sand | | 237.37 | | | | | | | | | | | | | | | 0.00 | | 237.37 |

Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company Ltd. At Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon

Rate Analysis Electrical

Item No. 4 :-

Supplying erecting mains PVC unarmoured cable 1100 volt grade / ISI mark 3 core / 2.5 sqmm standard / solid copper complete erected on wall with duly painted G.I. Saddle @ 0.25 m C/C & rigidly grouted in the wall with the help of plated screws.

| | |
|--|--------------|
| M.R. A) PVC unarmoured cable 3 core 2.5 Sq. mm ----- | Rs. 84.00 |
| M.R. B) G.I. saddle, screw and rawl plug etc ----- | 12.00 |
| Add 10% C.P. | 9.60 |
| D.S. R. C) Labour charges -- as per item no. 7-2-16 | 20.00 |

Total Qty. = 125.60

Item No. 5 :-

Supplying erecting weather proof powder coated distribution board 4 way with 2 x 6 / 10 Amps S.P.M.C.B. with industrial two pin plug socket 10A and 3 pin plug top 10 A with top cover necessary connection etc. complete with approved make.

| | |
|---|--------|
| I.N. 5-3-3/94 A) SPMCB 6 Amp. - 1 No. @ Rs. 164 | 164.00 |
| I.N. 5-4-22-97 B) 1.25 mm CRCA sheet metal enclosure with 10 Amp 2 pin plug | 765.00 |
| I.N. 5-4-23/97 . C) CRCA sheet metal one way enclosure ---- | 361.00 |

Total Qty. = 1290.00

Item No. 6 :-

Providing point wiring for street light with PVC unarmoured cable 1100 Volt grade ISI mark 3 core 1.5 sqm standard / solid copper erected on wall with G.I. saddle duly painted @ 0.25 m C/C rigidly grouted in the wall with the help of plated screw including 4' x 4' M.S. box 2 way with epoxy painting &

| | |
|---|--------|
| M.R. A) PVC unarmoured cable 3 core 1.5 Sq. mm ----- (13 x 52) | 676.00 |
| M.R. B) M.S. Box epoxy coated (2 way 4' x 4' ----- | 70.00 |
| M.R. C) Nylon Connector strip 10 Amp | 10.00 |
| M.R. D) G.I. saddle, screw and rawl plug etc. ----- | 25.00 |
| M.R. E) Flexible cable for street light connection 3 core 1.5 sq. mm (2 x 45) | 95.00 |
| Add 10% CP | 87.60 |
| M.R. F) Labour Charges (20 x 13) | 260.00 |

Total Qty. = 1223.60

Item No. 16 :-

Supplying and erecting triple pole and neutral distribution board (TPNDNB) surface / flush mounted suitable for SPMCB of 12 ways on iron /GI frame (horizontal bushar type) as per specification no CB-CE

| | |
|--|---------|
| I.N. 5-4-1/96 A) TPN MCB & Neutral Distribution board 12 ways ----- I. No. | 1775.00 |
| I.N. 5-3-15/94 B) TPNMCB 40 A to 63 A ----- I. No. | 977.00 |
| I.N. 5-3-2/94 . C) Single pole MCB 6 A to 32 A ----- 12 Nos. @ Rs. 165 / No. | 1980.00 |

Total Qty. = 4732.00

Item No. 22 :-

Supplying shockproof type hand lamp with lamp holder bulb/lamp 100W guarded glass and 30 mtr. 3 core PVC flexible cord with hand shielded type 3 pin 6Amp plug. Top.

| | |
|---|---------|
| I.N. 2-2-1/31 A) Shockproof hand lamp ----- 1 No. | 164.00 |
| I.N. 2-10-12 /40 B) LED Lamp 10/12 W ----- 1 No. | 309.00 |
| M.R. C) 3 core 1.50 sq. mm flexible cord ----- 20 Rmt @ vRs. 50 / - | 1000.00 |
| Add 10% CP on (C) | 100.00 |

Total Qty. = 1573.00

Item No. 24 :-

point wiring for independent in 20mm ISI marked HMS PVC conduit with 1.5 Sq mm (2+1E) FRISH grade copper wire flush type switch earthing and required accessories as per specification No WG-PW/SW

| | |
|---|--------|
| I.N. 1-3-3/5 A) 2 x 2.5 Sqmm copper wire ----- 2 Rmt @Rs. 57 | 114.00 |
| I.N. 1-7-12 /12 B) Combined switch & socket 13 A ----- I. No. @ Rs. 136 | 136.00 |
| I.N. 1-2-9/5 C) PVC Casing capping 20 mm ----- 6 Rmt @vRs. 36 | 216.00 |

Total Qty. = 466.00

Item No. 25 :-

power point wiring for geaser/Refrigerator with ISI mark 2x2.50 sq mm copper PVC insulated wire 1.1 KV grade in PVC casing capping with double locking arrangement with 1x1.00 sq mm copper PVC insulated wire for earthing on wall/ ceiling with necessary G.I. screws etc, fixed at an

| | |
|---|-------|
| I.N. 1-3-3/5 A) 2 x 2.5 Sq.mm copper wire ----- 2 Rmt @ Rs. 57 | 57.00 |
| I.N. 1-3-1 /5 B) 2 x 1.5 Sq. mm Copper wire ----- I. No. @ Rs. 38 | 38.00 |
| I.N. 1-2-9/4 C) PVC Casing capping 20 mm ----- @VRs. 36 | 36.00 |

Total Qty. = **131.00**

Item No. 26 :-

Supplying and erecting mains with 2x 4.00 Sq mm standerd copper PVC insulated wire with 2x2.15 sq mm copper PVC wire in PVC casting capping 20 mm on wall / ceiling .

| | |
|--|-------|
| I.N. 1-3-3/5 A) 2 x 4 S.qmm copper wire ----- @ Rs. 78 | 78.00 |
| I.N. 1-3-1 /6 B) 2 x 1.5 Sq. mm Copper wire ----- @ Rs. 38 | 38.00 |
| I.N. 1-2-10/4 C) PVC Casing capping 25 mm ----- @Rs. 38 | 38.00 |

Total Qty. = **154.00**

Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company Ltd. At Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon

Royalty Charges Recovery Statement

| Sr. No. | Particulars | Required Qty in CUM | Royalty | Surcharge | Distt. Mineral Foundation Cess | Total Rate | Amount |
|-------------------------|--------------------|----------------------------|----------------|------------------|---------------------------------------|-------------------|------------------|
| 1 | Sand | 187.69 | 237.37 | | | 237.37 | 44551.72 |
| 2 | Metal Hand Broken | 0 | 0 | | | 0 | 0.00 |
| 3 | Murum | 522.72 | 216.18 | | | 216.18 | 113001.61 |
| 4 | Rubble | 0 | 0 | | | 0 | 0.00 |
| Total Amount Rs. | | | | | | | 157553.33 |

**Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company Ltd. At
Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon**

Material Lab Testing charges

| Sr. No. | Test To Be Carried Out | Unit | No. of Test | Rate Per Test | Amount |
|-------------------------|--|-------------|--------------------|----------------------|-----------------|
| 1 | Compressive Strength of M-20 grade C.C. Cube | Test | 2.00 | 690.00 | 1380.00 |
| 2 | Carrying out water absorption , compressive strength & Efflorescence Test of Bricks | Test | 3.00 | 2175.00 | 6525.00 |
| 3 | Liquid Limit & Plastic Limit H.M. | Test | 2.00 | 1170.00 | 2340.00 |
| 4 | Standard Consistency , fineness specific Gravity Setting Time (Initial & Final) Compressive Strength Soundness | Test | 2.00 | 3770.00 | 7540.00 |
| 5 | Steel Upto 16 mm (set of 3 bars) | Test | 2.00 | 1275.00 | 2550.00 |
| 6 | Nitrol Solution Test (set of 3 bars) | Test | 2.00 | 3875.00 | 7750.00 |
| Total Amount Rs. | | | | | 28085.00 |

Construction of 1/725 MT Capacity for Panchadhanajay Farmer Producer Company
Ltd. At Gat No. 86/2 Sheri Tal. Dharangaon Dist- Jalgaon

LEAD STATEMENT

| Sr No. | Material | Total lead in Km | Total Lead charges | Net Additional Lead Charges | Unit |
|--------|---------------|------------------|--------------------|-----------------------------|------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 1 | Cement | 5.00 | 148.81 | 148.81 | MT |
| 2 | Steel | 5.00 | 148.81 | 148.81 | Cum |
| 3 | Sand | 25.00 | 440.01 | 440.01 | Cum |
| 4 | Bricks | 10.00 | 679.67 | 679.67 | Cum |
| 5 | Crushed metal | 10.00 | 299.83 | 299.83 | Cum |
| 6 | Rubble | 10.00 | 366.82 | 366.82 | Cum |
| 7 | HM/SM | 10.00 | 287.34 | 287.34 | Cum |


Ajay G. Patil
Consulting Civil Engineer
Reg.No. - NSK/JD/157/P&E